



# Langchain





# LLM



Large  
Language  
Model

# Prompt

What is Machine Learning

Input



Large  
Language  
Model

GPT  
GEMINI

LLAMA  
MISTRAL

Output

Questions

Marketing Campaigns

Summarising Text

Assistance

Images   Videos   Multi Modal


# Streamlit

PromptTemplate

# Chains


prompt | LLM

# Simple Sequential Chain






# Sequential Chain





# Chat History

# Using Vector Database




**RAG**

# Retrieval Augmented Generation



# RAG Process



# Other LLMs

Google Gemini

Open Source

Llama

3.1 8B

2 7B

Gemma

2B

3B

Mistral

7B

7B

13B

33B

8GB

16GB

32GB

# Deploy


Update the code

requirements.txt

Push to github

Deploy using StreamLit Cloud





User

Input

# Agent

Tools

Prompt


LLM


Reasoning

Action

Observe

Response





User



Task

# Agent

Prompt

LLM

Tools

Reasoning



Action

Observe

Response

Search  
Wikipedia


Wikipedia



## Why MCP

- Duplication of tools, resources and prompts per host or agents.


## MCP




Anthropic introduced MCP

# MCP


# Anthropic




# MCP



# Transport



# Streamable HTTP



WebSocket

SSE