Restaurant Encounter Atlas

Table for Two | Design reference | 9 November 2026

The restaurant currently contains 11 seeded two-beat stories, plus three separately scheduled physical interruptions. Across the story catalogue there are 58 complete two-choice histories. Most routes rejoin the same follow-through beat, so 58 histories should not be read as 58 different plots or 58 events in one evening.

Content layer	Verified amount	What a player can meet
Seeded stories	11 alternatives	One selected story per Solo or Blind evening; one shared story per Double room.
Player choice records	51	29 opening options and 22 follow-through options across the story catalogue.
Complete story histories	58	An opening choice followed by a valid final choice; seven stories have six histories, four have four.
Physical interruptions	3	Wrong order, spilled water, disruptive diner; separately gated, not guaranteed.
Date agendas	16 wants	Private goals assigned independently of the three preset character biographies.
Ending kinds	6	Another evening, friendship, second chance, quiet goodbye, early exit, or boundary departure.

How to read this atlas

The story trees keep each authored player choice editable in Word. Opening branches merge into a shared follow-through decision; branch-specific wording changes are written beside the affected branch. Result lines distinguish recorded facts, visible emotion, and consequential state changes. NPC wording can vary with personality without creating another player-choice route.

This is a design reference with private agenda goals, ending conditions and implemented physical consequences across all three modes. Its review distinguishes deliberate story convergence from gameplay defects that have now been fixed. AI conversation is open-ended within the server's turn and text limits; it does not have a meaningful fixed number of narrative leaves.

Source coverage: src/restaurant/scenarios.ts and scenario-types.ts; server/restaurant/evening.ts, scenario.ts, agendas.ts, skepticism.ts, boundaries.ts and chemistry.ts; Double room controllers and supporting activities.

Encounter index

Story	Opening options	Follow-through options	Complete histories
An urgent detour	3	2	6
Wine on a sleeve	3	2	6
More than expected	3	2	6
A little too much charm	3	2	6
A familiar face	3	2	6
Unexpected introductions	3	2	6
Something they choose to share	3	2	6
Dinner can wait	2	2	4
A slower evening	2	2	4
An honest pause	2	2	4
That was out of line	2	2	4
Catalogue total	29	22	58

Other maps

Modes and the evening flow
Physical interruptions
Understanding and the sixteen agendas
Earned Dolphin access
Characters and Blind Date variation
Implementation review
Activities and small gestures
Boundaries and recovery
Farewell and endings
Source coverage

There are 22 authored decision beats and 51 choice records, or 73 decision/choice nodes in these merged story maps. Each story has two terminal choice records; the expanded history tree has four or six leaves because the earlier choice remains part of memory.

Modes and the evening flow

Mode	People and ownership	Selection and consequences
Solo date	One human, one AI date, waiter and nearby diner.	Preset biography; story chosen by the session seed; one agenda for that evening.
Double date	Two humans and two independent AI dates share one table.	Both friends choose distinct presets and ready up. One shared story targets a pair; either seated connected friend can answer. Agendas and outcomes remain per pair.
Blind date	One human, one seeded AI personality, waiter and diner.	Seed selects reusable appearance, biography ingredients, traits, agenda and one story. The same seed reproduces the setup.

Dinner flow

├─ **Arrive and sit**
The human walks to the table. Seating and movement are authoritative game state.

├─ **Choose one of three main courses**
Eli nudges an unopened menu after 40 scene seconds. Food takes 45 active kitchen seconds; a care hold preserves the remaining cooking time. Try three bites (at least 500 ms apart). Eli clears the plates 200 seconds after service, 60 seconds after the cutlery is rested across the plate, or 90 seconds after the third bite.

├─ **Spend time together**
Conversation, a seeded story, conditional physical interruptions and small gestures happen here. The date breaks a long silence with an authored line of their own, at most four per evening, without a model call. The line waits while the two are mid-conversation or a reply is still being written, a scripted aside is dropped when the human has just been talking, and a line that asks something is carried into the next model note as a question still waiting for its answer (it expires after 90 scene seconds). An authored line never counts as a human turn.

├─ **Dessert decision**
Eli offers dessert as the plates go. Choose lemon, chocolate or berries, or skip it; after 40 scene seconds the date suggests their favourite, or declines when guarded or hurt. Dessert takes 20 kitchen seconds and is shared from one plate; it finishes 75 seconds after service or 40 seconds after two spoonfuls. Eli brings one check 12 seconds after dessert ends or is declined.

└─ **Settle dinner and say goodbye**
Three settlement options; then stand and walk to the entrance for one of three farewell requests.

Shared story arrival gate

Solo and Blind: seated, date present, no requested bill, active incident or departure; calm and quiet windows must have expired. Most stories need a served or finished main and four minutes elapsed OR four completed dialogue turns. The unwell story is an exception: it can interrupt a waiting order after 12 scene seconds, or a served plate before three bites after 90 seconds OR two dialogue turns.

Double: the target pair must meet the same physical eligibility and story-specific gate. The active table must be clear of incidents and farewells, with 25-second spacing and quiet windows respected. Ordinary shared stories also need four minutes on the minimum active-pair clock OR four dialogue turns across active pairs. A dormant story retargets if its pair has left; an active story closes if its subject leaves.

server/restaurant/evening.ts EveningDirector.step; server/double-date/scenarios.ts initializeScenario, tickScenario and resolveScenario; server/double-date/scene.ts.

How the date hears the evening

Every mode sends a stable system prompt, a named transcript and a short prose note. Table events are facts the date cannot rewrite; its notebook holds only what was said. Talking over the date, an unanswered question or “what do you mean?” are noted from what happened. No model call was added.

server/restaurant/turn-note.ts, dialogue-policy.ts and table-facts.ts; server/double-date/table-note.ts and conversation.ts.

Implementation review

Food mistakes now arrive with service

The earlier late replacement has been removed. A wrong order can be introduced when the main is delivered, before any bite. An eaten plate cannot be replaced by a provider redirect. The kept replacement is labelled on the receipt at the original ordered price. Recovery remains a ticket comparison followed by return or acceptance.

Later interruptions are independent opportunities

The water spill belongs to the main course: a minute after service, or the next calm moment before dessert reaches the table. The noisy diner belongs to dessert: half a minute after it is served. Neither needs a previous incident to have occurred, and interruptions land before a course moves on. They are conditional opportunities, not three guaranteed events per evening: a skipped dessert has no neighbor to deal with, and moving to the quieter table prevents the noisy-diner interruption.

Medical departures finalize the affected pair

The Double care exit now finalizes the departing pair's agenda goal and reflection, locks chemistry and settles that pair once. The friend's agenda, food and bill remain independent and playable. The deterministic comparison covers both human seats and all three care-departure stories without a provider request.

Many choices change the account of the evening rather than the destination

Every first choice reaches the same two final choices for its story, although the follow-through description, reaction or labels may change. The catalogue has 58 complete histories but only 22 terminal option records. In several stories both endings continue dinner; the difference is the recorded choice and response. Keep this distinction when judging replay value.

Care and attraction paths have deliberate limits

Both allergy endings and both excessive-drinking endings finish dinner for care. Attraction uncertainty closes romance after the first response; friendship cannot be persuaded back into romance. The tic disclosure offers considerate responses without making the disability a punishment. These are clear state rules; a higher agenda score does not override them.

Practical choices have physical state

Care holds stop cooking and course use; privacy and cleanup move the date away, then back before dinner resumes. Extra dishes are served, cancelled, shared or boxed, with an itemized bill. Wine cleanup clears the stain and uses the cloth. A quieter-table choice moves actors, props, targets and the collision body together. These systems do not award automatic affection.

Source and deterministic verification: scenario-care.ts, scenario-effects.ts, tests/atlas-fixes.test.ts, analyze-encounter-atlas.mjs and verify-encounter-atlas-audit.mjs. The remaining merged-story structure is an authored design choice, not an unresolved simulation bug.

An urgent detour

Your date suddenly excuses themself for the bathroom. A long, awkward minute passes; Eli quietly asks whether to hold the food.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├ **Ask Eli to hold dinner and bring water**
Dinner was held and fresh water was requested while the date took a bathroom break.

├ **Give them privacy and ask Eli to wait**
The date was given privacy during an urgent bathroom break.

└ **Send a discreet check-in through Eli**
Eli discreetly checked whether the date needed anything.

All opening branches reach follow through

Your date returns looking embarrassed. They say their stomach has settled, but they would rather slow the evening down.

├ **Keep dinner gentle and unhurried**
The date chose to stay, with water and a slower dinner. Continue the evening. Physical result: Hold stays active; resume dinner after the date returns.

└ **Offer an early finish**
The date accepted an early finish after feeling unwell. End immediately for care; staff handles the check and assisted exit. Request water if none has been requested. Physical result: Finalize the agenda, settle separately and end for care.

The first decision requests water if none has been requested; delivery follows the normal 12-second care timer. Opening holds the kitchen and sends the date away. Six seconds starts their return; follow-through and date dialogue wait until they reach the seat. Resume is explicit; a 45-second held-time fallback applies only after resolution and return.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts feeling-unwell | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

Wine on a sleeve

A passing tray catches a glass of red wine. Some lands on your date’s sleeve. Eli stops short with a stack of napkins; your date freezes for a beat.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├ **Offer a cloth: “Want a hand?”**
Handed over a clean cloth and held the spare napkins. Next: They take the cloth and ask you to clear the glasses.

├ **Flag down Eli for a fresh cloth**
Eli brought a clean cloth and gave the table room to recover. Next: Eli offers a quieter clean-up space; the date chooses how to recover. Staff help remains part of the scene context.

└ **Say, “The sleeve needed a plot twist”**
The player tried a sleeve joke while the date was still dealing with the spill. Reaction: Mira amused, Jules annoyed, Dev embarrassed. Next: The joke lands unevenly; practical help is still needed. Follow-up wording: “Put the joke aside and offer a clean-up break” / “Help move the wet things and reset the table”.

All opening branches reach follow through

Eli has a clean cloth ready. Your date wants to decide whether to deal with the stain here or step away for a moment.

├ **Take a clean-up break, then carry on**
The date cleaned up at their own pace and chose to continue dinner. Continue the evening. Physical result: Stain cleaned; cloth used; glasses temporarily cleared; date takes a cleanup break; kitchen held until resumed.

└ **Help move the wet things and reset the table**
The wet glassware was moved and the table was reset together. Continue the evening. Physical result: Stain cleaned; cloth used; glasses stay; dinner continues at the table.

The wet stain and ready cloth are visible from activation. Both endings clean the stain and lower the glass. Fresh start also removes the glasses during a real cleanup break; resume after the return. Separate from the three-wipe water incident.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts wine-spill | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

More than expected

Your date orders a few extra dishes, expecting sharing portions. Full-size mains begin arriving. The table is running out of space.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├ **Ask Eli to cancel what is still in the kitchen**
Eli cancelled the extra dishes still in the kitchen. Next: The unprepared dishes are cancelled; agree what to share. Staff help remains part of the scene context. Physical result: Cancel the two pending dishes if they are still cooking; their charge becomes zero.

├ **Call it a tasting menu and let your date choose first**
The accidental feast became a tasting-menu joke and the date chose a first dish. Reaction: Mira amused, Jules amused, Dev amused. Next: They choose a first dish, but the excess food still needs a plan. Physical result: Pending extras keep cooking and become served and billable after 12 scene seconds.

└ **Slide your own plate clear of the incoming feast**
The player protected their own meal before the table had agreed what to share. Reaction: surprised. Next: The date realizes sharing was never agreed. Physical result: Pending extras keep cooking and become served and billable after 12 scene seconds. Follow-up wording: “Choose one dish to share; box the rest” / “Keep your meal and help with the leftovers”.

All opening branches reach follow through

Eli can stop the dishes that have not been prepared. There is still plenty on the table, and your date asks what you feel comfortable sharing.

├ **Choose what to share and box the rest**
Only the dishes everyone wanted were shared; the extras were boxed. Continue the evening. Physical result: One served extra stays to share; remaining served extras are boxed; pending extras are cancelled.

└ **Keep your own meal and help arrange leftovers**
The player kept their own meal while helping sort the date’s leftovers. Continue the evening. Physical result: All served extras are boxed; pending extras are cancelled; your own meal stays separate.

Four extras are tracked: two served, two pending. Pending/cancelled dishes cost zero; served/shared/boxed dishes remain billed. Waiting 12 seconds can increase the bill before packing. The receipt and food/box meshes read the same ledger.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts oversized-order | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

A little too much charm

Your date’s banter with Eli turns noticeably flirty. Eli keeps the exchange professional, but your date looks back to see how it landed with you.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├ **Ask, “Am I competing with the waiter?”**
The player asked whether the date’s attention was still at their table. Next: They turn back to hear the concern behind the question.

├ **Grin: “Does that line come with dessert?”**
The player teased the date about the flirty line instead of involving the waiter. Reaction: Mira amused, Jules embarrassed, Dev embarrassed. Next: They laugh, then check whether you were actually bothered.

└ **Ask Eli about dessert, then turn back to your date**
The player let Eli return to the order and redirected attention to the date. Next: They ask whether the banter was comfortable or should stop.

All opening branches reach follow through

Eli returns to the order. Your date turns back to hear you.

├ **Agree on the boundary and return to your evening**
The date agreed to the flirting boundary and returned their attention to the table. Continue the evening.

└ **Say the mismatch matters and end dinner politely**
The player chose to end a date over a mismatch in flirting boundaries. Begin an early goodbye; settle separately and let the departure finish.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts staff-flirt | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

A familiar face

Your date recognizes an ex at a nearby table. There is a brief wave, then a silence neither of you ordered.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├─ **Ask, “Want a minute, or a fresh subject?”**
The player offered a choice between a minute of space and a fresh subject. Next: They give a brief explanation and take a breath.

├─ **Murmur, “Strong entrance from the supporting cast”**
The player tried an aside about the ex’s unexpected appearance. Reaction: Mira amused, Jules embarrassed, Dev embarrassed. Next: They do not want the ex to become the evening’s focus. Follow-up wording: “Let the joke go and give them room” / “Say honestly what would help you feel comfortable”.

└─ **Ask your date for their most defensible bad opinion**
The player changed the subject with an invitation to a harmless disagreement. Next: They are briefly distracted, then return to the conversation.

All opening branches reach follow through

The ex returns to their dinner. Your date offers a brief explanation, then waits to see whether you want to move on.

├─ **Leave the ex story there**
The date gave a brief explanation, and the table moved on. Continue the evening.

└─ **Say what would help you feel comfortable**
Both people clarified what they needed after the unexpected encounter. Continue the evening.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts awkward-ex | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

Unexpected introductions

A relative spots your date from across the restaurant and comes over. The introduction starts warmly, then drifts into an embarrassing childhood story.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├─ **Shake hands and ask for the short version**
The unexpected relative was welcomed and offered a brief introduction. Next: The relative starts another story; your date signals for an exit.

├─ **Say, “You can tell me the rest another time”**
The player helped close the family visit with a promise of a less rushed introduction another time. Next: The relative starts saying goodbye; your date relaxes.

└─ **Ask, “Is the haircut story public knowledge?”**
The player joined the family’s haircut joke and checked the date’s reaction. Reaction: Mira amused, Jules embarrassed, Dev defensive. Next: Your date takes over their own story and decides where it ends. Follow-up wording: “Thank the relative and let your date close the story” / “Save the teasing until your date brings it up again”.

All opening branches reach follow through

Your date catches your eye. The relative is friendly, but they need a cue that this is still your evening.

├─ **Thank the relative and return to dinner**
The family visit ended warmly and the date returned to the table. Continue the evening.

└─ **Wait until you are alone, then share the joke**
The table waited for privacy before laughing about the awkward introduction. Continue the evening.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts family-visit | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

Something they choose to share

Your date has an involuntary vocal tic, then chooses to explain that they have Tourette syndrome. They keep their voice low.

Two decision beats | 5 choice records | 6 complete histories | Two terminal options

Opening response

├ **Acknowledge it and carry on talking**
Acknowledged the disclosure and kept the conversation going.

├ **Ask if anything would help**
Asked whether the date wanted anything adjusted.

└ **Let them set the pace**
The date's disclosure was kept discreet and they set the pace.

All opening branches reach follow through

Your date says they are comfortable continuing. They will ask if they want a break.

├ **Carry on talking**
The date returned to the conversation at their own pace. Continue the evening.

└ **Leave a break open**
Agreed the date could ask for a break whenever they wanted one. Continue the evening.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts unexpected-tic | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

Dinner can wait

After a bite, your date develops a serious allergic reaction and reaches for their prescribed emergency medication. Eli is alerted immediately and calls for emergency help. Dinner stops.

Two decision beats | 4 choice records | 4 complete histories | Two terminal options

Opening response

├─ **Help Eli make room for the responders**
Staff called emergency help and cleared room while the date used their prescribed treatment.

└─ **Stay with your date while staff gets help**
The player stayed nearby while staff arranged urgent medical help.

All opening branches reach follow through

Your date has used their prescribed emergency treatment. Eli makes room for the responders and stays nearby.

├─ **Stay for the medical handoff**
The dinner ended so the date could receive medical care; staff handled the restaurant arrangements. End immediately for care; staff handles the check and assisted exit. Staff help remains part of the scene context. Physical result: finalize the agenda and settle this pair once; the other Double pair can continue.

└─ **Ask whom they want contacted**
Asked whom the date wanted contacted while staff arranged medical care. End immediately for care; staff handles the check and assisted exit. Staff help remains part of the scene context. Physical result: Record the requested contact; finalize the agenda and settle this pair once; the other Double pair can continue.

Eli has already called emergency help in the opening; neither response delays that call. Both final choices end dinner for care.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts allergic-reaction | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

A slower evening

Your date had more to drink before arriving than they meant to and is sick at the table. Eli brings a basin and a cloth discreetly; the table gives them space to recover.

Two decision beats | 4 choice records | 4 complete histories | Two terminal options

Opening response

├─ **Ask Eli to help quietly**
Staff helped the unwell date discreetly and the alcoholic drinks stopped.

└─ **Agree to stop the drinks**
The player removed any pressure to drink more or act cheerful.

All opening branches reach follow through

The drinks are stopped. Eli stays nearby as your date asks for help getting home.

├─ **Ask staff to help arrange a safe finish**
Eli helped arrange a safe finish to the evening, and the alcoholic drinks were stopped. End immediately for care; staff handles the check and assisted exit. Staff help remains part of the scene context. Physical result: finalize the agenda and settle this pair once; the other Double pair can continue.

└─ **Ask whether they want a trusted person contacted**
Asked whether the date wanted a trusted person contacted; Eli helped arrange a safe finish. End immediately for care; staff handles the check and assisted exit. Staff help remains part of the scene context. Physical result: Record the requested contact; finalize the agenda and settle this pair once; the other Double pair can continue.

The first decision requests water if none has been requested; delivery follows the normal 12-second care timer. Both final choices end the date for care rather than making intoxication a romance branch.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts too-many-drinks | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

An honest pause

Someone elsewhere in the restaurant catches your date’s eye. They choose to say they are still figuring out who they want to date, and are unsure this is a romantic match.

Two decision beats | 4 choice records | 4 complete histories | Two terminal options

Opening response

├─ **Thank them for telling you**
The date chose to disclose uncertainty about attraction and their privacy was respected.

└─ **Ask what kind of evening they want**
Asked what kind of evening the date wanted.

All opening branches reach follow through

Your date asks you to keep the personal details private. They are happy to finish dinner as friends.

├─ **Continue the evening as friends**
Both agreed to spend the rest of the evening as friends. Romance remains closed for this evening. Continue the evening. The first decision has already closed romance.

└─ **Choose a kind early goodbye**
The player chose an honest early goodbye after learning the romantic interest was not mutual. Romance remains closed for this evening. Begin an early goodbye; settle separately and let the departure finish. The first decision has already closed romance.

Romance closes on either first choice, before the final friendship or goodbye decision.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts questioning-attraction | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

That was out of line

The nearby diner makes a prejudiced remark about another guest’s background or appearance. Your date hears it and sets down their glass.

Two decision beats | 4 choice records | 4 complete histories | Two terminal options

Opening response

├ **Ask Eli quietly**
Quietly reported the prejudiced comment to Eli.

└ **Set a brief boundary, then call Eli**
The player challenged the demeaning comment briefly and let staff take over.

All opening branches reach follow through

Eli asks what happened. The other guest has kept to their table; your date waits to hear what you would like to do.

├ **Let staff handle it**
Staff addressed the behaviour and the table gave the targeted guest privacy. Continue the evening. Physical result: Remain at the current table; staff handles the diner; 120 seconds of quiet.

└ **Ask to move tables**
The table asked for distance from the disruptive diner after setting a boundary. Continue the evening. Physical result: Move the whole table, actors, prop targets and collider by 3.85 world units; suppress the later noise incident; 120 seconds of quiet.

Each accepted choice records its attributed fact as a table fact that the date reads back; it is not written into the notebook the model rewrites. Resolution keeps both facts as one shared moment. Choice commitment is immediate; agenda clues and personal refusals still require completed delivery to count as heard.

src/restaurant/scenarios.ts unwelcome-comment | server/restaurant/scenario.ts applyScenarioToView | Mode ownership and scheduling are in the mode map.

Physical interruptions

These three incidents are separate from the single seeded story. Each can resolve once. They are independent checks against scene time and course state, spaced by calm gaps. A fast dinner, care hold or early departure may prevent later eligibility.

- **Wrong order**
  Checked at main delivery, before bites; requires a clear table and no previous wrong-order incident or resolution.
- **Spilled water**
  Sixty scene seconds after the main is served, or the next calm moment after that, as long as dessert has not reached the table. A resolved wrong order is not required.
- **Disruptive diner**
  Thirty scene seconds after dessert is served, while it is still on the table and the table has not moved to the quieter location. A resolved spill is not required.

Shared physical gates

Seated; date present; kitchen not held; no requested or settled bill; no farewell, departure, active story or current incident. Quiet periods must have expired and more than 25 scene seconds must separate interruptions. Double Date also keeps the active table clear and respects active pairs' quiet windows.

What can happen in one evening

- **Delivery while the table is clear**
  The wrong dish can be noticed immediately and recovered before eating.
- **Keep the evening active through later timers**
  Water and noise each remain eligible independently once their own gates are met.
- **Move to the quieter table or finish early**
  The quiet location suppresses the later noise; the check arriving or a departure closes interruption eligibility.

A provider-content redirect may introduce a wrong order only on a served, untouched plate with no earlier wrong-order resolution and a clear table. Otherwise it uses a brief waiter check-in. A provider refusal is not itself a personal-boundary strike.

server/restaurant/evening.ts startIncident, redirectConversation and step; server/double-date/scene.ts captureIncident, shareIncident and step.

Wrong order

The waiter has brought a different main. The controller swaps the served dish to an alternative from the menu; the original order remains recorded.

- **Check the order ticket**
  Required first. Progress becomes one; a moment records the original order and the plate actually served.
  - **Ask for the right dish**
    Available after checking the ticket. Restore the original ordered dish; record the polite return and resolution.
  - **Keep the surprise**
    Available after checking the ticket. Keep the alternative served dish; record that you accepted the unexpected meal.

Consequences and callbacks

Two meaningful terminal responses. Both clear the incident, start a new 25-second calm interval, and keep a factual resolution and shared moment. The date and waiter have authored returned/kept callbacks. Neither choice grants agenda points or purchases affection.

In Double Date one pair owns the physical meal mistake while both clients see the shared incident. Either seated friend can perform recovery. If the owning date leaves, the remaining diner’s meal is left unchanged: Eli clears the departed pair’s unexpected plate and records that fact instead of making the remaining player return food they never received.

Recovery and timing

Eli does not clear or serve while the incident stands, and the prompt line shows only its handling until it is resolved. There is no authored failure timeout. The mistake is revealed before eating, and an eaten dish cannot be replaced by a redirect. Keeping the replacement preserves the original ordered price and shows the actual dish on the receipt.

server/restaurant/evening.ts inspect-ticket, return-order, keep-order and startIncident; src/restaurant/EveningInterface.ts prompt line; server/double-date/scene.ts incident ownership transfer.

Spilled water

A passing tray clips a water glass. This is a physical recovery sequence, not the separate seeded wine-on-a-sleeve story.

- **Wipe with the napkin**
  Three accepted wipes are required. Wipes must be at least 100 ms apart.
  - **First wipe**
    Progress one; a comfortable date offers an authored help response.
  - **Second wipe**
    Progress two; continue drying the table.
  - **Third wipe**
    Progress three; the spill is dry and the date asks to set the glass upright.
- **Set the glass upright**
  Only after the third wipe. Lower the glass, clear the incident, keep the teamwork moment and start a calm gap.

Consequences and callbacks

One completed physical recovery route, with four successful actions. Extra wipes after progress three do not create another route. Trying to steady the glass too early is rejected without ending the date. The date and waiter have authored recovery lines.

A curious date becomes comfortable only if agenda confidence has already been earned. Wiping alone does not manufacture trust. Either seated Double Date friend can help recover the shared spill; the per-pair ownership logic keeps the table coherent if a date departs.

server/restaurant/evening.ts wipe and steady-glass; src/restaurant/story.ts spill callbacks; server/double-date/scene.ts recovery forwarding.

Disruptive diner

The nearby diner takes a loud speakerphone call. This physical interruption is different from the seeded prejudiced-comment encounter.

├─ **Ask the waiter for a little quiet**
Eli intervenes; the diner takes the call outside. Record the calm response and clear the interruption.

├─ **Let it pass. Back to us.**
Return attention to your own evening. Record that choice and clear the interruption.

└─ **Acknowledge the awkward moment**
The underlying apologize action can also resolve this incident with a cooling-down account and run the ordinary repair controller.

Reachability matters

The prompt line exposes the first two choices. The apologize resolution exists in the server action set, but the prompt line does not present it as a third chip. Treat this as two normally presented endings plus one accepted recovery action, rather than three equal visible choices.

Consequences and callbacks

All accepted resolutions clear the incident and retain a factual moment. Asking for quiet and letting it pass have different authored date/diner responses. Apology records the calmer account and can repair a prior social state; it does not override a leaving decision or instantly earn agenda confidence. There is no timed failure or automatic romantic reward.

server/restaurant/evening.ts ask-quiet, let-it-go and apologize; src/restaurant/EveningInterface.ts prompt line; src/restaurant/story.ts diner callbacks.

Activities and small gestures

Shared activities

└ **Share dessert**
Eli offers dessert as he clears the main. Choose one of three desserts or skip it; if nobody chooses within 40 scene seconds the date picks their favourite, or declines when guarded or hurt. One plate, two spoons: the first spoonful (or 25 seconds together) records the shared moment, and the plate finishes 75 seconds after service or 40 seconds after two spoonfuls.

Dessert decisions remain per pair in Double Date; Eli brings one check once every active pair has finished or declined dessert and nothing is being mopped up.

Care choices

├ **Offer a taste**
Once, while the meal is served. Acceptance requires an unguarded/unhurt stance and either the date's preferred main or sufficient openness. Presets other than Jules can accept a nonpreferred dish; Blind uses openness at least 50. Acceptance records tasting; a refusal stands without a penalty.

├ **Make a toast**
One choice among "To tonight", "To honesty", "To friendship" and "To a little mischief". Requires an order and no requested bill. Records a shared toast and raises the glass; no romance score is awarded.

├ **Check in**
Once after ordering and before the bill. Guarded/hurt dates, Jules, or a Blind date with sociability below 40 choose a slower pace and 45 quiet seconds. Otherwise they continue; earned confidence changes the wording.

└ **Ask for fresh water**
First request or a refill when the served carafe is empty and your glass is below full. Delivery after 12 scene seconds restores the glass and shared carafe.

server/restaurant/evening.ts care actions and dessert pacing; src/restaurant/evening.ts EVENING_PACE; server/double-date/scene.ts shared check. Gifts and payment never determine attraction.

Table objects and their state

The new tabletop layer contains ten deterministic actions. It changes physical state without issuing a model request, writing an invented memory, or awarding relationship points. Only relevant food and water facts enter future conversation context.

Object	Action and state change	Limits and ownership
Water glass	Sip one of four fill units; raise briefly, then lower after 1.2 scene seconds.	Own glass; empty glass cannot be sipped.
Carafe	Pour the smaller of missing glass capacity and remaining shared water.	Shared capacity six; a full glass or empty carafe blocks pouring.
Bread basket	Take one of four shared pieces; increment own pieces eaten.	Shared stock; no automatic relationship score.
Salt and pepper	Season the current meal once with each.	Own served meal, before three bites. A changed dish resets seasoning.
Cutlery	Toggle between straight and crossed.	Own setting; purely physical.
Napkin	Fold or unfold; drawing unfolds it.	Own setting; does not erase a saved drawing.
Table lamp	Cycle full light → low light → off → full.	Shared table state.
Vase	Turn one of twelve steps.	Shared table state.
Plate	Turn one of twelve steps.	Own setting; food’s direct interaction keeps its bite behavior.

All actions require a seated, active date without a farewell, active story or physical incident. A care hold or absent date blocks food and course use. Double Date also blocks tabletop actions during a shared interruption; a completed pair cannot keep changing its own date’s table state.

src/restaurant/tabletop.ts; server/restaurant/tabletop.ts; server/double-date/scene.ts tabletop command gate.

Understanding and the sixteen agendas

Every date starts skeptical. The agenda is what they want from this particular evening, not a new NPC biography, trivia quiz, or guarantee of attraction. One of sixteen goals is selected privately from the session and character seed; Blind uses its reproducible seed.

├ **A meaningful clue is actually heard**
A generated but interrupted line is not enough. The clue must be an exact substring of the date's current line, with a completed delivery receipt.

├ **Notice the relevant preference**
One previously heard distinct clue, current-turn evidence and the next valid milestone → 30 points.

├ **Understand why it matters**
Two distinct previously heard specifics and fresh current-turn evidence → 35 more points, total 65.

└ **Make room through an actual present response**
The next ordered milestone, two heard specifics and fresh evidence → 35 more points, total 100 and earned confidence.

What does not count

Flattery, copied or reused evidence, trivia, dishonest agreement, a promise about the future, pressure, or asking for points. Evidence must quote the current human turn exactly. A clue disclosed in the current reply cannot retroactively make that human turn ready for credit. Honest incompatibility can still show full understanding.

What the score changes

Earned confidence can permit a curious date to become comfortable when a kind, curious or humorous response lands. It contributes to some farewell outcomes and is a prerequisite for earned Dolphin routing. The score never purchases attraction, reverses a refusal or reopens a date that has left.

Disregard removes the respected milestone, returning a completed rubric from 100 to 65. A repair may permit a conversation to continue; the missing follow-through must be earned again. Goal and reflection are normally revealed only when the ending is finalized.

server/restaurant/agendas.ts; server/restaurant/skepticism.ts; server/restaurant/evening.ts social and farewell logic.

Agenda goals and evidence

Enjoy playful chemistry without having to perform all evening

Natural clue: I’m enjoying the banter, but I can’t keep doing bits all night.

├ **Understand**
Recognizes that enjoying the banter does not mean needing constant entertainment.

└ **Respect through a present response**
Makes room for an ordinary, sincere exchange rather than demanding another joke.

Have an evening off from organizing everyone else

Natural clue: I plan everything for everyone, so it’s nice not to be the one deciding tonight.

├ **Understand**
Recognizes the wish to share responsibility and relax.

└ **Respect through a present response**
Offers a concrete small choice or handles their own part without taking control of the date.

Find out whether a disagreement can stay warm

Natural clue: I like it when someone disagrees with me about something small and it’s still fine.

├ **Understand**
Recognizes that respectful disagreement matters more than identical opinions.

└ **Respect through a present response**
Expresses a real differing preference while respecting theirs, without a put-down or dishonest agreement.

Understand each other’s romantic intentions without rushing a decision

Natural clue: I’d like to know roughly what we’re each after, but I don’t need an answer tonight.

├ **Understand**
Recognizes the balance between clear intentions and time to decide.

└ **Respect through a present response**
States their own intentions clearly while accepting uncertainty or an honest mismatch.

Private rubric bank in server/restaurant/agendas.ts. “Notice” always requires a relevant preference from the actual evening. The three milestones remain ordered for every goal.

Agenda goals and evidence continued

Feel listened to without having the evening turn into a rescue mission

Natural clue: When I tell a story I mostly want someone to listen, not to fix it.

├ **Understand**
Recognizes the wish to be heard without having plans taken over.

└ **Respect through a present response**
Responds to the actual feeling or asks whether advice is wanted instead of prescribing a fix.

Try something spontaneous while keeping the freedom to say no

Natural clue: I like spur-of-the-moment ideas as long as saying no is fine.

├ **Understand**
Recognizes that spontaneity and choice can coexist.

└ **Respect through a present response**
Offers a concrete low-pressure idea or accepts a declined suggestion without bargaining.

Feel included when friends are part of the evening

Natural clue: When friends have in-jokes, I like someone to explain one so I’m not just nodding along.

├ **Understand**
Recognizes the wish to join in without competing for attention.

└ **Respect through a present response**
Brings them into the actual conversation with context or room to answer, while still allowing friends to talk.

Be taken seriously beneath the jokes

Natural clue: When I joke about something, I sometimes actually mean it.

├ **Understand**
Recognizes that humor can accompany a real opinion or concern.

└ **Respect through a present response**
Engages with the substance of a disclosed thought without dismissing it or demanding a confession.

Private rubric bank in server/restaurant/agendas.ts. “Notice” always requires a relevant preference from the actual evening. The three milestones remain ordered for every goal.

Agenda goals and evidence continued

Discover what kind of connection feels mutual, including friendship

Natural clue: I'd be glad to leave tonight with a friend. That's a good outcome too.

├ **Understand**
Recognizes that friendship is a valid result rather than a consolation prize.

└ **Respect through a present response**
Expresses an honest preference and accepts the other person's choice without negotiating attraction.

Enjoy tonight without planning the whole relationship in advance

Natural clue: I don't want to plan the next five years over one dinner.

├ **Understand**
Recognizes the wish to stay present while leaving the future open.

└ **Respect through a present response**
Engages with a real shared moment and allows future plans to remain undecided.

Make their own choices and still feel like part of a pair

Natural clue: I like being asked what I want instead of having it chosen for me.

├ **Understand**
Recognizes the wish for mutual care without being managed.

└ **Respect through a present response**
Asks or checks a concrete preference and accepts the answer, including a different choice.

See whether small details matter to the other person

Natural clue: I notice when someone remembers a small thing I said earlier.

├ **Understand**
Recognizes that attention to a freely shared detail matters.

└ **Respect through a present response**
Accurately recalls and applies a specific disclosed preference without inventing a memory.

Private rubric bank in server/restaurant/agendas.ts. "Notice" always requires a relevant preference from the actual evening. The three milestones remain ordered for every goal.

Agenda goals and evidence continued

Feel comfortable with pauses instead of filling every silence

Natural clue: I don’t mind a quiet bit. It doesn’t mean it’s going badly.

├ **Understand**
Recognizes that relaxed pacing does not mean boredom or rejection.

└ **Respect through a present response**
Makes specific room for a slower pace without demanding constant reassurance or an answer.

Find someone who can recover from an awkward moment honestly

Natural clue: If something goes wrong I’d rather someone just says it was their fault than makes an excuse.

├ **Understand**
Recognizes that owning a mistake matters more than a polished performance.

└ **Respect through a present response**
Owns a specific actual mistake and makes a concrete repair without blaming or demanding forgiveness.

Share a little healthy competition without turning dinner into a ranking

Natural clue: I like a bit of competition as long as nobody makes it about who’s a better person.

├ **Understand**
Recognizes the difference between enjoying a challenge and making it a test of worth.

└ **Respect through a present response**
Responds to a real challenge or result with fair play, a generous reaction, or an accepted limit.

Find out whether curiosity can go both ways

Natural clue: I like it when we both ask and both answer, not one person interviewing the other.

├ **Understand**
Recognizes the wish for mutual exchange rather than an interview or monologue.

└ **Respect through a present response**
Shares a relevant detail of their own and makes genuine room for the date’s response.

Private rubric bank in server/restaurant/agendas.ts. “Notice” always requires a relevant preference from the actual evening. The three milestones remain ordered for every goal.

Boundaries and recovery

The controller separates a provider-content limit from a date's personal refusal. All characters are fictional adults. Non-graphic flirting or innuendo alone is not disregard, and a first refusal does not retrospectively punish the preceding turn.

- **The date states a specific refusal**
  It must appear in the actual current date line. No disregard penalty yet.
  - **The responsible human hears the completed refusal**
    Only then is that topic active for this person and this date. Interrupted or unheard warnings do not establish the boundary.
    - **Respect it or change the subject**
      Continue the evening without a repeat penalty.
    - **Acknowledge a previously disregarded boundary**
      Current-turn repair evidence can lower that topic's disregard count and run repair. Unrelated kindness does not erase it.
    - **Disregard the same delivered topic once**
      Server count one; guarded stance, loss of respected credit, chemistry access revoked.
      - **Disregard the same topic again**
        Server count two permits departure only when the date also asks to leave. The departure is final.

Double Date attribution

Refusals are per date, listener and topic. A friend's words cannot be charged to the other human. The date may react to either person; agenda credit remains with the paired human, while each listener's delivery is tracked separately. A departed date is offstage and cannot keep speaking or have its outcome reopened.

Friend conversation and inclusion

Three observable public turns directed only to the friend make available dates annoyed and guarded. Addressing the table resets both exclusion counters; addressing a particular date resets that date's counter. A sincere repair can return them to curious, or comfortable if confidence has already been earned. Silence, menus, microphone denial, lag and reconnect time do not count as neglect.

server/restaurant/boundaries.ts and EveningDirector.social; server/double-date/conversation.ts excluded counters and speaker attribution.

Earned Dolphin access

This is an eligibility and provider-routing progression. It is not an additional authored story and does not promise a particular sexual response or remove the character's boundaries.

├ **Start with the configured conversation route**
In the Haiku and earned-Dolphin setup, a new date cannot start on Dolphin. Ordinary dialogue and physical choices remain available.

├ **Earn confidence in the agenda**
Hear at least two distinct specifics and earn noticed, understood and respected. The date cannot be guarded, hurt, leaving, finished or friendship-only.

├ **Two distinct reciprocal flirt moments are completed**
Each needs a different generation, fresh human wording of at least three words, a distinct date line tagged flirtatious, and a completed receipt to the paired listener. Refusals and repeated pressure do not count.

└ **Check the topic and configured route on each turn**
After mutual chemistry, automatic Haiku uses the configured earned provider only for adult-topic dialogue, judged locally from the current text and recent delivered turns. Ordinary talk stays on Haiku. Eligibility does not configure a missing provider.

Loss and recovery

├ **An interruption**
Discard unfinished candidate delivery; already earned reciprocal moments remain.

├ **Accepted disregard**
Remove earned chemistry moments. Repair and renewed confidence need two fresh reciprocal moments.

└ **Friendship closure or an ending**
Eligibility becomes false immediately. Paying, winning or high understanding cannot reopen attraction.

Double Date evaluates the speaking human's pair independently. One couple earning access does not unlock the other couple. One completed human turn still produces one shared model request, rather than a background request per cast member.

Explicit Dolphin selection remains chemistry-gated. A deliberate Horde choice is available immediately when configured and overrides automatic routing; reset returns to automatic selection. Server configuration can instead use Horde for the entire evening or as the earned alternative. Provider choice does not unlock romance, erase boundaries or add an authored encounter.

server/restaurant/chemistry.ts; server/restaurant/skepticism.ts; server/restaurant/index.ts modelFor; server/double-date/conversation.ts effectiveModel selection.

Farewell and endings

For the ordinary farewell, let Eli clear the main, choose or skip dessert (or let the date decide), wait for Eli to leave the check, and settle it by splitting, treating or paying separately. Then stand and walk within the entrance radius. The player can ask to meet again, offer friendship, or say goodbye.

├ **Player says goodbye OR the date remains guarded or hurt**
Quiet goodbye. This takes precedence over the warmer branches below.

├ **Romance was closed OR the player chooses friendship**
New friend, unless the earlier quiet-goodbye condition applied.

├ **Ask to meet again after an honestly repaired hurt**
Earned confidence plus repaired=true and wasHurt=true → second chance.

├ **Ask to meet again with earned confidence and comfortable stance**
At least one dialogue turn OR a shared toast, taste or dessert → another evening.

└ **Any other ordinary farewell**
New friend. An optimistic request alone does not manufacture romantic interest.

Other ways to finish

├ **Choose End date or a valid early exit**
Early exit. If food was ordered, settle separately rather than silently avoiding the check.

├ **A seeded story chooses an early finish**
Early-exit kind with a story-specific title and facts. Medical/unwell paths end immediately with assisted care; other mismatch paths begin a departure.

└ **Repeated delivered boundary disregard and a request to leave**
Walked away. No subsequent kindness, payment, conversation or table action reverses the departure.

After the farewell is heard or 30 scene seconds pass, the evening can finish when the character reaches the doorway. After 45 seconds, the departure ends through a fallback. Double pairs can finish independently; one human may remain as a wingman while the other date continues. The shared Double bill checks every active pair is seated, finished with dinner and clear of interruptions before applying a settlement.

server/restaurant/evening.ts farewell, beginEnding, earlyExit and step; server/restaurant/scenario.ts assisted exits; server/double-date/scene.ts wingman and room completion.

Characters and Blind Date variation

Mira 27

A playful freelance photographer, usually working at other people’s celebrations. She says yes to too many favors and has an unbooked photo exhibition of her own that she rarely mentions at first. Offers her own anecdotes and opinions instead of ending every reply with a question. She can enjoy a comfortable silence, disagree, or choose friendship without apologizing for it.

Preferred main: Roasted tomato rigatoni. Preferred dessert: Chocolate fondant.

Private thread: She finds it easier to be useful and entertaining than to ask for attention for her own work. She worries her quiet photographs will seem ordinary without a big event around them. Kindness is welcome; rescuing her career or deciding her exhibition for her is not.

Jules 29

An observant book restorer who likes clear intentions and takes time to trust. Their living grandmother Inez’s annotated cookbook is a private work in progress. Shares craft, films, and food opinions when they come up. Quiet is comfortable, not an invitation to force a confession. They can prefer a real friendship to a romance.

Preferred main: Wild mushroom risotto. Preferred dessert: Lemon posset.

Private thread: Preserving other people's stories can become a way to avoid writing anything personal. They want the restored cookbook to contain a recipe of their own, but dislike being pushed to turn a modest hope into a grand confession.

Dev 28

A bicycle mechanic and ambitious amateur cook, not an established chef. He has private, unlaunched food truck plans and covers uncertainty with confidence. Direct, energetic, competitive, and considerate when he stops trying to manage everything. Can lose a game, revise an opinion, and apologize without needing reassurance. Offers concrete stories and enjoys playful disagreement. A friendship ending can be just as welcome to him.

Preferred main: Lemon & herb chicken. Preferred dessert: Strawberries & cream.

Private thread: He is afraid that saying he wants a food truck will turn a private wish into a public test. Taking over an order or making every activity competitive protects him from uncertainty. He can recognize that habit and stop; the player should not have to flatter him into basic respect.

All three can receive any of the sixteen evening agendas. The biography and agenda shape different things: a fixed life beyond dinner versus what this person wants from tonight. Neither specifies the required romantic ending.

src/restaurant/content.ts and story.ts; server/restaurant/agendas.ts. The adult presets are three biographies, not sixteen agenda variants counted as sixteen new characters.

Blind Date ingredients

A seed reproduces five 0–100 traits, appearance, occupation with unfinished ambition, hobby, history, humor, value, dislike, flirting style, preferred main and dessert. Reusing Mira, Jules or Dev's appearance does not reuse that preset's job or family story.

Occupation ingredient	Unfinished ambition paired with that occupation
sound technician at a small music venue	setting up a listening night for local bands
ceramicist who also teaches evening classes	making a small collection of deliberately imperfect cups
urban gardener maintaining community plots	building a rooftop herb garden with a neighbor
costume maker for a neighborhood theater	designing one original outfit without a director giving notes
aquarium technician	learning to film the tide pools on weekend trips
radio producer for the early morning shift	pitching a show about the strange jobs people do
architectural model maker	making a tiny replica of their childhood street
repairer of vintage record players	hosting a bring-your-worst-record listening party
museum education coordinator	planning a late-night event without a single formal lecture
community swimming instructor	finishing an open-water relay with friends
train dispatcher	taking an unplanned holiday where someone else chooses the route
bakery delivery coordinator	learning one difficult pastry without help from the bakers

Other banks contain twelve hobbies and six each of personal histories, humor styles, values, dislikes and flirting styles. These ingredients are chosen by one seeded generator; multiplying every bank size would not establish a number of independent authored encounters or unique reachable people.

Seeded story delivery uses directness above 65 for direct, otherwise sociability above 55 for playful, otherwise dry. Opening lines and other cues have their own trait conditions. Food preferences are tastes, not invented allergies; the serious-allergy story supplies its own explicit event.

src/restaurant/blind-date.ts createBlindDate; server/restaurant/scenario.ts scenarioStyle; server/restaurant/agendas.ts seed selection.

Source coverage

The atlas was derived from the repository on 9 November 2026. Every one of the 58 story histories was executed through the actual scenario choice functions in all three delivery styles, for 174 deterministic checks. Those checks made no provider calls. The medical-versus-boundary comparison used the real DoubleTableScene controller.

Source	Coverage
src/restaurant/scenarios.ts	All eleven seeded stories, exact player choice text, reactions, follow-through overrides, state effects and complete histories.
src/restaurant/scenario-types.ts	Story phases, decisions, effects and care state.
src/restaurant/scenario-care.ts; server/restaurant/scenario-effects.ts	Kitchen hold and resume, physical return, clean-up, quiet-table choice, extra-food statuses, cooking deadline and itemized charges.
server/restaurant/evening.ts and scenario.ts	Course gates, care gestures, three physical incidents, timing, table facts, scoring interactions and endings.
server/double-date/scenarios.ts and scene.ts	Shared target, either-friend choices, one check for the table, incident recovery and independent pair endings.
server/restaurant/agendas.ts and skepticism.ts	Sixteen private goals, exact evidence criteria, heard-clue readiness, milestones and confidence.
server/restaurant/boundaries.ts and chemistry.ts	Delivery-dependent refusals, disregard, repair, reciprocal flirt receipts and eligibility.
server/double-date/conversation.ts, table-note.ts and server/restaurant/index.ts, turn-note.ts	Friend-only attention, shared turn ownership, earned provider routing and what the date model reads.
src/restaurant/content.ts, story.ts and blind-date.ts	Adult biographies, preset preferences, 42 authored cue keys and seeded personality ingredients.
src/restaurant/evening.ts; src/restaurant/tabletop.ts; server/restaurant/tabletop.ts	Evening pacing clocks, finite table supplies and ten deterministic prop actions.

Editable structure

The trees, tables, labels and results are native Word content. Heading styles provide navigation; the encounter index links to each story. Per-history data records opening, first-choice and completed mechanical state, plus the oversized-order late-cooking variation. Reproducible helpers support later updates. No source code is embedded as an image.

Analysis data: docs/artifacts/encounter-atlas-data.json. Helpers: scripts/analyze-encounter-atlas.mjs and scripts/verify-encounter-atlas-audit.mjs. Document builder: scripts/build_encounter_atlas.py.