

DLR Dataspace

Quick User Manual

Asset & Contract Creation

Requirements:


- DLR user account for login

Step 1. Login to the DLR dataspace

<https://vision-x-dataspace.base-x-ecosystem.org/#/home>

Step 1-1. Create a connector

If you are the first-time user, you need to create a connector. In the side-bar, click Dashboard. Then, create a HTTP type connector.




When the connector is successfully created and activated, you can see it as “running”



Step 2. Get the API key and Connector Name

On the top right side of the screen, next to the profile icon, you can find 'API Key' button.




Also, you can find the name of your connector.

Step 3. Create an HTTP asset

Navigate to 'My Assets' menu in the side-bar. Put an HTTP URL to make as an asset.

For this tutorial, we can use a publicly available URL:

<https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.data>



Click the Add Asset button. In the pop-up window, give the file name 'Iris.csv'. Also, enable the checkbox *Include search engine metadata...* at the top.

Fill-in the metadata fields. You can use the “import JSON” button or the “Add Property” button.

Note that you can edit the metadata later.

Lastly, bind a policy to your asset. For now, select “Policy all”.

This means that anyone can see your asset and make a negotiation.

Create Offer

☒  Include search engine metadata (title, tags, description)

Source URL

https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.data

Filename *

Required. Use a file-style name like name.filetype.

Offer Metadata

Import JSON

Name

Optional. Overrides the stored asset name for this offer.

Title *

Description *

Domain

Tags

Custom Properties

Add property

Add additional property keys and values to the offer metadata. Reserved keys: name, filename, title, description, domain, tags.

No custom properties added yet.

Policy Selection

Policy

Policy all

Cancel

Create Offer


Once done, you will see the asset in your My Assets list.

The “edit” button on the right side allows you do edit the metadata of the asset.

The “contracts” button shows the contract information.

Note that you can make another contract with the same asset using the green button ‘Create Contract’ (e.g., with a different policy)

After this, your asset should be visible in the catalog as an offer to other users.



The screenshot displays the 'Assets' management interface. At the top, there's a header with 'Assets' and a 'Create Contract' button. Below the header, a message states: 'Important: Assets must not exceed 1GB in size. Consider compressing large files before uploading.' A search bar for 'Download URL' is present. The main table lists assets with columns 'Name' and 'Actions'. The asset 'iris.csv' is selected, highlighted with a red box. The Actions column for 'iris.csv' shows buttons for Download, Edit, Contracts, and Delete. The 'Create Contract' button is visible in the top right corner.

Name	Actions
☐ ContainerImageBuildTest.zip	Download Edit Contracts Delete
☐ Dockerfile.test	Download Edit Contracts Delete
☒ iris.csv	Download Edit Contracts Delete
☐ test.dockerfile2	Download Edit Contracts Delete
☐ test.dockerfile3	Download Edit Contracts Delete
☐ vosk.dockerfile	Download Edit Contracts Delete

You can see all the visible offers including yours in the “catalog” menu in the side-bar.

***Important:** created offers are not immediately displayed in the web UI catalog. It generally takes several minutes.

Alternatively, you can use the dataspace APIs to check your offers.

For this, use the python script in the next page.

Give the correct values to the connector name, BPN, and api-key variables before running the script.

Now, you can create more assets for your use case!

```
import requests
```

```
EDC_CONTEXT = {
```

```
    "tx": "https://w3id.org/tractusx/v0.0.1/ns/",
    "tx-auth": "https://w3id.org/tractusx/auth/",
    "cx-policy": "https://w3id.org/catenax/2025/9/policy/",
    "@vocab": "https://w3id.org/edc/v0.0.1/ns/",
    "edc": "https://w3id.org/edc/v0.0.1/ns/",
    "odrl": "http://www.w3.org/ns/odrl/2/",
    "dcat": "http://www.w3.org/ns/dcat#",
    "dct": "http://purl.org/dc/terms/",
    "dspace": "https://w3id.org/dspace/v0.8/",
```

```
}
```

```
my_url = "https://vision-x-api.base-x-ecosystem.org/connectors/<<your-connector-name>>"
```

```
my_api_key = ""
```

```
my_bpn = ""
```

```
session = requests.Session()
```

```
session.headers.update({"Authorization": f"Bearer {my_api_key}"})
```

```
endpoint = "cp/management/v3/catalog/request"
```

```
url = f"{my_url}/{endpoint}"
```

```
payload = {
```

```
    "@context": EDC_CONTEXT,
    "counterPartyAddress": f'{str(my_url)}/cp/protocol',
    "counterPartyId": my_bpn,
    "protocol": "dataspace-protocol-http",
    "querySpec": {
        "offset": 0,
        "limit": 10000,
    },
```

```
}
```

```
response = session.post(url, json=payload)
```

```
response.raise_for_status()
```

```
print(response.json())
```