



ArcherReview

Memory Tricks

Table of Contents

CARDIOVASCULAR.....	3
SHOCK.....	9
RESPIRATORY.....	10
MUSCULOSKELETAL	13
NEUROLOGICAL.....	16
GASTROINTESTINAL.....	20
ENDOCRINE.....	23
INTEGUMENTARY	29
ONCOLOGY.....	30
MATERNAL & NEWBORN.....	31
GROWTH & DEVELOPMENT.....	36
FLUIDS & ELECTROLYTES.....	41
ISOLATION PRECAUTIONS	50
POSITIONING	52
EMERGENCY	54
PHARMACOLOGY.....	55

CARDIOVASCULAR

Causes of Atrial Fibrillation "PIRATES"



Pulmonary (PE, COPD)
Iatrogenic
Rheumatic heart
Atherosclerosis (MI, CAD)
Thyroid (hyperthyroidism)
Endocarditis
Sick sinus syndrome

Management of Atrial Fibrillation "ABCD"



Anticoagulate
Beta-blockers
Cardiovert
Digoxin

Nursing Care for Hypertension "DIURETIC"

Daily weight
Intake & output
Urine output
Response of BP
Electrolytes
Take pulses
Ischemic episodes
Complications



Hypertension Treatment "ABCD"

ACE inhibitors
Beta-blockers
Calcium channel blockers
Diuretics



Complications of Hypertension: 5 C's



Coronary Artery Disease

Coronary Rheumatic Fever

Congestive Heart Failure

Cerebrovascular Accident

Chronic Renal Failure

Hypertension Management "DEALS"



Diet modification



Exercise



Anti-hypertensive meds



Lifestyle modification



Smoking cessation



Right-Sided Heart Failure Symptoms "BACONED"

Bloating
Anorexia
Cyanosis
Oliguria
Nausea
Edema
Distended neck veins (JVD)



Left-Sided Heart Failure Symptoms "FORCED"

Fatigue
Oorthopnea
Rales/restlessness
Cyanosis/confusion
Extrême weakness
Dyspnea



Causes of Heart Failure "HEART MAY DIE"

Hypertension
Embolism
Anemia
Rheumatic heart disease
Thyrotoxicosis
Myocardial infarction
Arrhythmias
Y
Diet & lifestyle
Infection
Endocarditis

Heart Failure Treatment "UNLOAD FAST"

Upright position
Nitrates
Lasix
Oxygen
ACE inhibitors
Digoxin
Fluids (decrease)
Afterload - decrease
Sodium - decrease
Tests: dig level, ABG, K+



Heart Block Poem

If the R is far from P,
then you have a **FIRST DEGREE**.

Longer, longer, longer, drop,
then you have a **WENCKEBACH**.

If some Ps don't go through,
then you have a **MOBITZ II**.

If Ps and Qs disagree
then you have a **THIRD DEGREE**.

Heart Block Memory Trick

First degree = far away P



Wenckebach = longer then drop (type I)



Second degree = drop randomly (type II)



Third degree = beat independently



SHOCK

Cardiogenic Shock Medications


"VEIN"

Vasodilators

Epinephrine (adrenergic)

Iotropes

Norepinephrine (vasopressor)



Causes of Obstructive Shock

"PACT"

P	Pulmonary embolus, Pulmonary hypertension
A	Arterial stenosis
C	Cardiac tamponade, Constrictive pericarditis
T	Thoracic tumors, Tension pneumothorax

In **obstructive shock**, the pump is functioning correctly but there is an obstruction **blocking blood flow** (causing indirect pump failure)

RESPIRATORY

Acute Respiratory Distress Syndrome (ARDS) Signs & Symptoms "ARDS"

- A**cute onset
- R**atio ($\text{PaO}_2/\text{FiO}_2$) < 200
- D**iffuse infiltration
- S**wan-Ganz wedge pressure < 19 mmHg



Nursing Interventions for "ASTHMA"

- A**drenergic agonists (*albuterol*)
- S**teroids
- T**heophylline
- H**ydration via IV fluids
- M**ask for oxygen delivery
- A**nticholinergics (*ipratropium, tiotropium*)



Asthma Triggers

"ASTHMA"

Allergens (*seasonal, animal, food*)
Sport, **S**moking
Temperature change (*change in season, cold air*)
Hazards (*chemicals*)
Microbes (*infection*)
Anxiety



Indications for Chest Tubes

"PEACH"

Pneumothorax
Effusions (pleural)
Abscess
Cancer (lung)
Hemothorax



Post-Intubation Deterioration "DOPE"

- D**isplaced ETT
- O**bstuction along circuit
- P**neumothorax
- E**quipment failure



Epiglottitis Signs & Symptoms "AIR RAID"

- A**irway inflammation
- I**ncreased pulse
- R**estlessness
- R**etractions
- A**nxiousness
- I**nspiratory stridor
- D**rooling

The most common
cause of epiglottitis
is bacterial infection
due to *Haemophilus
influenzae* type b
(Hib)

MUSCULOSKELETAL

Compartment Syndrome Signs & Symptoms 5 P's


Pain

Pallor

Pulseless

Paresthesia

Pressure



Nursing Care for Client in Traction "TRACTION"

Temperature

Ropes hang free

Alignment

Check circulation

Type & location of fracture

Increase fluid intake

Overhead trapeze

No weights on bed/floor



Walking with a Cane Memory Trick

"COAL"



Cane

Opposite



Affected

Leg



Halo Device Complications

"SILOS"



Subdural abscess

Infection of pin sites

Loosening of pins

Osteomyelitis (*cranial bone infection*)

Scarring

Osteoarthritis Signs & Symptoms

"OSTEO"



Outgrowths

- Bone spur formations
- **Heberden's node**: close to fingernail
- **Bouchard's node**: middle finger joint

Stiffness

- In the morning
- Lasting less than 30 min

Tenderness

- Hard, bony, tender joints

Exacerbated by exercise

- Crepitus with movement
- Pain with activity - goes away with rest

ONLY in the joints

- Not systemic - no inflammation, redness, fever, fatigue or other such symptoms

NEUROLOGICAL

Stroke Warning Signs

"Be fast!"

B	E	F	A	S	T
BALANCE	EYES	FACE	ARMS	SPEECH	TIME
					
Dizziness, headache, loss of balance	Blurry vision	Unilateral facial drooping	Arm or leg weakness	Speech difficulty	Time to seek medical attention immediately!

Bell's Palsy Signs & Symptoms "BELLS P"



- B**link reflex abnormal
- E**arache/Eye rolls up
- L**ower corner of mouth & eyelid
- L**oss of taste & brow movements
- S**udden onset (hours to days)
- P**aralysis unilateral (facial nerve: VII)

Parkinson's Symptoms "TRAP"



Tremor

Rigidity

Akinesia / Ataxia *→ poor muscle control*

Postural instability *↪ absence of movement*

Multiple Sclerosis Signs & Symptoms "TWO DANISHES"



Tingling & numbness

Weakness

Optic neuritis

Dysdiadochokinesia *→ inability to perform rapid, alternating movements*

Ataxia *→ poor muscle control*

Nystagmus *→ involuntary, rapid, repetitive eye movement*

Intentional tremor

Scanning speech

Hypotonia *→ decreased muscle tone*

Epilepsy, seizures

Spasticity (muscle, bladder)

Glasgow Coma Scale Memory Trick



Eye Response 1-4
(4 eyes)



Verbal Response 1-5
(Jackson 5)



Motor Response 1-6
(V6 engine)

NCLEX TIP!

Less than eight; intubate!

Decorticate vs. Decerebrate Posturing



Decorticate
damage to the midbrain

DeCorticate
=
flexion
↓
arms shaped like C's
moving towards spinal Cord



Decerebrate
damage to deep brain structures: pons

Decerebrate
=
extension
↓
indicates worse, more
extensive damage

The 5 A's

of Alzheimer's Disease

Aphasia Inability to understand or express verbal & written communication

Anomia Inability to retrieve names of known words and every day objects

Agnosia Inability to recognize familiar objects or interpret sensations

Apraxia Inability to perform familiar actions or use objects on command

Amnesia Partial or complete loss of memory

Causes of Seizures

"VITAMIN D"

Vascular

Idiopathic

Trauma, **T**oxins

Autoimmune, **A**V malformation

Metabolic imbalance

Infection

Neoplasms

Drugs



GASTROINTESTINAL

Causes of Cirrhosis "ABCD"



Alcohol

B Hepatitis B

C Hepatitis C

Diet

Causes of Pancreatitis "GET SMASHED"



Gallstones

Ethanol

Trauma

Steroids

Mumps

Autoimmune diseases

Scorpion stings

Hyperlipidemia & hypercalcemia

ERCP procedure

Drugs

Pancreatitis Nursing Interventions "PANCREAS"



- P**ain control (Morphine or Dilaudid)
- A**ntispasmodic drugs to reduce gut motility
- N**PO/NGT suction, TPN → pancreatic rest
- C**alcium replacement d/t hypocalcemia
- R**epplace fluids & electrolytes (fluid shift)
- E**levated enzymes (check amylase & lipase)
- A**ntibiotics with fever
- S**teroids - corticosteroids for acute attacks

Causes of Constipation "DOPED"



- D**rugs (opiates)
- O**bstruction
- P**ain
- E**ndocrine (hypothyroidism)
- D**epression

Appendicitis Assessment: "PAINS"

Pain (RLQ)

Anorexia

Increased temperature & WBCs

Nausea

Signs (McBurney's, Psoas)

ENDOCRINE

Hypoglycemia Signs & Symptoms "TIRED"



Tachycardia
Irritability
Restlessness
Excessive hunger
Diaphoresis

Hyperglycemia Signs & Symptoms "WATER"



Weakness



Abdominal pain



Tired



Extra thirsty



Really hot



Type I vs. Type II DM:

KetONE bodies are seen
in type ONE diabetes



Adrenal Cortex Steroid Hormones

S-S-S

SUGAR



Glucocorticoids
(Cortisol)

SALT



Mineralocorticoids
(Aldosterone)

SEX



Androgens
(Testosterone, Estrogen)

Cushing's Syndrome Symptoms "CUSHING"

Central obesity
Urinary free cortisol
Suppressed immunity
Hypercortisolism, hypertension,
 & hyperglycemia
Iatrogenic
Noniatrogenic
Glucose intolerance




Addison's Disease Signs & Symptoms "STEROID"

Sugar low
Tired & muscle weakness
Electrolyte imbalance high K, low Na
Reproductive change
O hypOtension
Increased skin pigmentation
Diarrhea & nausea




Hypothyroidism Signs & Symptoms "MOM'S SO TIRED"

Memory loss
Obesity
Malar flush (cheeks)
Slow, sluggish speech
Skin dryness
Onsset gradual
Thinning hair
Intolerance to cold
Reduced energy & appetite
Enlarged thyroid
Depression



Hyperthyroidism Signs & Symptoms "THYROIDISM"

Tremor
Heat rate up
Yawning (fatigue)
Restlessness
Oligomenorrhea & amenorrhea
Intolerance to heat
Diarrhea
Irritability
Sweating
Muscle wasting & weight loss



Causes of SIADH

"SIADH"

Surgery

Intracranial

- infection
- head injury
- CVA

Alveolar

- cancer
- pus

Drugs

- opiates
- antiepileptics
- cytotoxics
- antipsychotics

Hormonal

- hypothyroid
- low corticosteroid level

In SIADH, the
body is
producing too
much ADH!

SIADH Signs & Symptoms

"SIADH"

Spasms

Isn't any pitting edema

Anorexia

Disorientation & other psychoses

Hyponatremia

Thyroid Hormone Functions: 7 B's



- B** Basal Metabolic Rate
- B** Blood sugar
- B** Break down lipids
- B** Brain maturation
- B** Bone growth
- B** B-adrenergic effects in heart
- B** Surfactant synthesis in **B**abies

DKA Management "KING UFC"

K + (potassium)

I nsulin

N G tube (if comatose)

G lucose (once serum levels drop)

U rea (monitoring kidneys)

F luids

C reatinine (monitor)



INTEGUMENTARY

Nursing Care for Clients with Burns "BURNS"

Breathing, **B**ody image

Urine output - monitor

Rule of 9's, **R**esuscitation of fluids

Nutrition, **N**o IM injections

Shock, **S**ilvadene



ONCOLOGY

Cancer's Classic Warning Signs "CAUTION"



- C**hange in bowel or bladder habits
- A**sore throat that does not heal
- U**nusual bleeding or discharge
- T**hickening or lump in breast (or elsewhere)
- I**ndigestion or difficulty swallowing
- O**bvious change in a wart or mole
- N**agging cough or hoarseness

MATERNAL & NEWBORN

"Probable" Signs of Pregnancy

Positive pregnancy test
Return of fetus when tapped
Outline of fetus palpable (ballottement)
Braxton Hicks contractions
A softening of the cervix (Goodell's sign)
Bluish color to the cervix (Chadwick's sign)
Lower uterine segment softens (Hegar's sign)
Enlarged uterus

Presumptive Signs of Pregnancy

Period absent (amenorrhea)
Really tired
Enlarged breasts
Sore breasts
Urination frequency increased
Movement perceived (quickening)
Emesis & nausea

Positive Signs of Pregnancy "FETUS"

Fetal movement felt by HCP
Electronic device detects fetal heart sounds
The delivery of the fetus
Ultrasound detects the fetus
See movement of the fetus (by HCP)

FHR Patterns & Causes "VEAL CHOP"

V	Variable deceleration	→	C	Cord compression
E	Early deceleration	→	H	Head compression
A	Accelerations	→	O	Okay!
L	Late deceleration	→	P	Placental insufficiency

Preeclampsia Classic Triad "PREeclampsia"



Proteinuria




Rising BP



Edema

Causes of Preterm Labor "DISEASE"



Dehydration

Infection

Sex

Exercise (strenuous)

Activities

Stress


Environmental factors

Risk Factors for Postpartum Hemorrhage (PPH) "PARTUM"

P	Polyhydramnios (<i>excessive amniotic fluid</i>) Prolonged labor
A	Antepartum hypertension
R	Recent bleeding history
T	Twins
U	Uterine fibroids
M	Multiparity

Non-Reassuring Fetal Heart Rate Nursing Interventions

"LION PIT"



Lay mother on **L**eft side
Increase IV fluids
Oxygen
Notify PCHP
PITdiscontinue **PIT**ocin

Nonstress Test (NST)



Memory Trick

3 N's

N onstress test

A fetal NST
evaluates if there
are changes in the
fetal heart rate
with movement

N on-reactive...

N ot good!



GROWTH & DEVELOPMENT

Growth & Development Milestone: **3 Months** **3 Letter Word: "Coo"**



By 3 months, baby is able to:

- Make "cooing" sounds
- Smile at people
- Emit distinct cries for different needs
- Recognize familiar voices
- Express different pleasure vs displeasure sounds (giggles vs cries)

Growth & Development Milestone: **6 Months** **6 Letter Word: "Babble"**



By 6 months, baby is able to:

- Babble and repeat syllables ("ma", "da", "ba")
- Create gurgling sounds
- Giggle and laugh more
- Notice and recognize sounds
- Use voice to express pleasure/displeasure
- Take turns making sounds

Growth & Development Milestone:

9 Months

9 Letter Word: "Imitation"

Imitation



By 9 months, baby is able to:

- Imitate speech sounds, non-speech sounds, & actions/gestures
- Recognize own name
- Shift gaze to objects being spoken about
- String together longer series of sounds/syllables ("ma-ma-ma", "da-da-da")

Growth & Development Milestone:

12 Months

1-2 Words

1-2 Letter Phrase: "Understand Me"

1-2 words



By 12 months, baby is able to:

- Communicate with 1-2 (or more) words
- Begin to understand words, requests, phrases, instructions, etc.
- Answer simple questions nonverbally
- Recognize words for familiar objects (ball, dog, shoe, cup)

Growth & Development Milestone:

18 Months

18 Words

By 18 months, child is able to:

- Speak with a vocabulary of 18+ words
- Repeat words overheard in conversation
- Recognize and point to familiar objects & people in pictures or books
- Understand simple questions & follow simple commands
- Point to body parts when prompted

Growth & Development Milestone:

2 Years

2 Word Phrases

2 Step Directions

By 2 years, child is able to:

- Use 2 word phrases to talk about things
- Follow 2-step directions ("Pick up your ball and give it to me.")
- Use vocabulary of 50+ words
- Speak well enough to be understood by caregiver at least half of the time
- Use gestures and words for pretend play
- Make animal sounds ("moo")

Growth & Development Milestone:

3 Years

3 Word Phrases

By 3 years, child is able to:

- Use 3 word phrases to talk about things
- Speak with vocabulary of 200+ words
- Understand and use pronouns
- Speak well enough for caregiver to understand most of the time
- Understand spatial concepts ("in", "under")
- Use plurals ("socks", "shoes")

Growth & Development Milestone:

4 Years

4 or more Word Sentences

By 4 years, child is able to:

- Use 4+ words in sentences, and use about 4 sentences at a time to tell stories
- Understand and ask "how?" and "why?"
- Identify colors
- Express own ideas & feelings
- Speak well enough for caregiver to understand most of the time
- Group objects by categories (ie food)

Growth & Development Milestone Trick



- 3 Months $\Rightarrow$ "3" Letter Word "Coo"
- 6 Months $\Rightarrow$ "6" Letter Word "Babble"
- 9 Months $\Rightarrow$ "9" Letter Word "Imitation"
- 12 Months $\Rightarrow$ "1-2" Words
- 18 Months $\Rightarrow$ "18" Words
- 2 Years $\Rightarrow$ "2" Word Phrases
- 3 Years $\Rightarrow$ "3" Word Phrases
- 4 Years $\Rightarrow$ "4 or More" Word Sentences

FLUIDS & ELECTROLYTES

Causes of Hypocalcemia "CHAMP"

C	Celiac, Crohn's disease
H	Hypoparathyroid, Hyperphosphatemia
A	Alcoholism
M	Malnutrition, Malabsorption
P	Pancreatitis



Hypocalcemia Signs & Symptoms "CATS"



Convulsions

Arrhythmias

Tetany

Spasms

Causes of Hypercalcemia "MD SPIED"



- M**alignancy
- D**iuretics
- S**upplements (calcium)
- P**arathyroid (hyperparathyroidism)
- I**mmobilization
- E**ndocrine (Addison's)
- D** vitamin D

Hypercalcemia Signs & Symptoms "CRAFT"

C	Constipation, Cyanosis
R	Reflexes decreased
A	Abdominal pain
F	Fatigue
T	Thrombosis, deep vein



Causes of Hypokalemia "DITCH"


Drugs
Inadequate K⁺ intake
Too much water
Cushing's disease
Heavy fluid loss



6 L's of HypokaLemia Signs & Symptoms

Lethargy
Low/shallow respirations
Limp muscles
Lethal dysrhythmias
Leg cramps
Lots of urine output

Hypokalemia Management "POD"



Causes of Hyperkalemia "MACHINE"



Medication
Acidosis
Cellular destruction
Hypoaldosteronism
Intake
Nephrons-renal failure
Excretion impaired

Hyperkalemia Signs & Symptoms

"MURDER"



Muscle cramps



Urine abnormalities



Respiratory distress



Decreased cardiac contractility



EKG changes



Reflexes (*depressed/absent DTRs*)

Hyperkalemia Management

"CRIED"

Too much
K+!

Calcium IV

Remove sources of K+

Increase K⁺ excretion
(*diuretics, Kayexalate*)

Enhance K⁺ uptake into cells
(*D5W + regular insulin, albuterol, sodium bicarb*)

Dialysis



Hyponatremia Causes "MOBS FAIL"

Meds - diuretics

Oral gastric tube suctioning

Burns

SIADH

Failure: heart, kidney, liver



Hyponatremia Signs & Symptoms "LOW SODIUM"

Level of consciousness altered

Orthostatic hypotension

Weak muscles

Seizures

Osmolality low (serum)

Diarrhea

Increased ICP

Urine osmolality high

More bowel sounds



Causes of Hypernatremia

"MODELS"



Medications

Osmotic diuretics

Diabetes insipidus

Excessive H₂O loss

Low H₂O intake

Sodium intake too high

Hypernatremia Signs & Symptoms

"FRIED & SALTED"

Fever (low grade)

Restlessness & agitation

Increased fluid retention

Edema: peripheral & pitting

Dry mouth



Skin flushed

Altered LOC & confusion

Low urinary output

Thirst

Elevated blood pressure

Decreased energy

Hypernatremia Management "FLAG"



- F**ree water administration
- L**oop diuretics
- A**gent causing (remove)
- G**ive fluids IV

Causes of Hypophosphatemia "MATH"



- M**alnutrition
- A**lcoholism
- T**_{PN}
- H**yperparathyroidism
(→ hypercalcemia → hypophosphatemia)

Hypomagnesemia Treatment "ATM"

Administer magnesium

- PO: Magnesium hydroxide
- IV: give very slowly

Treat the cause

Monitor cardiac rhythm



Causes of Hypermagnesemia "ROME"

Renal failure

Over-correction of hypomagnesemia

Magnesium containing meds

Excessive dietary intake



ISOLATION PRECAUTIONS

Contact Precautions Memory Trick "SCREWS"



S	Superbugs (MRSA, VRE)
C	Conjunctivitis
R	Respiratory Syncytial Virus (RSV)
E	Enteric - C. diff, Noroviruses, Rotavirus
W	Wound Infections
S	Skin infections

Droplet Precautions Memory Trick "SPIDERMAN"



S	Scarlet fever, Streptococcal pharyngitis
P	Parvovirus, Pneumonia, Pertussis
I	Influenza
D	Diphtheria
E	Epiglottitis
R	Rubella, Rhinovirus
M	Mumps, Meningitis (bacterial)
AN	Adenovirus


Airborne Precautions Memory Trick "Three RVS"



T	Tuberculosis
R	Rubeola (measles)
V	Varicella (chickenpox), VZV (disseminated)
S	SARS, Smallpox

POSITIONING

Prone vs. Supine Positioning Memory Trick



Indications for High Fowler's "RODENT"



- R**educe aspiration risk
- O**ral intake (eating & swallowing)
- D**efecating
- E**asy breathing, **E**mbolism (pulmonary)
- N**G tube placement
- T**aking X-rays



Indications for Reverse Trendelenburg

3 P's



Promote gastric emptying

Prevent esophageal reflux

Position change - gradual

EMERGENCY

If there is a fire:
"RACE"

Rescue
anyone in immediate danger

Alarm
activate fire alarm system

Contain
close doors/windows to confine fire

Extinguish
attempt to put out small fires if safe



To use a fire extinguisher:
"PASS"

Pull the pin

Aim at base of fire

Squeeze the handle

Sweep side to side



PHARMACOLOGY

Safety Checks for Administering IV Meds: "CATS PRRR"

Compatibilities
Allergies
Tubing correct
Site checked
Pump safety checked
Right rate
Release the clamps
Return & reassess patient

Tricyclic Antidepressant Side Effects "TCAs"

Tachycardia
Cardiac effects
(arrhythmias, prolonged QT interval)
Anticholinergic effects
Sedation/Sexual dysfunction

Nursing Care for Antibiotic Administration "MEDICATE"



- M**onitor for superinfections
- E**valuate renal & liver function
- D**iarrhea management
- I**nform provider if taking other meds
- C**ultures before first dose
- A**lcohol; don't have it!
- T**ake the entire course
- E**valuate cultures, WBC, CRP, temp

Corticosteroid Side Effects "CUSHINGS BAD MD"

- | | |
|----------------------------------|--------------------------------------|
| C ataracts | B one loss - osteoporosis |
| U p all night | A cne |
| S uppressed immune system | D iabetes (hyperglycemia) |
| H ypertension | M yopathy |
| I nfections | D epression/emotional changes |
| N ecrosis | |
| G ain weight | |
| S triae | |

SSRI Adverse Effects

3 S's

S stomach upset

SSRI Examples:
Fluoxetine,
Sertraline,
Escitalopram

S sexual dysfunction

S serotonin syndrome

↪ signs & symptoms include:
hypertension, confusion, anxiety,
tremors, ataxia, sweating

Mixing Insulin Memory Trick

"RN"



Draw up **Regular** ^{clear}
insulin first,
then draw up **NPH** _{cloudy}

Antihypertensive Drug Endings



"A-B-C-D"



A	ACE Inhibitors	-pril
	ARBs	-sartan
B	Beta Blockers	-lol
C	Calcium Channel Blockers	-mil / -dipine
D	Diuretics	-ide

Heparin vs Warfarin Monitoring Memory Trick: COUNT 10 LETTERS

H E P A R I N

7 letters

+

P T T

3 letters

Normal Values:

PTT: 20-30 seconds

aPTT: 30-40 seconds

Therapeutic level on heparin:

1.5-2.5 x normal control
(both)

W A R F A R I N

8 letters

+

P I

2 letters

Normal Values:

PT: 10-12 seconds

Therapeutic level on warfarin:

1.5-2.5 x normal control

INR: 0.9-1.2 seconds

Therapeutic level on warfarin:
2-3 x normal for VTE prophylaxis,
3-4 x normal for mechanical heart valve

Opioid Side Effects "MORPHINE"

M	Miosis (pupil constriction), Mood changes
O	Out of it
R	Respiratory depression, Reduced salivation
P	Pruritus, Pneumonia (aspiration)
H	Hypotension, Headache
I	Infrequent elimination (constipation, urinary retention)
N	Nausea, Nervousness
E	Emesis



Cholinergic Drug Side Effects "MR. SLUDGE"

Miosis
Reduced HR & BP
Salivation, **S**weating
Lacrimation
Urinary incontinence
Diarrhea
Gastrointestinal distress
Emesis

Adverse effects of
cholinergic drugs occur
due to overstimulation
of the parasympathetic
nervous system

Signs of Transfusion Reaction

"REACTION"

Rash
Elevated temperature
Anxiety, **A**pprehension
Chills
Tachypnea
Increased pulse
Oliguria & hemoglobinuria
Nausea

