

2026 Nepal–Tibet Floods

Bhotekoshi / Rasuwa Disaster

Rasuwa & Nuwakot Districts, Nepal ▪ Gyirong County, Tibet, China

Presented by:

John Doe (Enrollment No: 2026CE001)

Jane Smith (Enrollment No: 2026CE002)

Outline

Overview & Key Statistics

Geography & Background

Cause — Glacier Collapse

Early Warning Systems

Casualties & Human Impact

Infrastructure & Economic Damage

Response & International Aid

At a Glance

- **Date:** 26 August 2026 — present
- **Location:** Trishuli / Bhotekoshi river corridor, Nepal–China border
- **Trigger:** Rock-ice avalanche from **Langtang Lirung** massif (~5,200 m asl)
- **Seismic signature:** M_s 5.2 (USGS) / M_w 5.7 (GFZ)
- Also known as:
Bhotekoshi Flood, Nepal–China Floods, Rasuwa Flood

Scale of Destruction

One of the deadliest glacier-collapse events in Himalayan history

[gyirong_port_destruction.jpg]

[gyirong_port_destruction.jpg]

CCTV surveillance footage: Gyirong

Port border crossing engulfed by
floodwater, 26 Aug 2026, seven
minutes after the seismic event

Key Statistics

† Deaths

1,494+

1,451 in Nepal
43 in Tibet, China

★ Missing

6,264+

5,745 in Nepal
519 in Tibet, China

+ Injured

9,287+

Reported in Nepal

Affected

1.6 million

People in Nepal

Foreign Missing

35 nations

636 foreign nationals
missing

\$ Damages (Nepal)


NPR 400B+

≈ USD 2.64 billion+

The Region

Key Geographic Features

- **Trishuli River** (upper: Bhotekoshi River) drains south from the Nepal–Tibet border
- **Gyirong Port** — Nepal–China border crossing at the Trishuli–Lhende Khola confluence
- Crossing handled 30% of all Nepal–China trade; >100,000 crossings in H1 2026
- Disaster struck a **45-mile stretch** of river settlements
- Bodies carried ~240 km into India




[nepal_bagmati_province_map.png]

Bagmati Province map showing the Trishuli River corridor and affected

districts: Rasuwa, Nuwakot, Dhading, Gorkha, Chitwan

Historical Context

- **Since 1900:** Dozens of floods near Nepal–China border
- **2015 Nepal Earthquakes:** Langtang Lirung glacier collapse; 350+ killed in Langtang valley
- **July 2025:** Glacial lake outburst washed away the friendship bridge at Gyirong crossing
- **Jan–Aug 2026:** Satellite imagery showed glacier velocity accelerating weeks before collapse
- Region described as a glacial “**monitoring blind spot**”



[langtang_lirung_glacier_view.jpg]

[langtang_lirung_glacier_view.jpg]

Langtang Lirung massif from Dhunche, Rasuwa District — site of the 2026 glacier collapse, viewed from the south-east

Chain of Events

1. **Glacier detaches** from Lirung massif at $\sim 5,200$ m asl — 1–1.3 km wide section
2. **Free-falls** $\approx 1,200$ m to valley floor
3. Ice melts from impact $\rightarrow$ **massive meltwater surge**
4. Meltwater + debris $\rightarrow$ **long-runout debris flow**
5. Flow travels ~ 100 km downstream in hours
6. **Two barrier lakes** form post-collapse


[glacier_collapse_satellite_map.png]

[glacier_collapse_satellite_map.png]

Satellite-derived map: collapse site (yellow reticle, $\sim 5,200$ m), debris flow path (yellow arrow), and inundation zone along Trishuli River

The Debris Flow in Numbers

- Volume of collapsed material:
197–492 million m³
- Ice fell vertically $\approx$ **1,200 m**
- Horizontal runout: up to $\sim$ **100 km**
- Second landslide (M_s 4.2) detected
3 hours later
- **Gyirong Port** destroyed within
minutes
- 7 min after collapse: CCTV
captured port destruction
- No rainfall that morning — purely
cryospheric event



[debris_flow_trishuli_river_aerial.jpg]

Aerial photograph of the debris-laden Trishuli River post-collapse;
brown sediment plume visible throughout Rasuwa District

Role of Climate Change

- **Permafrost degradation:** Warming weakens the cryospheric “glue” binding glaciers to bedrock (A. C. Byers, Univ. Colorado Boulder)
- Researchers (BBC, CNN, NPR) said climate change **probably increased** likelihood of the event
- *NYT* researchers more cautious about direct attribution; cited proximate causes
- Glacier collapses **less frequent** than GLOFs but **far more destructive**
- Nepal FM Shisir Khanal called for **global climate action**

[himalayan_glacier_retreat_comparison.jpg]

[himalayan_glacier_retreat_comparison.jpg]

Before-and-after satellite comparison of Langtang Lirung glacier extent (2000 vs. 2026), illustrating decades of cryospheric retreat from warming


Warning System — What Went Wrong

Pre-existing System

- China–Nepal joint flash flood early-warning system operational for years
- *SCMP*: consistently prevented casualties in previous events

Why It Failed in 2026

- Monitors configured for **monsoon / perennial floods**, not glacier collapses
- Upstream stations **swept away before alerts** could be sent
- Region was a monitoring “**blind spot**” (Stimson Center)
- China’s Tibet restrictions **hampered cross-border data sharing**



[early_warning_monitoring_station.jpg]

River-level monitoring station on the Trishuli basin — stations similar to this were destroyed before downstream alerts could be relayed

Timeline of Alerts — 26 August 2026 (NPT)

Time (NPT)	Event
08:37	Glacier collapse; seismic event (M_s 5.2) detected worldwide
08:44	CCTV captures Gyirong Port destroyed by floodwater
09:00	Dept. Hydrology & Meteorology notified by District Admin.
09:15	First SMS alerts dispatched; 679,295 messages in 1 minute

⇒ Alert reached people **38 minutes** after collapse — too late for upstream communities


China's Pre-event Preparations — And Why They Failed

After 2025 floods: new flood walls, dikes, evacuation drills in Gyirong. **The 2026 event overwhelmed all defences within minutes** because the hazard type was entirely different.

Scale of Human Suffering

Nepal (as of 21 September 2026)

- **1,451** deaths confirmed
- **5,745** missing (636 foreign nationals, 35 countries)
- **9,287** injured
- Only 4% of ~900 recovered bodies identified
- Bodies found as far as Nawalparasi (Nepal) and Kushinagar, Uttar Pradesh (India)
- 32,021 children impacted (UNICEF)
- 157,050 women & girls impacted (UN Women)



[rescue_operations_rasuwa_district.jpg]

[rescue_operations_rasuwa_district.jpg]

Nepal Army personnel extracting survivors from mud-filled debris in Rasuwa District, several days after the initial flood event

Vulnerable Populations

Children

- 32,021 children impacted (UNICEF)
- 2,600 children <5 needed severe-wasting treatment
- 540 children separated from a parent
- 102 children orphaned

Women & Girls

- 157,050 women & girls impacted
- 43,000 required urgent humanitarian aid

Workers

- 900+ from 12 hydropower projects missing
- Upper Trishuli 1: 576 workers missing, ~300 trapped in tunnels
- Nepal Army (7 Sep): 121 trapped in tunnels
- 300 trade workers & 200 tourism workers missing
- 622 students unaccounted for

International Casualties — Selected Nations

Country	Deaths (CN)	Deaths (NP)	Missing (CN)	Missing (NP)
China	—	—	298	37
India	—	—	49	189
Nepal	—	—	104	127
USA	—	—	18	65
Malaysia	—	—	3	55
Ukraine	—	—	1	54
Australia	—	—	6	35
UK	—	—	15	32
Latvia	—	—	—	33
Canada	—	—	6	30

+ 25 more nations affected; total 35 countries with nationals missing in Nepal

What Was Destroyed

Critical Infrastructure

- **Gyirong Port** — Nepal's primary road border crossing (30% of bilateral trade) — *completely destroyed*
- Dozens of settlements along 45-mile river corridor
- **12 hydropower projects** heavily damaged
- Bridges, roads, and communication towers
- Customs & immigration offices at border

Economic Impact

- Nepal: NPR 400B+ ($\approx$ USD 2.64B+)


[gyirong_port_ruins_post_flood.jpg]

[gyirong_port_ruins_post_flood.jpg]

Ruins of Gyirong Port photographed from the Chinese side; the once-busy trading hub buried entirely under debris and sediment

Barrier Lakes — Secondary Flood Risk

- Two **barrier lakes** formed after collapse
- **Lake 1** (Chhochen Khola–Purepu Tsangpo confluence):
 - Volume: ~ 2 million m^3
 - Expected inflow 3 million m^3 by 30 Aug
 - High breach probability (China warning, 27 Aug)
 - Overflowed slightly 28 Aug; rescue ops paused
 - **Largely empty by 30 Aug**
- **Lake 2:** High-elevation; near collapse site; monitored continuously
- Fresh warnings 30 Aug after upstream



[barrier_lake_satellite_image.jpg]

Sentinel-2 satellite image of the barrier lake at the Chhochen Khola confluence (28 Aug 2026), showing lake extent and the debris dam


Rescue Operations

Nepal

- Nepal Army, Armed Police Force, Nepal Police deployed
- Mass burials as identification overwhelmed morgue capacity
- Tunnel-drilling at Upper Trishuli 1 hydropower project
- Door-to-door evacuations across 5 districts
- 1.6 million people requiring humanitarian assistance

China

- Rescue ops **briefly paused** 28 Aug (lake



[nepal_army_rescue_helicopter.jpg]

[nepal_army_rescue_helicopter.jpg]

Nepal Army helicopter conducting airlift operations over the Trishuli valley, evacuating survivors and delivering emergency relief supplies

International Response

- **35+ nations** coordinated with Nepal government
- Australia, UK, USA, India issued emergency statements and deployed embassy crisis teams
- **UNICEF, UN Women, MSF** deployed humanitarian response teams
- UN Spokesperson Stephane Dujarric issued child nutrition emergency alert
- Nepal MoFA set up daily situation-update briefings
- Multiple bilateral aid packages offered
- Nepal FM called for **global climate**

[international_aid_distribution_nepal.jpg]

[international_aid_distribution_nepal.jpg]

UN-coordinated relief distribution at a temporary displacement camp in Nuwakot District; tents, food packages, and medical supplies in foreground

Key Lessons

Warning System Gaps

- Systems built for **monsoon floods** are blind to **glacier collapse** signatures
- Upstream sensors must be hardened against the events they monitor
- Political barriers to cross-border data sharing **directly cost lives**

Climate Resilience

- Permafrost degradation is **accelerating** across the Himalayas
- Glacier collapses are rare but **catastrophic**; low-probability events must be planned for
- Satellite glacier-velocity monitoring **can provide weeks of lead time**

Way Forward

Multi-hazard FWS ■ Cross-border real-time monitoring ■ Glacier-velocity satellite

Recommendations

1. **Upgrade Early Warning Systems** — integrate glacier-specific sensors (seismic, GPS, SAR) alongside conventional water-level gauges
2. **Strengthen Cross-Border Cooperation** — China–Nepal real-time data-sharing protocol with defined SLAs
3. **Satellite-Based Glacier Monitoring** — near-daily optical/SAR imagery; velocity anomaly auto-alerts
4. **Community-Level Preparedness** — vertical evacuation routes, community wardens, multilingual SMS systems
5. **Climate Finance** — Nepal and frontline nations must receive dedicated adaptation funds at COP
6. **Rethink Infrastructure Siting** — hydropower projects and border crossings must account for glacier-collapse run-out zones

- **26 Aug 2026:** Rock-ice avalanche off Langtang Lirung triggers catastrophic Bhotekoshi floods
- **1,494+ deaths, 6,264+ missing, 9,287+ injured** across Nepal and Tibet
- **1.6 million** people affected; USD 2.7B+ in damage
- Early warning systems were **misconfigured** for monsoon events, not glacier collapses
- Climate change is **increasing the risk** of cryospheric disasters in the Himalayas
- Urgent need for **multi-hazard, cross-border disaster preparedness**

[trishuli_valley_aftermath_panorama.jpg]

[trishuli_valley_aftermath_panorama.jpg]

Panoramic view of the Trishuli valley post-disaster;
complete destruction of riverside settlements and the
brown debris field extending for kilometres