


SOFT MATERIALS ONE-STOP SMART CUTTING 4.0

柔性面料 一站式智能裁剪4.0



GH1812TT-AT-SCCD 数码印花自动切割系统

GH1812TT-AT-SCCD Digital Printing Auto-feeding Cutting System with dual-head async



www.gboslaser.cn

东莞市光博士激光科技股份有限公司
GBOS LASER INC.

股票代码TICKER SYMBOL: 870145



ggbos

Directory
目录

-
- 01 Corporate Profile
 - 02 Product Introduction
 - 03 Application and Sample
 - 04 Machine Parameters
-



20

**20Years
in laser field**

90

**Sold to 90
countries**

2000+

Solutions Delivered

80000+

**R&D & Production
Base Area**



Block B

- 8F 员工活动中心
Employee activity center
- 6-7F 预留发展空间
Reserved for future development
- 5F 生产线: R系列机器人
Production Line: R-Series Robots
- 4F Production Line: VC9-1670T, VC9-1660T, VC9-1665T
- 3F 生产线: ITS3, LA, SP, IP, V10SCCD, 3SCCD激光切割机
Production Line: ITS3, LA, SP, IP, V10SCCD, 3SCCD laser cutting machine
- 2F 生产线: 五轴机、打标机, XXP5, 非标定制
Production Line: Five-axis machine, line marking machine, XXP5, customized non-standard solutions
- 1F 生产线: H1, H2, H3, 真皮流水线, VC9, KC平板机
Production Line: H1, H2, H3, Leather production line, VC9, KC flatbed machine

Block A

办公区
Office area

Block C

- 3F 应用工艺创新中心
Product Application & Process Innovation Center
- 2F 开发中心
Development center
- 1F 来料测检中心
Incoming Quality Control Center (IQC Center)

2025
投产运营
put into operation

80000+ m²
研发&生产基地面积
R&D & Production Base Area

300+
月度产能
Monthly production capacity

01 Certificates & Patents



02 Product Introduction



- Cutting with no burnt & no yellow edge
- 21 years + equipment experience, with over 30 module options available.
(AT:Auto feeding system, TT: Dual head asynchronous, SCCD: Large-scale Visual recognizing...)
- Stable performance and the high cost performance
(production capacity: 300 units per month; average lifespan of each unit exceeds 15 years)




Optional working area

- 700*500mm
- 900*600mm
- 1300*900mm
- 1400*1000mm
- 1600*1000mm
- 1800*1000mm
- 2500*1600mm...


Model:GH1812TT-AT-SCCD
Working Area:1800*1200mm



SCCD: Visual Recognition System



TT: Dual-head **async**(X axis)



TT: Dual-head **async**(Y axis)



AT: Auto feeding System with Anti-wrinkle device



- SCCD Smart Visual recognizing automatically complete fabric pattern outline recognition and graphics for border cutting edges, thus accurate fabric cutting
- Auto feeding system
- Smart nesting-Material Saving, Rapid, Auto counting
- Smart exhausting system
- Two X axis bars for double heads working with camera, highly improves the efficiency



02 Product Features: Device Introduction




Visual recognizing

Multi rollers shelf(roll shelf is optional)

Scalable modular design

HD light guide plate, shadowless

Corrosion resistant materials feeding table



02 Product Features : SCCD Camera Positioning

Rapid Camera positioning, Automatic extraction of contour



02 Product Features : SCCD Camera Positioning



Automatic extraction of contour , Border cutting

- SCCD Visual recognizing System
Automatic extraction of contours
within 5 seconds (big size fabric
pattern outline recognition) , no need
Graphic processing .
- SCCD Visual recognizing System
automatic extraction of contours and
then border cutting edges
immediately.



之前 BEFORE

切割轮廓偏离印刷图案

The cutting contour is varying-no adjustment to the printing

之后 AFTER

根据印刷图案调整切割轮廓

The cutting contour is adjusted to the printing

位置偏离修正
Normal offset



变形修正
Non-linear compensation (Deformation)



旋转修正
Rotation



对齐修正
Linear compensation



More optional modules


激光 · 智能化 / LASER SMART



CCD智能视觉识别(可选)
CCD Intelligent visual recognition
(optional)



投影预览定位(可选)
Projection preview positioning
(Optional)



ITS: regular nesting system
Multi-pattern, Material-saving Intelligent Nesting



Four Heads:
Interactive Four-head
(One axis with four heads)



双头互动(奇数排版)
Interactive dual-head (odd number
nesting)



Modular transmission system




Double mesh board:
improve feeding & receiving
efficiency

gbos |

IOT System



According to basic needs of shoes, Gbos IOT networking system works data transmission with shoe factory ERP system to help effectively record production data and productivity arrangement.

[illegible][illegible]


生产信息汇总
Tel.: 400-6677-328

2018-05-28 11:20:53

[illegible]

- Gbos Laser IOT system smartly monitor every machine by remote diagnosis, remote control, auto updating of software and online information transfer etc.

laser workshop



Cycling clothes



Printed shoe uppers



Sportswear



Swimwear



Flags



03. Sample



04. Machine Parameters

Model	GH1812TT-AT-SCCD
Laser type	CO2 Glass laser tube
Cooling method	water colling
Working area	1800*1200mm
gross power	5.7KW
laser power	90W
precision	±0.05mm
Repeat positioning precision	±0.03mm
Machine size	3000mm×2077mm×2210mm
weight	800kgs
Power supply	220VAC, 10A/50-60hz
Environmental requirement	Temperature15°C~30°C/ Humidity30% to 80%
System /compatible format	Windows 7,AI,PLT,DXF,DST,BMP,JPG,JPEG,PNA,TIF

成为设备行业标杆!
TO BE THE BENCHMARK OF EQUIPMENT INDUSTRY!

LASER SMART | 激光·自动化

THANKS



东莞市光博士激光科技股份有限公司
GBOS LASER INC.

CHS: www.gboslaser.cn
EN: www.gboslaser.com

股票代码TICKER SYMBOL: 870145