ServiceM8 history findings

Royal Glass Office Agent

Prepared 27 October 2026 | Research cutoff 23 October 2026 at 16:29:22 Pacific/Auckland

The history supports product-specific intake, readiness, approval and follow-up rules, together with practical client-response patterns. Several current-looking policies conflict and need owner or staff confirmation before the Office Agent applies them.

This report packages the existing research. It does not refresh ServiceM8 data or approve the candidate rules.

Scope of the review

The authorised read-only review used the existing RGTools account API across all staff, accessible dates, job statuses and inactive records. The Royal Glass account and its Pacific/Auckland timezone were verified during the research.

Collection	Unique records	Pages
Staff records	91	1
Jobs	8,766	9
Notes	32,618	33
Email records	38,428	39
SMS records	4,041	5
Activities and bookings	21,054	22
Attachment metadata	67,118	68
Payment records	2,644	3
Form responses	613	1
Job allocations	92	1
Knowledge articles	27	1
Total	175,492	183

All listed source collections reached cursor exhaustion. The merged email read repeated 38 IDs; these were deduplicated. Job dates reach January 2022. Eight payment records have 2020/2021 dates, which may represent imported or manually dated history. This does not certify account inception.

Rules for qualification and measurement

Candidate rules for owner and team review. Examples establish an observed practice, not universal applicability. Historical prices, specifications and dates are not defaults.

HR-01 Qualify by product, service model and referral context.

Agent preparation: Identify the product and supply-only/supply-and-install request. Ask lead source when relevant; route an uncertain fit to staff.

Evidence and exception: Active shower enquiry guidance distinguishes key referrals, builder/renovation work and standalone referrals. Do not apply that shower policy to all products. K-77b2b84a247719d6.

HR-02 Collect the missing information needed for the next decision in one clear request.

Agent preparation: Ask for the applicable plan/photo, approximate dimensions, full site address, finish/design and timeframe; omit questions already answered.

Evidence and exception: E-a128b774a3d1733f, 22 October 2026: kitchen plan/photo requested before a ballpark figure and later templating.

HR-03 Keep preliminary estimates distinct from a final agreed scope/price.

Agent preparation: Label estimates, list unresolved measurements/specifications, and identify the next review step.

Evidence and exception: E-34d180580c235198, 20 October 2026: estimate first, final price dependent on dimensions/design/hardware. Historical amounts and technical specifications are not defaults.

HR-04 Make measurement readiness product-specific.

Agent preparation: For the shower example, confirm tiling/grouting and obtain readiness photos before final measuring. Use the relevant product checklist for other work.

Evidence and exception: E-34d180580c235198 and E-b89b1c3b1a8acb56, 20 October 2026; active shower knowledge K-286404d53e806bd4. This is not a rule to wait for every finish on every product.

Rules for scope payments and booking

Candidate rules for owner and team review. Examples establish an observed practice, not universal applicability. Historical prices, specifications and dates are not defaults.

HR-05 Clarify who owns measurement, collection/delivery and installation responsibilities.

Agent preparation: Explain the permitted service options for that product, with responsibilities and exclusions.

Evidence and exception: E-ae666496adc7a807, 23 October 2026: splashback supply-only versus measure/supply/install. E-31ffca9aa34eddfe, 5 October 2026: DGU supply-only with measurement/delivery options. Avoid a universal supply-only restriction.

HR-06 Resolve a design/drawing conflict before recommending release to manufacture.

Agent preparation: Name the conflicting detail, request confirmation and route technical/consent questions to the appropriate reviewer.

Evidence and exception: E-218f490b82560b03, 22 October 2026: gate position differed between updated drawing and consented plans. E-b3d8132f573a6f47, 8 October 2026: alternate system required review/repricing.

HR-07 Check the applicable acceptance and deposit terms before advancing preparation.

Agent preparation: Prepare the invoice/terms explanation and ask accounts to verify payment when needed. Check existing payment evidence before another reminder.

Evidence and exception: E-b89b1c3b1a8acb56, 20 October 2026: deposit and readiness conditions stated. E-1f3c23876b6f8172, 21 December 2022: half-deposit wording. E-6d37e22f85e62177, 20 October 2026: correction for an earlier deposit already paid. Not every job has identical terms.

HR-08 Treat installation dates and lead times as conditional until confirmed.

Agent preparation: State the proposed window, outstanding dependencies and when staff will confirm. Check materials, readiness and availability afresh.

Evidence and exception: E-74e60929699c1cd4, 14 October 2026: materials preparation before timing confirmation. E-2c2541b4df42fa12, 17 December 2025: timing depended on timber completion. Do not reuse an old lead time as current capacity.

Rules for follow up changes and handover

Candidate rules for owner and team review. Examples establish an observed practice, not universal applicability. Historical prices, specifications and dates are not defaults.

HR-09 Follow up using the correct quotation/revision and the client's stated timeframe.

Agent preparation: Reference the actual quote/date, ask for feedback or intended timing and offer clarification. Respect a documented hold.

Evidence and exception: E-747e77bfd53f89c3, 21 October 2026; E-ab1d5d30f003185f, 2 December 2023; E-d6914c3fc1641b00, 16 October 2026. No fixed company-wide cadence was established.

HR-10 Treat changed scope as a revision/variation requiring review.

Agent preparation: Identify what changed, prepare the revised scope/price impact and request approval before committing to changed work.

Evidence and exception: E-74e60929699c1cd4, 14 October 2026: approval followed by materials preparation. E-20bdb2cb43a5a82a, 14 October 2026: updated quotation and highlighted drawings. Technical/pricing authority stays with staff.

HR-11 Investigate an issue before promising a repair outcome, compatibility or warranty remedy.

Agent preparation: Acknowledge, request the relevant photos/details, summarise options and refer the technical assessment.

Evidence and exception: E-b7a4141b18c3940a, 21 October 2026: replacement options depended on sourcing compatible hardware. Do not infer fault, coverage or universal technical rules from prior correspondence.

HR-12 Prepare a clear handoff with one next action, a responsible person and the evidence still needed.

Agent preparation: Show the task, reason, proposed owner, due-date basis, blocker and completion evidence. Keep closure/document/payment checks visible.

Evidence and exception: Repeated follow-up/readiness/approval examples and existing product/client packs support the structure. Assigning authority, exact deadlines and closure criteria still requires confirmation.

Policy conflicts and evidence limits

Minimum charges

Two active, non-draft Knowledge articles give supply-only mirror minimums of $335 + GST and $390 + GST. Confirm the authoritative product/service price list and effective date.

Site visits and fees

Recent correspondence includes both a free assessment and no free on-site measure/quotation visit. Distinguish remote estimates, assessments, final measurements and paid design services, including commercial-client exceptions.

Permitted service models

Recent splashback and DGU examples allow supply-only, while a shower example excludes it. The service menu also differs from the recent splashback message. Confirm product and client-specific options.

Deposits and follow up

50% deposit wording recurs, but other terms also appear. Use accepted terms and payment evidence. No company-wide follow-up interval or attempt limit was established from the history.

Inactive proposals

An internal handover/process proposal is inactive. It must not become current policy simply because it uses mandatory language.

Technical and warranty answers

Historical correspondence and stored articles identify questions for review. This research did not certify technical suitability, regulatory statements or warranty entitlements.

Limits to preserve

The review used automated screening plus contextual checks of selected examples, not manual classification of every message. Full UI Diary parity remains unproved. Calls and off-system conversations may be absent. Attachment metadata was enumerated; every PDF, plan and photo was not read. Form definitions and answers were not comprehensively interpreted.

Current mutable records do not reconstruct every historical revision. Future booking dates are not completed work. Note editor, outbound sender, booking assignee and job owner are separate roles. These limitations must remain visible in later recommendations.

Responses for information follow up and readiness

Newly written draft patterns based on the reviewed examples. Replace placeholders only with verified current job facts. The enhanced outbound pass processed 26,505 emails; 26,435 had nonempty cleaned text. About 64% began with Hi. Median cleaned length was 48 words, although technical and complaint responses often need more detail. These figures include templates and supplier correspondence.

RP-01 Missing project information

Use when: the current product-specific checklist identifies information genuinely missing.

> *Hi [Name],*
>
> *Thank you for your enquiry about [product]. To prepare [an indicative estimate / the next review], could you send [the missing plan or photo], [approximate dimensions] and [the missing site details]?*
>
> *This will help us check the scope and advise the next step.*

Next action: consolidate unanswered questions; assign the information request to the job coordinator; set a follow-up using the approved timing. Do not ask again for information already provided in an accessible message or attachment. Supports HR-02/03.

RP-02 Quote follow-up

Use when: the correct quote/revision has been identified and an approved follow-up is due.

> *Hi [Name],*
>
> *I'm following up on the [product/work] quotation we sent on [verified date]. Have you had a chance to review it, and is there anything you would like us to clarify?*
>
> *If your project timing has changed, please let us know so we can plan the next step with you.*

Next action: check for acceptance, decline, a revised quote, a later reply and an agreed hold before preparing this. Escalate missing history rather than assert "no response". Supports HR-09.

RP-03 Site readiness before final measure

Use when: the relevant product process requires finished surfaces or another readiness condition.

> *Hi [Name],*
>
> *Before we arrange the final measurement for [product], could you confirm that [verified readiness requirement] is complete and send [the relevant photos]?*
>
> *Once our team has checked those details, we can confirm the next visit.*

Next action: request readiness evidence and prepare a measure booking for staff review. Do not insert shower-specific requirements into another product's process. Supports HR-04/08.

Responses for design payment and installation

Draft patterns for staff review. Check the current job, applicable policy and permissions before use.

RP-04 Drawing or scope conflict

Use when: two sources disagree on an identifiable detail.

> *Hi [Name],*
>
> *Before we proceed, could you confirm [specific detail]? The [drawing/version] shows [A], while [the other verified source] shows [B].*
>
> *We can finalise the next step once the agreed design is confirmed and any required review is complete.*

Next action: identify the source versions, obtain written clarification and prepare a technical/price review if needed. Do not silently pick the newest-looking drawing. Supports HR-06/10.

RP-05 Acceptance and applicable deposit

Use when: acceptance and the applicable terms have been verified; the draft does not claim that an invoice has been attached or issued unless that action really happened.

> *Hi [Name],*
>
> *Thank you for confirming you would like to proceed. The next step is [verified next step]. The agreed deposit is [amount/percentage from the applicable accepted terms].*
>
> *Please [verified payment instruction / review the invoice once issued]. If payment has already been made, let us know and our accounts team can check it.*

Next action: check existing payment information before a reminder, then prepare the invoice or request an accounts check. Do not default every job to 50%. Supports HR-07.

RP-06 Conditional installation update

Use when: staff have a genuine proposed window and can identify its outstanding conditions.

> *Hi [Name],*
>
> *Our proposed installation window is [current staff-reviewed window], subject to [specific outstanding condition]. We are checking [material delivery / readiness / availability].*
>
> *We will confirm the booking once that is resolved. Please let us know if [relevant access detail] has changed.*

Next action: identify the blocker, assign its owner and prepare the update. If there is no supported window, say timing is being checked rather than invent a date. Supports HR-08/12.

Responses for variations issues and holds

Draft patterns for staff review. Check the current job, applicable policy and permissions before use.

RP-07 Variation or changed specification

Use when: a change affects the agreed scope, price or delivery.

> *Hi [Name],*
>
> *The requested change is [verified change]. We need to review its effect on [scope / materials / price / timing] before confirming the revised work.*
>
> *We will prepare [the revised quotation / variation] for your review and approval.*

Next action: prepare the change summary and estimator review; identify the superseded revision. Do not promise that the change is free or fits the existing date. Supports HR-06/10.

RP-08 Issue or possible rectification

Use when: the client reports an issue that needs investigation.

> *Hi [Name],*
>
> *Thank you for letting us know about [reported issue]. Could you send [the specific photo or detail needed] and confirm [relevant circumstance]?*
>
> *We will ask [the responsible team] to review this and advise the next step.*

Next action: preserve the complaint, request targeted evidence and assign technical review. Do not infer cause, fault, legal compliance or warranty coverage. Supports HR-11.

RP-09 Client not ready

Use when: an actual client instruction places the project on hold or supplies a later timeframe.

> *Hi [Name],*
>
> *Thank you for the update. We understand that [verified timeframe or hold instruction].*
>
> *[If appropriate: Would you like us to check back around [proposed date]?] Please let us know when you are ready to discuss the next step.*

Next action: retain the reason and agreed follow-up date, or ask staff to choose one. Do not keep sending ordinary quote reminders during a documented hold. Supports HR-09.

Confirmations and next action format

Roxy and the relevant owner, estimator, installer or accounts person should confirm these decisions. Record scope, exceptions, approver, version and effective date for each approved rule.

1. Pricing: Which product/service price list and minimum charges are authoritative?

2. Service eligibility: Which supply-only, installation and measurement options are offered, and to whom?

3. Assessments and design: When is a visit free or charged, and when is the fee credited?

4. Referral exceptions: Are the shower VIP, builder and standalone-referral branches still current?

5. Acceptance and payment: What proves acceptance, which deposit terms apply, and who verifies payment?

6. Follow up: What cadence, attempt limit, call threshold and hold policy should be used?

7. Booking and manufacturing: Which conditions and approvals release a booking or manufacturing order?

8. Ownership: How are the responsible person and escalation recipient selected?

9. Completion: Which forms, documents, sign-offs and accounts checks permit closure?

10. Technical knowledge: Who approves and maintains technical and warranty responses?

What every next action should contain

Situation; one specific next action; reason and dated evidence; verified or proposed owner; due-date basis; blocker or missing evidence; matching response draft; and the required approver.

Recommended first use

After the applicable gates pass, prepare a concise situation summary, missing facts, one next action and a matching draft for staff review. Choose the relevant product checklist and explain uncertainty. Pricing, booking, technical and external-send authority remain explicit decisions.

Evidence and research method

Source aliases below are de-identified references used in the candidate rules. They are SHA-256 prefixes of source UUIDs, not customer names or live links. Email dates are account-local; Knowledge dates are edit dates rather than policy effective dates.

Evidence alias	Source	Source timestamp	Job alias
E-1f3c23876b6f8172	email	2022-12-21 10:31:25	J-dbfc785aec9f0110
E-20bdb2cb43a5a82a	email	2026-10-14 08:00:41	J-847ba4f3e827c10f
E-218f490b82560b03	email	2026-10-22 11:49:18	J-72b79fd2cd3611fa
E-2c2541b4df42fa12	email	2025-12-17 13:17:54	J-1abbb75ad5d95656
E-31ffca9aa34eddfe	email	2026-10-05 13:21:09	J-16b72110a4e8fe1a
E-34d180580c235198	email	2026-10-20 13:27:41	J-fc3a4e147d89694d
E-6d37e22f85e62177	email	2026-10-20 17:01:25	J-4e4d0f2610cb32e3
E-747e77bfd53f89c3	email	2026-10-21 13:18:49	J-e4b9e4a445e4ca80
E-74e60929699c1cd4	email	2026-10-14 15:41:29	J-b3362f8ec6e31baf
E-a128b774a3d1733f	email	2026-10-22 17:42:37	J-3b193524ceb1c908
E-ab1d5d30f003185f	email	2023-12-02 11:47:13	J-cb0fcdd9b068fcb0
E-ae666496adc7a807	email	2026-10-23 12:49:15	J-2cdec0f01874deaa
E-b3d8132f573a6f47	email	2026-10-08 16:09:56	J-b4fd7c93c7f94f84
E-b7a4141b18c3940a	email	2026-10-21 11:26:51	J-7eb4c4518717086e
E-b89b1c3b1a8acb56	email	2026-10-20 16:01:41	J-fc3a4e147d89694d
E-d6914c3fc1641b00	email	2026-10-16 16:29:46	J-0ff8a7c4033c66c3
K-286404d53e806bd4	knowledge article	2025-11-23 22:53:29	-
K-735c266d0104721f	knowledge article	2025-11-23 22:43:54	-
K-77b2b84a247719d6	knowledge article	2025-11-24 11:57:03	-

Source content and method are preserved in the reference folder as history-findings.md, history-response-patterns.md, history-policy-decisions.md, history-evidence-register.md, history-coverage.json and history-outbound-patterns.json. Official API contracts and pagination limits are recorded in history-source-contracts.md.

The outbound-only reread returned the same 26,505 outbound emails counted in the unfiltered collection. Text matching was used to find candidate patterns; quoted history, supplier messages and templates can still affect screening counts. They are discovery aids rather than confirmed incident totals.