

Accession Number: 18-341-402966






Report Date: 2018-12-16

Run Name: MGMT_1962

Assay: MGMT/SAR Methylation

Result: Not Detected


Total % Methylation: 3%

MGMT CpG Sites 72 & 73
4% MethylatedMGMT CpG Sites 74, 75, & 76
4% MethylatedMGMT CpG Sites 77 & 78
1% MethylatedMGMT CpG Sites 79, 80, & 81
3% MethylatedMGMT CpG Sites 82 & 83
2% Methylated


						Pass/Fail	QC Check
Np mean			38.37			Pass	>=10
Number of spectra			5/5			Pass	>=3/5
Warning flags			ok			Pass	ok
CpG unit # (CpGs/unit)	1 (2)	2 (3)	3 (2)	4 (3)	5 (2)		
Sum of peak(s) intensity per unit	3718	3654	3418	3367	5046	Pass	>=600 for each unit
Methylation value per unit (%)	4%	4%	1%	3%	2%	Pass	Calculated
Total methylation from MGMT and SAR			3%			Pass	Calculated

Accession Number: 18–341–402966	Report Date: 2018–12–16	Run Name: MGMT_1962
Assay: MGMT/SAR Methylation	Result: Not Detected	Total % Methylation: 3%


SAR CpG Sites 88 & 89
1% Methylated



SAR CpG Site 87
6% Methylated



SAR CpG Site 86
5% Methylated



				Pass/Fail	QC Check
Np mean		37.52		Pass	>=10
Number of spectra		5/5		Pass	>=3/5
Warning flags		ok		Pass	ok
CpG unit # (CpGs/unit)	1 (2)	2 (1)	3 (1)		
Sum of peak(s) intensity per unit	12744	12259	11253	Pass	>=600 for each unit
Methylation value per unit (%)	1%	6%	5%	Pass	Calculated
Total methylation from MGMT and SAR		3%		Pass	Calculated

If...	Then...
Total % methylation is 0 – 9%	The sample is reported as NOT DETECTED for MGMT promoter methylation
Total % methylation is 10 – 29%	The sample is reported as LOW LEVEL for MGMT promoter methylation
Total % methylation is 30 – 100%	The sample is reported as DETECTED for MGMT promoter methylation

Control	Percent Methylation	Pass/Fail
Non-methylated Control	0–9%	Pass
20% Methylated Control	10–40%	Pass
100% Methylated Control	90–100%	Pass
NTC	np mean <10	Pass