

Accession Number: 18-338-403146






Report Date: 2018-12-16

Run Name: MGMT_1962

Assay: MGMT/SAR Methylation

Result: Detected

Total % Methylation: 50%

MGMT CpG Sites 72 & 73
54% MethylatedMGMT CpG Sites 74, 75, & 76
51% MethylatedMGMT CpG Sites 77 & 78
52% MethylatedMGMT CpG Sites 79, 80, & 81
53% MethylatedMGMT CpG Sites 82 & 83
51% Methylated

						Pass/Fail	QC Check
Np mean			45.17			Pass	>=10
Number of spectra			5/5			Pass	>=3/5
Warning flags			ok			Pass	ok
CpG unit # (CpGs/unit)	1 (2)	2 (3)	3 (2)	4 (3)	5 (2)		
Sum of peak(s) intensity per unit	6126	5500	5643	5007	8065	Pass	>=600 for each unit
Methylation value per unit (%)	54%	51%	52%	53%	51%	Pass	Calculated
Total methylation from MGMT and SAR			50%			Pass	Calculated

Accession Number: 18-338-403146




Report Date: 2018-12-16

Run Name: MGMT_1962

Assay: MGMT/SAR Methylation

Result: Detected

Total % Methylation: 50%

SAR CpG Sites 88 & 89
9% MethylatedSAR CpG Site 87
71% MethylatedSAR CpG Site 86
78% Methylated

				Pass/Fail	QC Check
Np mean		39.05		Pass	>=10
Number of spectra		5/5		Pass	>=3/5
Warning flags		ok		Pass	ok
CpG unit # (CpGs/unit)	1 (2)	2 (1)	3 (1)		
Sum of peak(s) intensity per unit	8621	6890	7347	Pass	>=600 for each unit
Methylation value per unit (%)	9%	71%	78%	Pass	Calculated
Total methylation from MGMT and SAR		50%		Pass	Calculated

If...	Then...
Total % methylation is 0 – 9%	The sample is reported as NOT DETECTED for MGMT promoter methylation
Total % methylation is 10 – 29%	The sample is reported as LOW LEVEL for MGMT promoter methylation
Total % methylation is 30 – 100%	The sample is reported as DETECTED for MGMT promoter methylation

Control	Percent Methylation	Pass/Fail
Non-methylated Control	0–9%	Pass
20% Methylated Control	10–40%	Pass
100% Methylated Control	90–100%	Pass
NTC	np mean <10	Pass