

ASSIGNMENT 3

➤ Question 1:

Implementation of Merge sort.

TC: $O(n \log n)$

➤ Solution:

- Source Code:

```
def merge(left, right):
    merged = []
    i = j = 0
    while i < len(left) and j < len(right):
        if left[i] <= right[j]:
            merged.append(left[i])
            i += 1
        else:
            merged.append(right[j])
            j += 1
    while i < len(left):
        merged.append(left[i])
        i += 1
    while j < len(right):
        merged.append(right[j])
        j += 1
    return merged




def merge_sort(arr):
    if len(arr) <= 1:
        return arr
    mid = len(arr) // 2
    left_half = merge_sort(arr[:mid])
    right_half = merge_sort(arr[mid:])
    return merge(left_half, right_half)


arr = [38, 27, 43, 3, 9, 82, 10]
```

Assignment 3 / DAA

```
sorted_arr = merge_sort(arr)
print("Sorted array:", sorted_arr)
```

- Output:

 BOKHIRIYA RONAK RAJESHBHAI

 AI

NEW

PYTHON ▾

RUN ▶

⋮

STDIN

Input for the program (Optional)

Output:




Hello, World!

Sorted array: [3, 9, 10, 27, 38, 43, 82]

Question2**Implementation of Max-Min by using Divide and Conquer principal TC:****O(n)**➤ Solution:• Source code:

```
def find_max_min(arr, low, high):  
    if low == high:  
        return arr[low], arr[low]  
  
    elif high == low + 1:  
        if arr[low] > arr[high]:  
            return arr[low], arr[high]  
        else:  
            return arr[high], arr[low]  
  
    mid = (low + high) // 2  
    max1, min1 = find_max_min(arr, low, mid)  
    max2, min2 = find_max_min(arr, mid + 1, high)  
  
    overall_max = max(max1, max2)  
    overall_min = min(min1, min2)  
  
    return overall_max, overall_min  
  
arr = [3, 5, 1, 8, 9, 2, 7, 6]  
n = len(arr)  
maximum, minimum = find_max_min(arr, 0, n - 1)  
print(f"Maximum element: {maximum}")  
print(f"Minimum element: {minimum}")
```

• Output:

 BOKHIRIYA RONAK RAJESHBHAI

AI NEW PYTHON RUN

STDIN

Input for the program (Optional)

Output:
Maximum element: 9
Minimum element: 1

Assignment 3 / DAA

➤ Question 3:

Fractional Knapsack GeeksForGeeks Implementation of Fractional Knapsack TC: $O(n \log n)$ (Problem Statement: The weight of N items and their corresponding values are given. We have to put these items in a knapsack of weight W such that the total value obtained is maximized.)

➤ Solution:

- Source code:



```
class Item:
    def __init__(self,val,w):
        self.value = val
        self.weight = w

class Solution:
    def fractionalknapsack(self, w,arr,n):
        prof = [arr[i].value / arr[i].weight for i in range(n)]
        items = [[prof[i], arr[i].value, arr[i].weight] for i in range(n)]
        items.sort(key=lambda x: x[0], reverse=True)
        profit = 0
        i = 0
        while w > 0 and i < n:
            if items[i][2] <= w:
                profit += items[i][1]
                w -= items[i][2]
            else:
                profit += items[i][0] * w
                w = 0
            i += 1
        return profit
```

- Output:

Compilation Results Custom Input Y.O.G.I. (AI Bot)

Compilation Completed

For Input:  

3 50
60 10 100 20 120 30


Your Output:

240.000000

Expected Output:

240.000000

Compilation Results Custom Input Y.O.G.I. (AI Bot)


Problem Solved Successfully 

[Suggest Feedback](#)

Test Cases Passed
1115 / 1115

Attempts : Correct / Total
2 / 2
Accuracy : 100%

Time Taken
1.47

 You get marks only for the first correct submission if you solve the problem without viewing the full solution.

Solve Next

[0 - 1 Knapsack Problem](#) [Pizza Mania](#) [Tricky Subset Problem](#)

➤ Question 4:**Implementation of Prim's Algorithm.**➤ Solution:• Source code:

```
import heapq

def prim(graph, start):
    mst = []
    visited = set()
    min_heap = [(0, start)]
    total_cost = 0


    while min_heap:
        cost, node = heapq.heappop(min_heap)
        if node in visited:
            continue
        visited.add(node)
        total_cost += cost
        mst.append((node, cost))

        for neighbor, weight in graph[node]:
            if neighbor not in visited:
                heapq.heappush(min_heap, (weight, neighbor))

    return mst, total_cost

graph = {
    0: [(1, 2), (3, 6)],
    1: [(0, 2), (2, 3), (3, 8), (4, 5)],
    2: [(1, 3), (4, 7)],
    3: [(0, 6), (1, 8)],
    4: [(1, 5), (2, 7)]
}

mst, total_cost = prim(graph, 0)
print("Minimum Spanning Tree:", mst)
print("Total Cost:", total_cost)
```

• Output:

The screenshot shows a code editor interface with a user profile 'BOKHIRIYA RONAK RAJESHBHAI' at the top. Below the profile are buttons for 'AI', 'NEW', 'PYTHON', and 'RUN'. The editor area has a 'STDIN' section with the text 'Input for the program (Optional)'. The 'Output' section displays the result of the program: 'Minimum Spanning Tree: [(0, 0), (1, 2), (2, 3), (4, 5), (3, 6)]' and 'Total Cost: 16'.

Assignment 3 / DAA

➤ Question 5:

Assign Cookies. (Assume you are an awesome parent and want to give your children some cookies. But, you should give each child at most one cookie.) Leetcode problem number: 455

➤ Solution:• Source code:

```
def find_content_children(g, s):  
    g.sort()  
    s.sort()  
    i = j = 0  
    while i < len(g) and j < len(s):  
        if s[j] >= g[i]:  
            i += 1  
            j += 1  
    return i  
  
g = [1, 2, 3]  
s = [1, 1]  
result = find_content_children(g, s)  
print(result)
```

• Output:

Accepted Runtime: 29 ms

• Case 1 • Case 2

Input

g =
[1,2,3]

s =
[1,1]

Stdout

1


Output

1

Expected

1

♥ Contribute a testcase



➤ Question 6:


Maximum Units on a Truck. Leetcode problem number: 1710


➤ Solution:

- Source Code:

```
class Solution:
    def maximumUnits(self, boxTypes: List[List[int]], truckSize: int) -> int:
        boxTypes.sort(key=lambda x: x[1], reverse=True)
        total_units = 0
        for box_count, units in boxTypes:
            if truckSize == 0:
                break
            if box_count <= truckSize:
                total_units += box_count * units
                truckSize -= box_count
            else:
                total_units += truckSize * units
                truckSize = 0
        return total_units
```

- Solution:





➤ Question 7:**Lemonade Change. Leetcode problem number: 860**➤ Solution:• Source Code:

```
class Solution:
    def lemonadeChange(self, bills: List[int]) -> bool:
        five, ten = 0, 0
        for bill in bills:
            if bill == 5:
                five += 1
            elif bill == 10:
                if five > 0:
                    five -= 1
                    ten += 1
            else:
                return False
            elif bill == 20:
                if ten > 0 and five > 0:
                    ten -= 1
                    five -= 1
                elif five >= 3:
                    five -= 3
                else:
                    return False
        return True
```

• Solution:

</> Code

Testcase | **Test Result**

Accepted Runtime: 46 ms

• Case 1 • Case 2

Input

bills =
[5, 5, 5, 10, 20]


Output

true

Expected

true

♥ Contribute a testcase



➤ Question 8:**Merge Intervals Leetcode problem number: 56**➤ Solution:• Source Code:

```
class Solution:
```

```
def merge(self, intervals: List[List[int]]) -> List[List[int]]:
```

```
    intervals.sort(key=lambda x: x[0])
```

```
    merged = []
```

```
    for interval in intervals:
```

```
        if not merged or merged[-1][1] < interval[0]:
```

```
            merged.append(interval)
```


```
        else:
```

```
            merged[-1][1] = max(merged[-1][1], interval[1])
```

```
    return merged
```

• Output:

The screenshot shows the 'Test Result' page for the 'Merge Intervals' problem. It indicates the solution was 'Accepted' with a runtime of 31 ms. Two test cases are listed: 'Case 1' and 'Case 2'. The input for Case 1 is intervals = [[1,3],[2,6],[8,10],[15,18]]. The output is [[1,6],[8,10],[15,18]], which matches the expected result. A 'Contribute a testcase' link is visible at the bottom.



➤ Question 9:**LCS LeetCode problem number 1143**➤ Solution:• Source Code:

class Solution:

def longestCommonSubsequence(self, text1: str, text2: str) -> int:

m, n = len(text1), len(text2)

dp = [[0] * (n + 1) for _ in range(m + 1)]

for i in range(1, m + 1):

for j in range(1, n + 1):

if text1[i - 1] == text2[j - 1]:

dp[i][j] = dp[i - 1][j - 1] + 1

else:

dp[i][j] = max(dp[i - 1][j], dp[i][j - 1])

return dp[m][n]

• Output:

Testcase | **Test Result**

Accepted Runtime: 41 ms

• Case 1 • Case 2 • Case 3

Input

text1 =
"abcde"

text2 =
"ace"


Output

3

Expected

3

14



➤ Question 10:

Numberof Coins GeeksForGeeks


➤ Solution:

- Source Code:

```
class Solution:
    def minCoins(self, coins, M, sum):
        k = float("inf")
        dp = [[k for _ in range(sum + 1)] for _ in range(M + 1)]
        dp[0][0] = 0
        for i in range(1, M + 1):
            for j in range(1, sum + 1):
                if coins[i - 1] <= j:
                    dp[i][j] = min(dp[i][j - coins[i - 1]] + 1, dp[i - 1][j])
                else:
                    dp[i][j] = dp[i - 1][j]
        if dp[M][sum] == k:
            return -1
        return dp[M][sum]

# Driver code
if __name__ == "__main__":
    T = int(input())
    for i in range(T):
        v, m = input().split()
        v, m = int(v), int(m)
        coins = [int(x) for x in input().split()]
        ob = Solution()
        ans = ob.minCoins(coins, m, v)
        print(ans)
```

- Output:




The screenshot shows an IDE's Output Window with a dark theme. The window title is "Output Window" with a close button. There are two tabs: "Compilation Results" (active) and "Custom Input". Under "Compilation Results", it says "Compilation Completed". Below this, it shows "For Input:" followed by a copy icon and a question mark icon. The input is displayed as "30 3" and "25 10 5". Then it shows "Your Output:" followed by the output "2". Finally, it shows "Expected Output:" followed by the expected output "2".

Output Window

Compilation Results

Custom Input

Y.O.G.I. (AI Bot)

Problem Solved Successfully 

[Suggest Feedback](#)


Test Cases Passed

223 / 223


Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored 

4 / 4

Your Total Score: **8** 

Time Taken

0.71