
Muhammad Roychan Meliaz FSDO001ONL021

```
OCBC – Hacktiv8 Bootcamp
Assignment_2
CREATE DATABASE db_bank;
-- TABEL 1
USE db bank;
CREATE TABLE tb customers(
        customerNumber INT PRIMARY KEY IDENTITY(1,1),
        customerName VARCHAR(45) NOT NULL,
        contactLastName VARCHAR(45) NOT NULL,
        contactFirstName VARCHAR(45) NOT NULL,
        phone VARCHAR(18) NOT NULL,
        addressLine1 VARCHAR(125) NOT NULL,
        addressLine2 VARCHAR(125) NOT NULL,
        city VARCHAR(40) NOT NULL,
        state VARCHAR(40) NOT NULL,
        postalCode VARCHAR(6) NOT NULL,
        country VARCHAR(40) NOT NULL,
        salesRepEmployeeNumber INT NOT NULL,
        creditLimit INT NOT NULL
);
INSERT INTO tb customers(customerName, contactLastName, contactFirstName, phone, addressLinel,
addressLine2,city,state,postalCode,country,salesRepEmployeeNumber,creditLimit)
VALUES
    ('Roy','Meliaz','Roychan','082391906848','jl. muka kuning no 8','jl. keputih
no3', 'Batam', 'Kepulauan Riau', '29438', 'Indonesia', 1, 20000000),
('Fadhil','Ihsan','Fadhil','08123456789','jl. ali haji no 21','-','Semarang','Jawa Tengah','11223','Indonesia',1,15000000),
    ('Dzaky','Mulyanto','Dzaky','08080808088','jl. keputih no 3','jl. kasuari no
22', 'Surabaya', 'Jawa Timur', '60111', 'Indonesia', 2, 30000000),
    ('Fuad','Zakiy','Fuad','082659377594','jl. rajawali no 19','-','Bandung','Jawa
Barat', '74937', 'Indonesia', 2, 40000000),
    ('Faisal','Rizal','Faisal','0834775t2333','jl. mulyosari no 1','jl. keputih no
11', 'Surabaya', 'Jawa Timur', '60111', 'Indonesia', 3, 30000000);
```

SELECT * **FROM** tb customers;




```
-- TABEL 2
CREATE TABLE tb_products(
         productCode INT PRIMARY KEY IDENTITY(1,1),
         productName VARCHAR(45) NOT NULL,
         productLine INT NOT NULL,
         productScale VARCHAR(45) NOT NULL,
         productVendor VARCHAR(45) NOT NULL,
         productDescription text NOT NULL,
         quantityInStock INT NOT NULL,
         buyPrice INT NOT NULL,
         MSRP VARCHAR(45) NOT NULL
);
INSERT INTO
tb productS(productName,productLine,productScale,productVendor,productDescription,quantityInStock,bu
yPrice, MSRP)
VALUES
    ('Huawei Band 6',0,5,'Huawei','Smart band',200,650000,500000),
    ('Seagate HDD 1 TB',0,7,'Seagate','External Hard Disk',300,1100000,1000000),
    ('Hada Labo Face Wash', 1, 6, 'Hada Labo', 'Face Wash', 4000, 35000, 35000),
    ('Susu Bendera Frision Flag',2,5,'Frision Flag','Susu kental manis',1300,25000,23000),
    ('Susu Dancow',2,10,'Nestle','Susu',500,52000,50000);
SELECT * FROM tb products;
                                T‡ 123 productLine T‡ asc productScale T‡ asc productVendor T‡ asc productDescription T‡ 123 quantityInStock T‡ 123 buyPrice T‡
                 1 Huawei Band 6
                                                           Huawei
                                                                         Smart band
                                                                                                            650,000
                  Seagate HDD 1 TB
                                            0 7
                                                           Seagate
                                                                         External Hard Disk
                                                                                                    300
                                                                                                           1.100.000
                  Hada Labo Face Wash
                                                           Hada Labo
                                                                         Face Wash
                                                                                                   4.000
                                                                                                             35.000
                  Susu Bendera Frision Flag
                                                           Frision Flag
                                                                         Susu kental manis
                                                                                                   1,300
                                                                                                             25,000
                  Susu Dancow
                                                                                                    500
-- TABEL 3
CREATE TABLE tb productlines(
         productLine INT PRIMARY KEY IDENTITY (1,1),
         textDescription TEXT NOT NULL,
         htmlDescription TEXT NOT NULL,
         image VARCHAR(128) NOT NULL
);
INSERT INTO tb_productlines (textDescription,htmlDescription,image)
VALUES
     ('Electronics', 'electronics.html', 'electronics.jpg'),
```

('Cosmetics','cosmetics.html','cosmetics.jpg'),

('Milk', 'milk.html', 'milk.jpg'),

```
('Games','games.html','games.jpg'),
('Clothing','clothing.html','clothing.jpg'); ;
```

SELECT * FROM tb_productlines;



-- TABEL 4

```
CREATE TABLE tb_orders(
          orderNumber INT PRIMARY KEY IDENTITY(1,1),
          orderDate DATETIME NOT NULL,
          requiredDate DATETIME NOT NULL,
          shippedDate DATETIME NOT NULL,
          STATUS VARCHAR(45) NOT NULL,
          comments VARCHAR(255) NOT NULL,
          customerNumber INT NOT NULL
);
```

INSERT INTO tb_orders (orderDate,requiredDate,shippedDate,STATUS,comments,customerNumber)
VALUES

```
('2021-5-10 21:00:00','2021-10-13 00:00:00','2021-10-11 07:00:00','tervalidasi','-',0),


('2021-5-12 21:00:00','2021-10-16 00:00:00','2021-10-12 07:00:00','dikirimkan','-',1),

('2021-5-14 21:00:00','2021-10-17 00:00:00','2021-10-20 07:00:00','tervalidasi','-',2),

('2021-5-16 21:00:00','2021-10-19 00:00:00','2021-10-24 07:00:00','tervalidasi','-',3),

('2021-5-18 21:00:00','2021-10-19 00:00:00','2021-10-25 07:00:00','sudah selesai','-',4);
```

SELECT * FROM tb_orders;





```
productCode INT NOT NULL,
    quantityOrdered INT NOT NULL,
    priceEach INT NOT NULL,
    orderLineNumber INT NOT NULL
);

INSERT INTO tb_orderdetails (productCode, quantityOrdered, priceEach, orderLineNumber)

VALUES
    (0,1,650000,0),
    (1,2,1100000,1),
    (2,1,35000,2),
    (3,3,25000,3),
    (4,1,52000,4);
```

SELECT * FROM tb_orderdetails;






```
-- TABEL 7
CREATE TABLE tb employees(
        employeeNumber INT PRIMARY KEY IDENTITY(1,1),
        lastName VARCHAR(45) NOT NULL,
        firstName VARCHAR(45) NOT NULL,
        extension VARCHAR(45) NOT NULL,
        email VARCHAR(128) NOT NULL,
        officeCode INT NOT NULL,
        reportsTo INT NOT NULL,
        jobTitle VARCHAR(45) NOT NULL,
);
\textbf{INSERT INTO} \ \ tb\_employees \ \ (lastName,firstName,extension,email,officeCode,reportsTo,jobTitle)
VALUES
```

```
('angelina','nia','-','nia@mail.com',0,0,'Head Of Everything'),
('elva', 'grace', '-', 'grace@mail.com', 1, 0, 'Head Of Office'),
('risa', 'tanisha', '-', 'tanisha@mail.com', 1, 1, 'Office boy'),
('liudvya', 'may', '-', 'may@mail.com', 2, 1, 'counter'),
('hanum', 'nadila', '-', 'nad@mail.com', 2, 1, 'office staff');
```

SELECT * **FROM** tb employees;




```
-- TABEL 8
CREATE TABLE tb offices(
        officeCode INT PRIMARY KEY IDENTITY(1,1),
        city VARCHAR(40) NOT NULL,
```

```
phone VARCHAR(18) NOT NULL,
   addressLine1 VARCHAR(125) NOT NULL,
   addressLine2 VARCHAR(125) NOT NULL,
   state VARCHAR(40) NOT NULL,
   country VARCHAR(40) NOT NULL,
   postalCode VARCHAR(6) NOT NULL,
   territory VARCHAR(40) NOT NULL
);

INSERT INTO tb_offices (city,phone,addressLine1,addressLine2,state,country,postalCode,territory)
VALUES
   ('Jakarta Pusat','021021','jl. satrio','-','DKI Jakarta','Indonesia','73635','-'),
   ('Jakarta Selatan','021666','jl. jalan','-','DKI Jakarta','Indonesia','36254','-'),
   ('Jakarta Utara','021333','jl. baru','-','DKI Jakarta','Indonesia','84635','-'),
   ('Jakarta Timur','021222','jl. lama','-','DKI Jakarta','Indonesia','38274','-'),
   ('Jakarta Barat','021111','jl. sini','-','DKI Jakarta','Indonesia','37294','-');
```

SELECT * FROM tb_offices;



```
-- JOINED TABLE
```

-- TABEL LIST TRANSAKSI YANG SUDAH DIGABUNG DENGAN BERBAGAI TABEL LAINNYA

SELECT

JOIN tb orderdetails ods ON ord.orderNumber = ods.orderNumber

JOIN tb products pro ON ods.productCode = pro.productCode

JOIN tb_employees emp ON cust.salesRepEmployeeNumber = emp.employeeNumber;

