## D2 Summary

**Sentence Selection Solution** 

Brandon Gahler Mike Roylance Thomas marsh

## Architecture: Technologies

Python 2.7.9 for all coding tasks

**NLTK** for tokenization, chunking and sentence segmentation.

pyrouge for evaluation

## Architecture: Implementation

### Reader:

- Topic parser reads topics and generates filenames
- Document parser reads documents and makes document descriptors


### **Document Model:**

- Sentence Segmentation and "cleaning"
- Tokenization
- NP Chunker

**Summarizer** - creates summaries

Evaluator - uses pyrouge to call ROUGE-1.5.5.pl

# Architecture: Block Diagram



### Summarizer

**Employed Several Techniques:** 

### Each Technique:

- Computes rank for all sentences normalized from 0 to 1
- Is given a weight from 0 to 1

Weighted sentence rank scores are added together Overall best sentences are selected from the summary sum

## **Summary Techniques**

- Simple Graph Similarity Measure
- NP Clustering
- Sentence Location
- Sentence Length
- tf-idf

## Trivial Techniques

- Sentence Position Ranking Highest sentences get highest rank
- Sentence Length Ranking Longest sentences get best rank
- tf-idf All non-stop words get tf-idf computed and added. Sentences with the highest sum of tf-idf get best rank.
  - We use the gigaword corpus as a background corpus.

## Simple Graph Technique

#### Iterate:

- Find the common words of all sentences
- Compute the most connected sentence
- Mark that sentence as highest rank
- Change its value to negative
- recompute

# NP-Clustering Technique

### Compute the most connected sentences:

- Use coreference resolution:
  - Find all the pronouns, and replace them with their antecedent
- Compare just the noun phrases of each sentence with every other sentence.
  - Use edit distance for minor forgiveness
  - Normalize casing
- Highest score sentences win
- Rank every sentence with normalized metric between 0-1, with the highest being 1

# Technique Weighting

It is difficult to tell how important each technique is in contributing to the overall score. Because of this, we established a **weight generator** which did the following:

### for each technique:

- compute unweighted sentence ranks.
- Iterate weights of each technique from 0 to 1 at intervals of 0.1
  - o for each weight set:
    - rank sentences based on new weights
    - generate rouge scores

At the end, the best set of weights is the one with the optimal score!

## Optimal Weights

AAANNND... the optimal set of weights turns out to be:

### Disappointing!

It looked like none of our fancy techniques were able to even slightly improve the performance of **tf-idf** by itself.



## Optimal Weights

### **Optimal Technique Weights:**

Technique	Weight
tf-idf	1.0
Simple Graph	0.0
NP-Clustering	0.0
Sentence Position	0.0
Sentence Length	0.0

## Results

### Average ROUGE scores for our tf-idf-only solution:

ROUGE Technique	Recall	Precision	F-Score
ROUGE1	0.55024	0.52418	0.53571
ROUGE2	0.44809	0.42604	0.43580
ROUGE3	0.38723	0.36788	0.37643
ROUGE4	0.33438	0.31742	0.32490

## Optimal Weights Revisited

**However:** we found a bug in our weight generator, and, upon running again, discovered that our hard work had paid off after all! The Simple Graph technique DOES enhance our tf-idf only solution!

# Optimal Weights Revisited

### **Optimal Technique Weights:**

Technique	Weight
tf-idf	1.0
Simple Graph	1.0
NP-Clustering	0.0
Sentence Position	0.0
Sentence Length	0.0

### Best Results

### Average ROUGE scores for our final (tf-idf + matrix) solution:

ROUGE Technique	Recall	Precision	F-Score
ROUGE1	0.54107	0.57388	0.55580
ROUGE2	0.42822	0.45443	0.43997
ROUGE3	0.36791	0.39088	0.37819
ROUGE4	0.31867	0.33882	0.32767

# Simple Graph Results

### Average ROUGE scores for the Simple Graph-only solution:

ROUGE Technique	Recall	Precision	F-Score
ROUGE1	0.48228	0.56860	0.52048
ROUGE2	0.36821	0.43541	0.39787
ROUGE3	0.31484	0.37348	0.34065
ROUGE4	0.27465	0.32683	0.29757

## NP-Clustering Results

### Average ROUGE scores for the NP-Clustering-only solution:

ROUGE Technique	Recall	Precision	F-Score
ROUGE1	0.45691	0.53378	0.49056
ROUGE2	0.33306	0.39053	0.35813
ROUGE3	0.28221	0.33196	0.30386
ROUGE4	0.24758	0.29237	0.26700

### References

Heinzerling, B and Johannsen, A (2014). pyrouge (Version 0.1.2) [Software]. Available from <a href="https://github.com/noutenki/pyrouge">https://github.com/noutenki/pyrouge</a>

Lin, C (2004). ROUGE (Version 1.5.5) [Software]. Available from <a href="http://www.berouge.com/Pages/default.aspx">http://www.berouge.com/Pages/default.aspx</a>