

DateTimeFormatter

8	□ □ isExistingRoom(int)	boolean
8	□ □ isExclusive(String)	boolean
6	e rescheduleEvent(String, String, String, int, int)	boolean
8	m ⁴ serialize()	
8	e deserialize()	boolean
8	🎟 👚 modifyRoomCapacity(int, int)	boolean
8	etAllRoomsInString()	List <string></string>
8	etEventInfo(String)	
8	□ □ futureEvent(String)	boolean
8	etAllEventsOfDay(String)	List <string></string>
8	e possibleCapacity(int, int)	boolean
8	🌚 🕆 setEventCapacity(String, int)	void

		🕒 MessageManager	
•		♠ ≜ allMessageList	List <message></message>
8		e findAChatRoom(String, String)	Message
8		🎟 🏲 getEveryOpponent(String)	List <string></string>
8		🎟 🕆 getMessageContent(String, String)	List <string></string>
8		🎟 🍙 getMessageTime(String, String) List <localdatetime></localdatetime>	ocalDateTime>
(3)		🎟 🕆 getMessageFrom(String, String)	List <string></string>
(3)		m 🕆 sendPrivateMessage(String, String, String)	
8		m → sendEventMessage(String, List <string>, String)</string>	, String) void
(3)		🎟 🕆 getNumUnread(String, String)	
8		🎟 🕆 read(String, String)	
8		□ = changeContent(String, String, int, String)	g) boolean
8		🎟 🕆 serialize()	
8		🎟 🕆 deserialize()	boolean
Powe	re	Powered by yFiles	