SAMARA YACHTING
ERP Platform

ERP Bot API

JSON REST API Specification

Read-only data access for bots and analysis tools

Release	1.0.0
Date	October 2026
Audience	Developers and analysts integrating with the ERP
Classification	Confidential

Confidentiality. This document describes access to internal Samara Yachting business data. Do not share this document or any API key with third parties without written permission from Samara Yachting.

Contents

1. Introduction . . . 5

1.1 What this API does . . . 5

1.2 Quick start . . . 5

1.3 Access rules . . . 5

1.4 Environment . . . 5

2. Authentication . . . 7

2.1 Sending the key . . . 7

2.2 Authentication errors . . . 7

3. How Requests Work . . . 8

3.1 Endpoints . . . 8

3.2 Paging through results . . . 8

3.3 Filtering by date . . . 8

3.4 Filtering by column . . . 8

3.5 Order of results . . . 8

3.6 Value types . . . 8

3.7 Response format . . . 9

3.8 Error codes . . . 9

4. Endpoint Details . . . 10

4.1 GET /api/bot — Catalog . . . 10

4.2 GET /api/bot/{resource} — List records . . . 11

4.3 GET /api/bot/{resource}/{id} — One record . . . 12

5. Resource Reference . . . 13

5.0 Overview . . . 13

5.1 Sales & Booking . . . 16

5.2 Finance . . . 25

5.3 Fleet & Operations . . . 30

5.4 Purchasing . . . 35

5.5 Stock & Warehouse . . . 42

5.6 POS / Cashier . . . 51

5.7 Marketing . . . 56

6. What the API Never Returns . . . 58

6.1 Excluded areas . . . 58

6.2 Hidden columns 58

7. Appendix (for ERP administrators) 59

A. Server configuration 59

B. Replacing or disabling the key 59

Document Change Control

Version	Date	Summary of changes
0.9.0	09/10/2026	BOT role introduced: read-only access limited to GET /api/bot/* (ERP login session).
1.0.0	15/10/2026	API key access (Authorization: Bearer sbk_...) for external tools, configured in the server environment. The key carries exactly the BOT role access. First release of this specification: 64 resources.

1 Introduction

1.1 What this API does

The ERP Bot API lets a bot or analysis tool **read** Samara Yachting ERP data over HTTPS: bookings, payments, expenses, purchasing, stock, fleet operations, onboard POS sales and marketing campaigns. It is strictly **read-only**: nothing can be created, changed, approved or deleted through it.

1.2 Quick start

Three steps to the first result:

Step	What to do
1	Get the API key (starts with **sbk**_) from the ERP administrator.
2	Send it in the header of every request: `Authorization: Bearer <API key>`
3	Call `GET /api/bot` to see every resource you can read, then `GET /api/bot/{resource}` to read data.

Request

```
GET https://{erp-domain}/api/bot/bookings?limit=5
Authorization: Bearer sbk_xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

Response (200 OK)

```
{
  "resource": "bookings",
  "count": 5,
  "nextCursor": "cm9abc...",
  "data": [
    {
      "id": "cm9...",
      "bookingCode": "...",
      "startDate": "2026-10-01T00:00:00.000Z",
      ...
    },
    ...
  ]
}
```

1.3 Access rules

- Only **GET** requests are accepted. Any other method is refused with HTTP 403.
- Only addresses under **/api/bot** accept the API key. The rest of the ERP ignores it.
- Only the 64 resources in Chapter 5 can be read, and only their own columns (no nested related records).
- Sensitive data is always removed before the response is sent: passwords, bank account numbers, passports, salaries and more (Chapter 6).
- The key acts as one ERP user with role **BOT** and has exactly that role's access, nothing more.

1.4 Environment

Base URL	https://{erp-domain}
Protocol	HTTPS
Format	JSON (UTF-8)
Dates	UTC, ISO-8601, e.g. 2026-10-01T08:00:00.000Z

Company	One key reads one company (default: Samara)

2 Authentication

Every request must carry the API key in the **Authorization** header. The key does not expire; it stays valid until the administrator replaces it (Appendix B). There is no login or token step.

2.1 Sending the key

Header	Required	Value
`Authorization`	Yes	`Bearer sbk_...` (the word Bearer, one space, then the key)
`Accept`	No	`application/json`

Example

```
GET /api/bot HTTP/1.1
Host: {erp-domain}
Authorization: Bearer sbk_xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

Postman. In Postman open the **Authorization** tab, choose type **Bearer Token** and paste only the key (sbk_...). Postman adds the word "Bearer" itself, so do not type it twice.

2.2 Authentication errors

HTTP	Response	Meaning / what to check
401	`{"error":"Invalid API key"}`	The key is wrong or no longer valid. Check for typos, quotes or spaces; ask the administrator whether the key was replaced.
403	`{"error":"Bot API keys are read-only"}`	A method other than GET was used.
307	`Redirect to /login`	No usable Authorization header was sent (missing, or without the word "Bearer").

3 How Requests Work

3.1 Endpoints

Method	Path	Returns
GET	`/api/bot`	The catalog: every readable resource and its columns
GET	`/api/bot/{resource}`	A page of records (newest first), with optional filters
GET	`/api/bot/{resource}/{id}`	One record

3.2 Paging through results

A list returns at most **limit** records (default 100, maximum 500). To get everything:

Step	Action
1	Request the first page, e.g. `?limit=500`
2	If `nextCursor` in the response is not null, request again with `&cursor=<nextCursor>` (keep all other parameters the same).
3	Repeat until `nextCursor` is null. That was the last page.

3.3 Filtering by date

Each resource has one **date column** (listed per resource in Chapter 5). Use **from** and **to** to limit it; both ends are included.

Example	Returns
`?from=2026-01-01`	Records dated on or after 1 Jan 2026
`?from=2026-09-01&to=2026-09-30T23:59:59Z`	Records in September 2026
`?to=2026-12-31`	Up to 31 Dec 2026 **00:00 UTC**. Add T23:59:59Z to include the whole day

3.4 Filtering by column

Add any column of the resource as a parameter to keep only exact matches. Several filters are combined (AND).

Example	Returns
`/api/bot/payments?status=confirmed`	Only confirmed payments
`/api/bot/bookings?yachtId=cm9abc...`	Bookings of one yacht
`/api/bot/leads?ownerId=null`	Leads with no owner (the word null matches empty values)

Note. Only exact matches are supported: no "contains", no ranges (except the date column), no OR. For those, download the data and filter it in your tool. A column that does not exist returns HTTP 400.

3.5 Order of results

Newest first by the date column, then by id. Resources without a date column are ordered by id.

3.6 Value types

Type in this document	Looks like	Example
Text	string	`"Samara I"`
Integer	whole number	`12`
Number	number with decimals	`18500000.5`
true / false	boolean	`true`
Date-time	string, ISO-8601, UTC	`"2026-10-01T08:00:00.000Z"`
Choice	one of a fixed list of values (listed per column)	`"confirmed"`
JSON	object or array	`{"note": "..."}`
(any)	empty value	`null`

3.7 Response format

Call	Response body
List	`{ "resource": "...", "count": 100, "nextCursor": "..." | null, "data": [ ... ] }`
Single record	`{ "resource": "...", "data": { ... } }`
Error	`{ "error": "message" }`

3.8 Error codes

HTTP	Error message	Cause
400	Invalid from/to date	from or to is not a valid date
400	Unknown or non-filterable field: {name}	Filtered on a column the resource does not have (or that is hidden)
400	Query failed — check filter values	Wrong value type (e.g. text for a number, unknown Choice value) or invalid cursor
401	Invalid API key	See 2.2
403	Bot API keys are read-only	Method other than GET
404	Unknown resource — see GET /api/bot	Resource name not in Chapter 5
404	Not found	No record with this id (or the record is not available to bots)
500	-	Unexpected server error. Try again later; report it if it persists

4 Endpoint Details

4.1 GET /api/bot — Catalog

Lists every resource you can read with its columns. It always matches the live server, so use it to check for columns added after this document was written.

Parameters

None (only the Authorization header).

Response fields

Field	Type	Description
`readOnly`	true / false	Always true
`usage`	JSON	Short usage notes
`resources[]`	list	One item per resource:
`.name`	Text	Resource name used in the URL, e.g. bookings
`.path`	Text	/api/bot/{name}
`.description`	Text	What the resource contains
`.fields[]`	list	Columns: { "name": ..., "type": ... }

Example response

```
{
  "readOnly": true,
  "usage": { ... },
  "resources": [
    {
      "name": "bookings",
      "path": "/api/bot/bookings",
      "description": "Bookings (charter & open trip), prices, status",
      "fields": [
        { "name": "id", "type": "String" },
        { "name": "startDate", "type": "DateTime" },
        ...
      ]
    },
    ...
  ]
}
```

4.2 GET /api/bot/{resource} — List records

Returns a page of records of one resource, newest first.

Parameters

Name	In	Required	Description
`resource`	path	Yes	Resource name from Chapter 5, e.g. payments
`limit`	query	No	Records per page. Default 100, maximum 500
`cursor`	query	No	The nextCursor value from the previous page
`from`	query	No	Earliest date (included), on the resource's date column
`to`	query	No	Latest date (included), on the resource's date column
`{column}`	query	No	Exact-match filter on any column of the resource

Response fields

Field	Type	Description
`resource`	Text	The resource name
`count`	Integer	Number of records in this page
`nextCursor`	Text / null	Pass as cursor for the next page; null = last page
`data`	list	The records. Their columns are listed per resource in Chapter 5

Example request

```
GET /api/bot/payments?from=2026-09-01&to=2026-09-30T23:59:59Z
    &status=confirmed&limit=100
Authorization: Bearer sbk_xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

Example response

```
{
  "resource": "payments",
  "count": 100,
  "nextCursor": "cm9xyz...",
  "data": [
    {
      "id": "cm9...",
      "bookingId": "cm9...",
      "invoiceNumber": "...",
      "amount": 25000000,
      "status": "confirmed",
      "paymentDate": "2026-09-14T00:00:00.000Z",
      ...
    },
    ...
  ]
}
```

4.3 GET /api/bot/{resource}/{id} — One record

Returns a single record with the same columns as the list.

Parameters

Name	In	Required	Description
`resource`	path	Yes	Resource name from Chapter 5
`id`	path	Yes	The record's id

Example request

```
GET /api/bot/bookings/cm9abc...
Authorization: Bearer sbk_xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

Example response

```
{
  "resource": "bookings",
  "data": {
    "id": "cm9abc...",
    "startDate": "2026-10-01T00:00:00.000Z",
    "status": "confirmed",
    ...
  }
}
```

5 Resource Reference

All 64 resources below can be read with `GET /api/bot/{resource}` (list) and `GET /api/bot/{resource}/{id}` (one record). Every column shown is returned and can be used as a filter.

- **Always filled = Yes**: the column always has a value. **No**: it can be null.
- → **bookings.id**: the column holds the id of a record in another resource, so the two can be joined.
- **Choice** columns list every possible value.

5.0 Overview

#	Category	Resource	Contains	Date column
1	Sales & Booking	`bookings`	Bookings (charter & open trip), prices, status	startDate
2	Sales & Booking	`booking-guests`	Guest ↔ booking ↔ cabin links, flights/pickup	-
3	Sales & Booking	`booking-services`	Add-on services sold on bookings	-
4	Sales & Booking	`customers`	Guests — name/contact only (no passport, medical, DOB, address)	createdAt
5	Sales & Booking	`leads`	Sales leads & pipeline stage	createdAt
6	Sales & Booking	`inquiries`	Inbound inquiries	createdAt
7	Sales & Booking	`agents`	B2B agents & commission rates	createdAt
8	Sales & Booking	`agent-contacts`	Agent contact persons	createdAt
9	Sales & Booking	`agent-clawback-entries`	Agent commission clawbacks	createdAt
10	Sales & Booking	`vouchers`	Discount vouchers	createdAt
11	Sales & Booking	`waiting-lists`	Open-trip waiting list	createdAt
12	Finance	`payments`	Invoices & payments received	paymentDate
13	Finance	`banks`	Receiving bank names (no account numbers)	createdAt
14	Finance	`expenses`	Operating expenses (salary/payroll rows excluded)	date
15	Finance	`po-payment-requests`	PO payment requests (read-only)	createdAt
16	Finance	`po-reimbursements`	PO reimbursements (no payee account)	createdAt
17	Finance	`delivery-fees`	Delivery fees	createdAt
18	Finance	`delivery-fee-payment-requests`	Delivery fee payment requests	createdAt
19	Finance	`delivery-fee-reimbursements`	Delivery fee reimbursements (no payee account)	createdAt
20	Fleet & Operations	`yachts`	Boats	createdAt
21	Fleet & Operations	`cabins`	Cabins per boat	-
22	Fleet & Operations	`cabin-pricing-tiers`	Cabin pricing tiers	-
23	Fleet & Operations	`destinations`	Destinations	createdAt
24	Fleet & Operations	`yacht-destination-prices`	Charter price per boat × destination	-

#	Category	Resource	Contains	Date column
25	Fleet & Operations	`open-trips`	Scheduled open trips	startDate
26	Fleet & Operations	`crew`	Crew roster per boat (name/position only)	createdAt
27	Fleet & Operations	`maintenance`	Boat maintenance records	createdAt
28	Fleet & Operations	`internal-events`	Internal calendar blocks	createdAt
29	Purchasing	`purchase-requests`	Purchase requests	createdAt
30	Purchasing	`purchase-request-items`	Purchase request lines	-
31	Purchasing	`purchase-quotations`	Supplier quotations	createdAt
32	Purchasing	`purchase-orders`	Purchase orders	createdAt
33	Purchasing	`purchase-order-items`	Purchase order lines	-
34	Purchasing	`goods-receipts`	Goods receipts	receivedAt
35	Purchasing	`goods-receipt-items`	Goods receipt lines	-
36	Purchasing	`suppliers`	Suppliers	createdAt
37	Purchasing	`purchase-items`	Item master (purchasing)	createdAt
38	Purchasing	`purchase-item-categories`	Item categories	createdAt
39	Stock & Warehouse	`stock-locations`	Warehouses / boats / stock locations	createdAt
40	Stock & Warehouse	`stock-lots`	Stock on hand by lot	createdAt
41	Stock & Warehouse	`stock-movements`	Stock movement ledger	createdAt
42	Stock & Warehouse	`stock-transfers`	Stock transfers	createdAt
43	Stock & Warehouse	`stock-transfer-items`	Stock transfer lines	-
44	Stock & Warehouse	`stock-counts`	Stock counts	createdAt
45	Stock & Warehouse	`stock-count-items`	Stock count lines	-
46	Stock & Warehouse	`inventory-exceptions`	Inventory exceptions	createdAt
47	Stock & Warehouse	`crew-requests`	Crew requests	createdAt
48	Stock & Warehouse	`crew-request-items`	Crew request lines	-
49	Stock & Warehouse	`inventory-rooms`	Inventory rooms	createdAt
50	Stock & Warehouse	`inventory-categories`	Inventory categories	createdAt
51	Stock & Warehouse	`inventory-items`	Inventory items	createdAt
52	Stock & Warehouse	`inventory-opnames`	Inventory opname sessions	createdAt

#	Category	Resource	Contains	Date column
53	Stock & Warehouse	`inventory-opname-entries`	Inventory opname entries	createdAt
54	POS / Cashier	`cashier-sales`	Onboard POS sales	createdAt
55	POS / Cashier	`cashier-sale-items`	Onboard POS sale lines	createdAt
56	POS / Cashier	`pos-categories`	POS categories	createdAt
57	POS / Cashier	`pos-menu-items`	POS menu items	createdAt
58	POS / Cashier	`pos-packages`	POS packages	createdAt
59	POS / Cashier	`pos-package-items`	POS package lines	-
60	POS / Cashier	`pos-recipes`	POS recipes	createdAt
61	POS / Cashier	`pos-recipe-lines`	POS recipe ingredients	-
62	POS / Cashier	`pos-discounts`	POS discounts	createdAt
63	Marketing	`campaigns`	Marketing campaigns	createdAt
64	Marketing	`email-campaigns`	Email campaigns & stats	createdAt

5.1 Sales & Booking

5.1.1 bookings

Contains	Bookings (charter & open trip), prices, status
Endpoints	`GET /api/bot/bookings` and `GET /api/bot/bookings/{id}`
Date column	`startDate`
Columns	47

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`bookingCode`	Text	Yes	
`customerId`	Text	Yes	→ customers.id
`agentId`	Text	No	→ agents.id
`agentContactId`	Text	No	→ agent-contacts.id
`openTripId`	Text	No	→ open-trips.id
`source`	Choice	Yes	One of: AGENT, DIRECT
`tripType`	Choice	Yes	One of: PRIVATE_CHARTER, OPEN_TRIP
`useB2BCommission`	true / false	Yes	
`yachtId`	Text	No	→ yachts.id
`startDate`	Date-time	Yes	**Date column** (from / to)
`endDate`	Date-time	Yes	
`destination`	Text	No	
`destinationId`	Text	No	→ destinations.id
`status`	Choice	Yes	One of: on_hold, pending, partially_paid, fully_paid, completed, cancelled, confirmed, pending_refund
`tripNumber`	Integer	No	
`totalPrice`	Number	Yes	
`depositPaid`	Number	Yes	
`discount`	Number	Yes	
`vatType`	Text	No	
`vatValue`	Number	Yes	
`depositDueDate`	Date-time	No	
`finalDueDate`	Date-time	No	
`depositDueDateInvoiceOverride`	Date-time	No	
`finalDueDateInvoiceOverride`	Date-time	No	
`holdUntil`	Date-time	No	
`guestCount`	Integer	Yes	
`crewRequired`	true / false	Yes	
`hasDiving`	true / false	Yes	
`hasSurfing`	true / false	Yes	

Column	Type	Always filled	Description
hasPhotoPackage	true / false	Yes	
masterFormExpiresAt	Date-time	No	
travelingWith	Text	No	
salesperson	Text	No	
salespersonId	Text	No	Id of a related record
notes	Text	No	
cancelReason	Text	No	
refundStatus	Text	No	
refundDecision	Text	No	
refundReason	Text	No	
refundConfirmedAt	Date-time	No	
refundConfirmedBy	Text	No	
voucherCode	Text	No	
currency	Text	Yes	
exchangeRate	Number	No	
createdAt	Date-time	Yes	
updatedAt	Date-time	Yes	

5.1.2 booking-guests

Contains	Guest ↔ booking ↔ cabin links, flights/pickup
Endpoints	GET /api/bot/booking-guests and GET /api/bot/booking-guests/{id}
Date column	none (from / to not available)
Columns	11

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
bookingId	Text	Yes	→ bookings.id
customerId	Text	No	→ customers.id
cabinId	Text	No	→ cabins.id
isLead	true / false	Yes	
arrivalPickupTime	Text	No	
arrivalHotel	Text	No	
arrivalFlight	Text	No	
departurePickupTime	Text	No	
departureHotel	Text	No	
departureFlight	Text	No	

5.1.3 booking-services

Contains	Add-on services sold on bookings
Endpoints	`GET /api/bot/booking-services and GET /api/bot/booking-services/{id}`
Date column	none (from / to not available)
Columns	5

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`bookingId`	Text	Yes	→ bookings.id
`name`	Text	Yes	
`price`	Number	Yes	
`quantity`	Integer	Yes	

5.1.4 customers

Contains	Guests — name/contact only (no passport, medical, DOB, address)
Endpoints	`GET /api/bot/customers and GET /api/bot/customers/{id}`
Date column	`createdAt`
Columns	25

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`firstName`	Text	No	
`lastName`	Text	No	
`gender`	Text	No	
`email`	Text	No	
`phone`	Text	No	
`isChild`	true / false	Yes	
`dietaryRequirements`	Text	No	
`allergies`	Text	No	
`equipmentSizes`	Text	No	
`operationalNotes`	Text	No	
`nationality`	Text	No	
`drinkPreferences`	Text	No	
`guestFormExpiresAt`	Date-time	No	
`freshsalesContactId`	Text	No	Id of a related record
`foodData`	JSON	No	
`drinksData`	JSON	No	
`divingData`	JSON	No	
`surfingData`	JSON	No	
`pastDestinations`	Text	No	

Column	Type	Always filled	Description
pastDestinationsOther	Text	No	
deletedAt	Date-time	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.1.5 leads

Contains	Sales leads & pipeline stage
Endpoints	GET /api/bot/leads and GET /api/bot/leads/{id}
Date column	createdAt
Columns	31

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
name	Text	Yes	
firstName	Text	No	
lastName	Text	No	
nationality	Text	No	
email	Text	No	
phone	Text	No	
notes	Text	No	
freshsalesContactId	Text	No	Id of a related record
deletedAt	Date-time	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	
stage	Choice	Yes	One of: NEW, CONTACTED, QUALIFIED, UNQUALIFIED, OPPORTUNITY, CLOSED_WON, CLOSED_LOST
stageUpdatedAt	Date-time	No	
stageUpdatedById	Text	No	Id of a related record
productInterest	Text	No	
destinationId	Text	No	→ destinations.id
travelStartDate	Date-time	No	
travelEndDate	Date-time	No	
travelSeason	Text	No	
guestCount	Integer	No	
leadQuality	Choice	No	One of: HOT, WARM, COLD
budgetMin	Number	No	
budgetMax	Number	No	
budgetCurrency	Text	No	
proposalSentAt	Date-time	No	

Column	Type	Always filled	Description
lostReason	Choice	No	One of: PRICE, DATES, COMPETITOR, NO_RESPONSE, OTHER
lostNote	Text	No	
ownerId	Text	No	Id of a related record
ownerAssignedAt	Date-time	No	
source	Text	No	

5.1.6 inquiries

Contains	Inbound inquiries
Endpoints	GET /api/bot/inquiries and GET /api/bot/inquiries/{id}
Date column	createdAt
Columns	38

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
source	Text	Yes	
leadId	Text	No	→ leads.id
customerId	Text	No	→ customers.id
checkInDate	Date-time	No	
checkOutDate	Date-time	No	
guestCount	Integer	No	
tripType	Text	No	
message	Text	No	
website	Text	No	
url	Text	No	
utmSource	Text	No	
utmMedium	Text	No	
utmCampaign	Text	No	
utmTerm	Text	No	
utmContent	Text	No	
gclid	Text	No	
gbraid	Text	No	
wbraid	Text	No	
fbclid	Text	No	
leadSource	Text	No	
refererField	Text	No	
mobileNumberBackup	Text	No	
reference	Text	No	
lastSource	Text	No	
lastMedium	Text	No	

Column	Type	Always filled	Description
lastCampaign	Text	No	
lastTerm	Text	No	
lastContent	Text	No	
lastGclid	Text	No	
lastGbraid	Text	No	
lastWbraid	Text	No	
lastFbclid	Text	No	
latestSource	Text	No	
latestMedium	Text	No	
latestCampaign	Text	No	
rawPayload	JSON	No	
createdAt	Date-time	Yes	**Date column** (from / to)

5.1.7 agents

Contains	B2B agents & commission rates
Endpoints	GET /api/bot/agents and GET /api/bot/agents/{id}
Date column	createdAt
Columns	23

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
name	Text	Yes	
commission	Number	Yes	
commissionOpenTrip	Number	Yes	
commissionPrivateCharter	Number	Yes	
commissionB2B	Number	Yes	
isActive	true / false	Yes	
country	Text	No	
address	Text	No	
email	Text	No	
whatsapp	Text	No	
note	Text	No	
website	Text	No	
instagram	Text	No	
source	Text	No	
currentCondition	Text	No	
contract	Text	No	
calendarActive	true / false	Yes	
portalActive	true / false	Yes	

Column	Type	Always filled	Description
salespersonId	Text	No	Id of a related record
clawbackRatePerNight	Number	Yes	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.1.8 agent-contacts

Contains	Agent contact persons
Endpoints	GET /api/bot/agent-contacts and GET /api/bot/agent-contacts/{id}
Date column	createdAt
Columns	10

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
agentId	Text	Yes	→ agents.id
name	Text	Yes	
email	Text	No	
whatsapp	Text	No	
jobTitle	Text	No	
addedById	Text	No	Id of a related record
addedByName	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.1.9 agent-clawback-entries

Contains	Agent commission clawbacks
Endpoints	GET /api/bot/agent-clawback-entries and GET /api/bot/agent-clawback-entries/{id}
Date column	createdAt
Columns	8

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
agentId	Text	Yes	→ agents.id
amount	Number	Yes	
bookingId	Text	No	→ bookings.id
note	Text	No	
createdByUserId	Text	No	Id of a related record
createdByName	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)

5.1.10 vouchers

Contains	Discount vouchers
Endpoints	`GET /api/bot/vouchers and GET /api/bot/vouchers/{id}`
Date column	`createdAt`
Columns	14

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`code`	Text	Yes	
`name`	Text	Yes	
`description`	Text	No	
`type`	Choice	Yes	One of: PERCENTAGE, FIXED
`value`	Number	Yes	
`minBooking`	Number	No	
`maxUses`	Integer	No	
`usedCount`	Integer	Yes	
`validFrom`	Date-time	No	
`validUntil`	Date-time	No	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.1.11 waiting-lists

Contains	Open-trip waiting list
Endpoints	`GET /api/bot/waiting-lists and GET /api/bot/waiting-lists/{id}`
Date column	`createdAt`
Columns	17

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`bookingId`	Text	No	→ bookings.id
`yachtId`	Text	No	→ yachts.id
`openTripId`	Text	No	→ open-trips.id
`startDate`	Date-time	Yes	
`endDate`	Date-time	Yes	
`customerId`	Text	No	→ customers.id
`contactName`	Text	Yes	
`contactPhone`	Text	No	
`contactEmail`	Text	No	
`notes`	Text	No	
`priority`	Integer	Yes	

Column	Type	Always filled	Description
`status`	Choice	Yes	One of: waiting, promoted, cancelled
`salespersonId`	Text	No	Id of a related record
`promotedBookingId`	Text	No	Id of a related record
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.2 Finance

5.2.1 `payments`

Contains	Invoices & payments received
Endpoints	`GET /api/bot/payments` and `GET /api/bot/payments/{id}`
Date column	`paymentDate`
Columns	26

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`bookingId`	Text	Yes	→ bookings.id
`invoiceNumber`	Text	Yes	
`paymentType`	Text	Yes	
`paymentMethod`	Text	No	
`amount`	Number	Yes	
`previouslyPaid`	Number	Yes	
`paymentDate`	Date-time	No	**Date column** (from / to)
`currency`	Text	Yes	
`exchangeRate`	Number	No	
`status`	Choice	Yes	One of: requested, invoice_ready, pending_confirmation, confirmed, rejected, cancelled, refunded
`notes`	Text	No	
`billToType`	Text	No	
`showNetAmount`	true / false	Yes	
`showCommissionNote`	true / false	Yes	
`bankId`	Text	No	→ banks.id
`submittedByUserId`	Text	No	Id of a related record
`submittedByName`	Text	No	
`invoiceGeneratedBy`	Text	No	
`invoiceGeneratedAt`	Date-time	No	
`confirmedBy`	Text	No	
`confirmedAt`	Date-time	No	
`hasDocument`	true / false	Yes	
`parentPaymentId`	Text	No	Id of a related record
`createdAt`	Date-time	Yes	
`updatedAt`	Date-time	Yes	

5.2.2 banks

Contains	Receiving bank names (no account numbers)
Endpoints	`GET /api/bot/banks` and `GET /api/bot/banks/{id}`
Date column	`createdAt`
Columns	8

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`bankAddress`	Text	No	
`beneficiaryName`	Text	No	
`address`	Text	No	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.2.3 expenses

Contains	Operating expenses (salary/payroll rows excluded)
Endpoints	`GET /api/bot/expenses` and `GET /api/bot/expenses/{id}`
Date column	`date`
Columns	9

Note. Expenses whose description or category mentions salary, gaji, payroll, wage, upah or bonus are never returned.

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`category`	Text	Yes	
`amount`	Number	Yes	
`description`	Text	No	
`date`	Date-time	Yes	**Date column** (from / to)
`yachtId`	Text	No	→ yachts.id
`bookingId`	Text	No	→ bookings.id
`createdAt`	Date-time	Yes	
`updatedAt`	Date-time	Yes	

5.2.4 `po-payment-requests`

Contains	PO payment requests (read-only)
Endpoints	`GET /api/bot/po-payment-requests` and `GET /api/bot/po-payment-requests/{id}`
Date column	`createdAt`
Columns	16

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`orderId`	Text	Yes	Id of a related record
`requestedById`	Text	Yes	Id of a related record
`amount`	Number	Yes	
`notes`	Text	No	
`notaDate`	Date-time	No	
`status`	Choice	Yes	One of: PENDING, PAID, REJECTED
`paymentMethod`	Text	Yes	
`paidAt`	Date-time	No	
`paidById`	Text	No	Id of a related record
`paidNotes`	Text	No	
`rejectedAt`	Date-time	No	
`rejectedById`	Text	No	Id of a related record
`rejectionReason`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.2.5 `po-reimbursements`

Contains	PO reimbursements (no payee account)
Endpoints	`GET /api/bot/po-reimbursements` and `GET /api/bot/po-reimbursements/{id}`
Date column	`createdAt`
Columns	15

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`orderId`	Text	Yes	Id of a related record
`requestedById`	Text	Yes	Id of a related record
`amount`	Number	Yes	
`notes`	Text	No	
`notaDate`	Date-time	No	
`requesterName`	Text	Yes	
`bankName`	Text	Yes	
`accountHolderName`	Text	Yes	

Column	Type	Always filled	Description
status	Choice	Yes	One of: PENDING, PAID
paidAt	Date-time	No	
paidById	Text	No	Id of a related record
paidNotes	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.2.6 delivery-fees

Contains	Delivery fees
Endpoints	GET /api/bot/delivery-fees and GET /api/bot/delivery-fees/{id}
Date column	createdAt
Columns	7

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
feeNumber	Text	Yes	
purchaseOrderId	Text	No	→ purchase-orders.id
notes	Text	No	
createdById	Text	No	Id of a related record
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.2.7 delivery-fee-payment-requests

Contains	Delivery fee payment requests
Endpoints	GET /api/bot/delivery-fee-payment-requests and GET /api/bot/delivery-fee-payment-requests/{id}
Date column	createdAt
Columns	13

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
deliveryFeeId	Text	Yes	→ delivery-fees.id
requestedById	Text	Yes	Id of a related record
amount	Number	Yes	
notes	Text	No	
notaDate	Date-time	No	
status	Choice	Yes	One of: PENDING, PAID
paymentMethod	Text	Yes	
paidAt	Date-time	No	
paidById	Text	No	Id of a related record

Column	Type	Always filled	Description
paidNotes	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.2.8 delivery-fee-reimbursements

Contains	Delivery fee reimbursements (no payee account)
Endpoints	GET /api/bot/delivery-fee-reimbursements and GET /api/bot/delivery-fee-reimbursements/{id}
Date column	createdAt
Columns	15

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
deliveryFeeId	Text	Yes	→ delivery-fees.id
requestedById	Text	Yes	Id of a related record
amount	Number	Yes	
notes	Text	No	
notaDate	Date-time	No	
requesterName	Text	Yes	
bankName	Text	Yes	
accountHolderName	Text	Yes	
status	Choice	Yes	One of: PENDING, PAID
paidAt	Date-time	No	
paidById	Text	No	Id of a related record
paidNotes	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.3 Fleet & Operations

5.3.1 `yachts`

Contains	Boats
Endpoints	`GET /api/bot/yachts and GET /api/bot/yachts/{id}`
Date column	`createdAt`
Columns	20

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`model`	Text	No	
`year`	Integer	No	
`capacity`	Integer	Yes	
`cabinCount`	Integer	Yes	
`length`	Number	No	
`description`	Text	No	
`hourlyRate`	Number	Yes	
`dailyRate`	Number	Yes	
`extraBedTiers`	JSON	Yes	
`canDiving`	true / false	Yes	
`canSurfing`	true / false	Yes	
`status`	Choice	Yes	One of: available, booked, maintenance
`tagline`	Text	No	
`type`	Text	No	
`sortOrder`	Integer	Yes	
`deletedAt`	Date-time	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.3.2 cabins

Contains	Cabins per boat
Endpoints	`GET /api/bot/cabins` and `GET /api/bot/cabins/{id}`
Date column	none (from / to not available)
Columns	8

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`yachtId`	Text	Yes	→ yachts.id
`name`	Text	Yes	
`capacity`	Integer	Yes	
`price`	Number	Yes	
`deck`	Text	No	
`bedType`	Text	No	
`extraBeds`	Integer	Yes	

5.3.3 cabin-pricing-tiers

Contains	Cabin pricing tiers
Endpoints	`GET /api/bot/cabin-pricing-tiers` and `GET /api/bot/cabin-pricing-tiers/{id}`
Date column	none (from / to not available)
Columns	5

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`cabinId`	Text	Yes	→ cabins.id
`destinationId`	Text	No	→ destinations.id
`nights`	Integer	Yes	
`price`	Number	Yes	

5.3.4 `destinations`

Contains	Destinations
Endpoints	`GET /api/bot/destinations and GET /api/bot/destinations/{id}`
Date column	`createdAt`
Columns	7

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`region`	Text	No	
`isActive`	true / false	Yes	
`deletedAt`	Date-time	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.3.5 `yacht-destination-prices`

Contains	Charter price per boat × destination
Endpoints	`GET /api/bot/yacht-destination-prices and GET /api/bot/yacht-destination-prices/{id}`
Date column	none (from / to not available)
Columns	5

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`yachtId`	Text	Yes	→ yachts.id
`destinationId`	Text	Yes	→ destinations.id
`price`	Number	Yes	
`relocationFee`	Number	No	

5.3.6 `open-trips`

Contains	Scheduled open trips
Endpoints	`GET /api/bot/open-trips and GET /api/bot/open-trips/{id}`
Date column	`startDate`
Columns	18

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`title`	Text	Yes	
`description`	Text	No	
`yachtId`	Text	Yes	→ yachts.id
`startDate`	Date-time	Yes	**Date column** (from / to)

Column	Type	Always filled	Description
endDate	Date-time	Yes	
destination	Text	Yes	
destinationId	Text	No	→ destinations.id
region	Text	No	
departurePort	Text	No	
arrivalPort	Text	No	
pricePerCabin	Number	Yes	
maxCapacity	Integer	Yes	
status	Choice	Yes	One of: open, closed, full, completed, cancelled
closedReason	Text	No	
tripNumber	Integer	No	
createdAt	Date-time	Yes	
updatedAt	Date-time	Yes	

5.3.7 crew

Contains	Crew roster per boat (name/position only)
Endpoints	GET /api/bot/crew and GET /api/bot/crew/{id}
Date column	createdAt
Columns	9

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
yachtId	Text	Yes	→ yachts.id
name	Text	Yes	
position	Text	Yes	
isActive	true / false	Yes	
startDate	Date-time	Yes	
endDate	Date-time	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.3.8 `maintenance`

Contains	Boat maintenance records
Endpoints	`GET /api/bot/maintenance and GET /api/bot/maintenance/{id}`
Date column	`createdAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`yachtId`	Text	Yes	→ yachts.id
`title`	Text	Yes	
`description`	Text	No	
`scheduledDate`	Date-time	Yes	
`completedAt`	Date-time	No	
`status`	Choice	Yes	One of: scheduled, in_progress, completed, cancelled
`cost`	Number	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.3.9 `internal-events`

Contains	Internal calendar blocks
Endpoints	`GET /api/bot/internal-events and GET /api/bot/internal-events/{id}`
Date column	`createdAt`
Columns	11

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`type`	Choice	Yes	One of: DOCKING, CROSSING, OVERHAUL, COMPANY_NEED
`title`	Text	Yes	
`notes`	Text	No	
`startDate`	Date-time	Yes	
`endDate`	Date-time	Yes	
`yachtId`	Text	No	→ yachts.id
`internalOnly`	true / false	Yes	
`createdById`	Text	No	Id of a related record
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.4 Purchasing

5.4.1 `purchase-requests`

Contains	Purchase requests
Endpoints	`GET /api/bot/purchase-requests` and `GET /api/bot/purchase-requests/{id}`
Date column	`createdAt`
Columns	27

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`prNumber`	Text	Yes	
`requestedById`	Text	Yes	Id of a related record
`requestedByEmployeeId`	Text	No	Id of a related record
`approverEmployeeId`	Text	No	Id of a related record
`deliveryLocationId`	Text	No	Id of a related record
`notes`	Text	No	
`status`	Choice	Yes	One of: DRAFT, PENDING_APPROVAL, ON_PROCESS, CONVERTED, REJECTED, CANCELLED
`purpose`	Choice	Yes	One of: STOCK_INVENTORY, TRIP, REPLACEMENT
`tripBookingId`	Text	No	Id of a related record
`openTripId`	Text	No	→ open-trips.id
`division`	Choice	No	One of: BOAT_OPERATION, BUILDING_MATERIAL
`neededByDate`	Date-time	No	
`isUrgent`	true / false	Yes	
`urgentReason`	Text	No	
`approvedById`	Text	No	Id of a related record
`approvedAt`	Date-time	No	
`verifiedById`	Text	No	Id of a related record
`verifiedAt`	Date-time	No	
`convertedById`	Text	No	Id of a related record
`convertedAt`	Date-time	No	
`rejectedById`	Text	No	Id of a related record
`rejectedAt`	Date-time	No	
`cancelledById`	Text	No	Id of a related record
`cancelledAt`	Date-time	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.4.2 purchase-request-items

Contains	Purchase request lines
Endpoints	`GET /api/bot/purchase-request-items` and `GET /api/bot/purchase-request-items/{id}`
Date column	none (from / to not available)
Columns	31

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
requestId	Text	Yes	Id of a related record
itemId	Text	No	Id of a related record
itemName	Text	Yes	
quantity	Number	Yes	
unit	Text	Yes	
estimatedCost	Number	Yes	
supplierId	Text	No	→ suppliers.id
supplierName	Text	No	
notes	Text	No	
isStockItem	true / false	Yes	
exemptionReason	Text	No	
selectionJustification	Text	No	
quotationSubmittedById	Text	No	Id of a related record
quotationApproverId	Text	No	Id of a related record
quotationSubmittedAt	Date-time	No	
quotationApprovedById	Text	No	Id of a related record
quotationApprovedAt	Date-time	No	
quotationRejectedById	Text	No	Id of a related record
quotationRejectedAt	Date-time	No	
quotationRejectionReason	Text	No	
convertedAt	Date-time	No	
convertedPoId	Text	No	Id of a related record
verifyRejectedById	Text	No	Id of a related record
verifyRejectedAt	Date-time	No	
verifyRejectionReason	Text	No	
warehouseDecision	Choice	No	One of: TRANSFER, PURCHASE
warehouseCheckedById	Text	No	Id of a related record
warehouseCheckedAt	Date-time	No	
warehouseCheckNote	Text	No	
sourceInventoryItemId	Text	No	Id of a related record

5.4.3 purchase-quotations

Contains	Supplier quotations
Endpoints	`GET /api/bot/purchase-quotations` and `GET /api/bot/purchase-quotations/{id}`
Date column	`createdAt`
Columns	8

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`requestItemId`	Text	Yes	Id of a related record
`supplierId`	Text	No	→ suppliers.id
`supplierName`	Text	Yes	
`price`	Number	Yes	
`submittedAt`	Date-time	Yes	
`createdById`	Text	Yes	Id of a related record
`createdAt`	Date-time	Yes	**Date column** (from / to)

5.4.4 purchase-orders

Contains	Purchase orders
Endpoints	`GET /api/bot/purchase-orders` and `GET /api/bot/purchase-orders/{id}`
Date column	`createdAt`
Columns	32

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`poNumber`	Text	Yes	
`requestId`	Text	No	Id of a related record
`orderType`	Choice	Yes	One of: GOODS, SERVICE
`supplierId`	Text	No	→ suppliers.id
`supplierName`	Text	No	
`deliveryLocationId`	Text	No	Id of a related record
`bookingId`	Text	No	→ bookings.id
`openTripId`	Text	No	→ open-trips.id
`status`	Choice	Yes	One of: DRAFT, ORDERED, IN_TRANSIT, PARTIALLY_RECEIVED, RECEIVED, COMPLETED, CANCELLED, REJECTED
`dispatchedAt`	Date-time	No	
`dispatchedByName`	Text	No	
`confirmedByName`	Text	No	
`notes`	Text	No	
`orderedAt`	Date-time	Yes	
`expectedAt`	Date-time	No	

Column	Type	Always filled	Description
cancelledAt	Date-time	No	
cancelledByName	Text	No	
cancellationReason	Text	No	
completedAt	Date-time	No	
completedByName	Text	No	
createdById	Text	No	Id of a related record
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	
extraCharges	JSON	No	
discountType	Text	No	
discountValue	Number	Yes	
requestedByEmployeeId	Text	No	Id of a related record
requestedByName	Text	No	
requestedByOffice	Text	No	
requestedByDepartment	Text	No	
requestedByRole	Text	No	

5.4.5 purchase-order-items

Contains	Purchase order lines
Endpoints	`GET /api/bot/purchase-order-items` and `GET /api/bot/purchase-order-items/{id}`
Date column	none (from / to not available)
Columns	11

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
orderId	Text	Yes	Id of a related record
itemId	Text	No	Id of a related record
itemName	Text	Yes	
unit	Text	No	
orderedQty	Number	Yes	
receivedQty	Number	Yes	
unitCost	Number	Yes	
inventoryRoomId	Text	No	→ inventory-rooms.id
inventoryCategoryId	Text	No	→ inventory-categories.id
sourceInventoryItemId	Text	No	Id of a related record

5.4.6 goods-receipts

Contains	Goods receipts
Endpoints	`GET /api/bot/goods-receipts and GET /api/bot/goods-receipts/{id}`
Date column	`receivedAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`grNumber`	Text	Yes	
`orderId`	Text	Yes	Id of a related record
`receivedById`	Text	No	Id of a related record
`receivedByEmployeeId`	Text	No	Id of a related record
`receiverName`	Text	No	
`locationId`	Text	Yes	Id of a related record
`notes`	Text	No	
`receivedAt`	Date-time	Yes	**Date column** (from / to)
`createdAt`	Date-time	Yes	

5.4.7 goods-receipt-items

Contains	Goods receipt lines
Endpoints	`GET /api/bot/goods-receipt-items and GET /api/bot/goods-receipt-items/{id}`
Date column	none (from / to not available)
Columns	12

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`receiptId`	Text	Yes	Id of a related record
`itemId`	Text	No	Id of a related record
`itemName`	Text	Yes	
`receivedQty`	Number	Yes	
`unitCost`	Number	Yes	
`outcome`	Text	Yes	
`condition`	Text	Yes	
`batch`	Text	No	
`expiryDate`	Date-time	No	
`notes`	Text	No	
`sourceInventoryItemId`	Text	No	Id of a related record

5.4.8 `suppliers`

Contains	Suppliers
Endpoints	`GET /api/bot/suppliers and GET /api/bot/suppliers/{id}`
Date column	`createdAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`locations`	JSON	Yes	
`contact`	Text	No	
`phone`	Text	No	
`email`	Text	No	
`notes`	Text	No	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.4.9 `purchase-items`

Contains	Item master (purchasing)
Endpoints	`GET /api/bot/purchase-items and GET /api/bot/purchase-items/{id}`
Date column	`createdAt`
Columns	19

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`sku`	Text	Yes	
`name`	Text	Yes	
`type`	Text	Yes	
`category`	Text	Yes	
`baseUnit`	Text	Yes	
`purchaseUnit`	Text	Yes	
`conversionFactor`	Number	Yes	
`standardCost`	Number	Yes	
`sellingPrice`	Number	Yes	
`valuationMethod`	Text	Yes	
`minStock`	Number	Yes	
`reorderQty`	Number	Yes	
`isActive`	true / false	Yes	
`isSoldInPos`	true / false	Yes	
`isStockTracked`	true / false	Yes	

Column	Type	Always filled	Description
currentLocationId	Text	No	Id of a related record
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.4.10 purchase-item-categories

Contains	Item categories
Endpoints	GET /api/bot/purchase-item-categories and GET /api/bot/purchase-item-categories/{id}
Date column	createdAt
Columns	7

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
typeCode	Text	Yes	
name	Text	Yes	
skuPrefix	Text	Yes	
isActive	true / false	Yes	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.5 Stock & Warehouse

5.5.1 `stock-locations`

Contains	Warehouses / boats / stock locations
Endpoints	`GET /api/bot/stock-locations` and `GET /api/bot/stock-locations/{id}`
Date column	`createdAt`
Columns	13

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`type`	Choice	Yes	One of: WAREHOUSE, VESSEL, TRANSIT, SITE, ADJUSTMENT
`yachtId`	Text	No	→ yachts.id
`parentId`	Text	No	Id of a related record
`manager`	Text	No	
`address`	Text	No	
`storageClass`	Text	No	
`managedBy`	Text	Yes	
`consumptionMode`	Choice	No	One of: HOLD_AS_STOCK, EXPENSE_ON_RECEIVE
`isPosBar`	true / false	Yes	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)

5.5.2 `stock-lots`

Contains	Stock on hand by lot
Endpoints	`GET /api/bot/stock-lots` and `GET /api/bot/stock-lots/{id}`
Date column	`createdAt`
Columns	12

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`itemId`	Text	No	Id of a related record
`itemName`	Text	No	
`unit`	Text	No	
`sourcePoId`	Text	No	Id of a related record
`locationId`	Text	Yes	Id of a related record
`quantity`	Number	Yes	
`costPerUnit`	Number	Yes	
`batch`	Text	No	
`expiresAt`	Date-time	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)

Column	Type	Always filled	Description
updatedAt	Date-time	Yes	

5.5.3 stock-movements

Contains	Stock movement ledger
Endpoints	GET /api/bot/stock-movements and GET /api/bot/stock-movements/{id}
Date column	createdAt
Columns	18

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
itemId	Text	No	Id of a related record
itemName	Text	No	
fromLocationId	Text	No	Id of a related record
toLocationId	Text	No	Id of a related record
quantity	Number	Yes	
type	Text	Yes	
referenceId	Text	No	Id of a related record
referenceType	Text	No	
notes	Text	No	
unitCost	Number	No	
totalCost	Number	No	
usageType	Choice	No	One of: SHIP_USAGE, BAR_COGS, COMPLIMENTARY, SHRINKAGE
yachtId	Text	No	→ yachts.id
openTripId	Text	No	→ open-trips.id
tripBookingId	Text	No	Id of a related record
createdById	Text	Yes	Id of a related record
createdAt	Date-time	Yes	**Date column** (from / to)

5.5.4 stock-transfers

Contains	Stock transfers
Endpoints	GET /api/bot/stock-transfers and GET /api/bot/stock-transfers/{id}
Date column	createdAt
Columns	25

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
transferNumber	Text	Yes	
fromLocationId	Text	Yes	Id of a related record
toLocationId	Text	Yes	Id of a related record
crewRequestId	Text	No	→ crew-requests.id
purchaseRequestId	Text	No	→ purchase-requests.id
tripBookingId	Text	No	Id of a related record
openTripId	Text	No	→ open-trips.id
purchaseOrderId	Text	No	→ purchase-orders.id
originGoodsReceiptId	Text	No	Id of a related record
legSequence	Integer	No	
status	Choice	Yes	One of: PENDING, DISPATCHED, RECEIVED, CANCELLED
dispatchedById	Text	No	Id of a related record
receivedById	Text	No	Id of a related record
expectedReceiverId	Text	No	Id of a related record
expectedReceiverName	Text	No	
receivedByName	Text	No	
notes	Text	No	
dispatchedAt	Date-time	No	
receivedAt	Date-time	No	
departAt	Date-time	No	
etaAt	Date-time	No	
cargoName	Text	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.5.5 stock-transfer-items

Contains	Stock transfer lines
Endpoints	`GET /api/bot/stock-transfer-items and GET /api/bot/stock-transfer-items/{id}`
Date column	none (from / to not available)
Columns	9

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`transferId`	Text	Yes	Id of a related record
`itemId`	Text	No	Id of a related record
`itemName`	Text	Yes	
`requestedQty`	Number	Yes	
`dispatchedQty`	Number	Yes	
`receivedQty`	Number	Yes	
`unitCost`	Number	Yes	
`orderedByEmployeeId`	Text	No	Id of a related record

5.5.6 stock-counts

Contains	Stock counts
Endpoints	`GET /api/bot/stock-counts and GET /api/bot/stock-counts/{id}`
Date column	`createdAt`
Columns	11

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`countNumber`	Text	Yes	
`locationId`	Text	Yes	Id of a related record
`status`	Choice	Yes	One of: DRAFT, IN_PROGRESS, COMPLETED, APPROVED
`type`	Choice	Yes	One of: NORMAL, INITIAL
`notes`	Text	No	
`countedById`	Text	Yes	Id of a related record
`approvedById`	Text	No	Id of a related record
`approvedAt`	Date-time	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.5.7 stock-count-items

Contains	Stock count lines
Endpoints	`GET /api/bot/stock-count-items and GET /api/bot/stock-count-items/{id}`
Date column	none (from / to not available)
Columns	7

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`countId`	Text	Yes	Id of a related record
`itemId`	Text	No	Id of a related record
`itemName`	Text	Yes	
`systemQty`	Number	Yes	
`countedQty`	Number	Yes	
`reason`	Text	No	

5.5.8 inventory-exceptions

Contains	Inventory exceptions
Endpoints	`GET /api/bot/inventory-exceptions and GET /api/bot/inventory-exceptions/{id}`
Date column	`createdAt`
Columns	17

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`type`	Text	Yes	
`itemId`	Text	No	Id of a related record
`itemName`	Text	Yes	
`locationId`	Text	No	Id of a related record
`locationName`	Text	Yes	
`qty`	Number	Yes	
`value`	Number	Yes	
`reason`	Text	No	
`referenceId`	Text	No	Id of a related record
`referenceType`	Text	No	
`status`	Text	Yes	
`resolution`	Text	No	
`resolvedAt`	Date-time	No	
`resolvedById`	Text	No	Id of a related record
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.5.9 `crew-requests`

Contains	Crew requests
Endpoints	`GET /api/bot/crew-requests and GET /api/bot/crew-requests/{id}`
Date column	`createdAt`
Columns	7

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`yachtId`	Text	Yes	→ yachts.id
`requestedById`	Text	Yes	Id of a related record
`status`	Choice	Yes	One of: PENDING, REVIEWED, IN_PROGRESS, FULFILLED, CANCELLED
`notes`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.5.10 `crew-request-items`

Contains	Crew request lines
Endpoints	`GET /api/bot/crew-request-items and GET /api/bot/crew-request-items/{id}`
Date column	none (from / to not available)
Columns	7

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`requestId`	Text	Yes	Id of a related record
`itemId`	Text	No	Id of a related record
`itemName`	Text	Yes	
`quantity`	Number	Yes	
`unit`	Text	Yes	
`notes`	Text	No	

5.5.11 `inventory-rooms`

Contains	Inventory rooms
Endpoints	`GET /api/bot/inventory-rooms and GET /api/bot/inventory-rooms/{id}`
Date column	`createdAt`
Columns	6

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`locationId`	Text	Yes	Id of a related record
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.5.12 `inventory-categories`

Contains	Inventory categories
Endpoints	`GET /api/bot/inventory-categories and GET /api/bot/inventory-categories/{id}`
Date column	`createdAt`
Columns	6

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`roomId`	Text	Yes	Id of a related record
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.5.13 `inventory-items`

Contains	Inventory items
Endpoints	`GET /api/bot/inventory-items and GET /api/bot/inventory-items/{id}`
Date column	`createdAt`
Columns	20

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`itemNumber`	Text	Yes	
`name`	Text	Yes	
`categoryId`	Text	Yes	Id of a related record
`brand`	Text	No	

Column	Type	Always filled	Description
purchaseDate	Date-time	No	
webLink	Text	No	
phone	Text	No	
vendorName	Text	No	
quantity	Integer	Yes	
unitPrice	Number	Yes	
notes	Text	No	
isActive	true / false	Yes	
roomId	Text	Yes	Id of a related record
locationId	Text	Yes	Id of a related record
sourcePoId	Text	No	Id of a related record
sourcePurchaseItemId	Text	No	Id of a related record
createdById	Text	Yes	Id of a related record
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.5.14 inventory-opnames

Contains	Inventory opname sessions
Endpoints	GET /api/bot/inventory-opnames and GET /api/bot/inventory-opnames/{id}
Date column	createdAt
Columns	10

Column	Type	Always filled	Description
id	Text	Yes	Unique id of the record
opnameNumber	Text	Yes	
locationId	Text	Yes	Id of a related record
roomId	Text	Yes	Id of a related record
status	Choice	Yes	One of: DRAFT, IN_PROGRESS, COMPLETED
notes	Text	No	
countedById	Text	Yes	Id of a related record
completedAt	Date-time	No	
createdAt	Date-time	Yes	**Date column** (from / to)
updatedAt	Date-time	Yes	

5.5.15 `inventory-opname-entries`

Contains	Inventory opname entries
Endpoints	`GET /api/bot/inventory-opname-entries` and `GET /api/bot/inventory-opname-entries/{id}`
Date column	`createdAt`
Columns	8

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`opnameId`	Text	Yes	Id of a related record
`itemId`	Text	Yes	Id of a related record
`unitIndex`	Integer	Yes	
`rating`	Integer	No	
`notes`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`replacementRequestItemId`	Text	No	Id of a related record

5.6 POS / Cashier

5.6.1 `cashier-sales`

Contains	Onboard POS sales
Endpoints	`GET /api/bot/cashier-sales and GET /api/bot/cashier-sales/{id}`
Date column	`createdAt`
Columns	23

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`yachtId`	Text	Yes	→ yachts.id
`locationId`	Text	Yes	Id of a related record
`bookingId`	Text	No	→ bookings.id
`guestId`	Text	No	Id of a related record
`guestName`	Text	No	
`employeeId`	Text	No	Id of a related record
`employeeName`	Text	No	
`complimentaryReason`	Text	No	
`status`	Text	Yes	
`payMethod`	Text	No	
`total`	Number	Yes	
`discountId`	Text	No	Id of a related record
`discountName`	Text	No	
`discountAmount`	Number	Yes	
`openedBy`	Text	No	
`closedAt`	Date-time	No	
`needsReview`	true / false	Yes	
`reviewNote`	Text	No	
`reviewedAt`	Date-time	No	
`reviewedBy`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.6.2 `cashier-sale-items`

Contains	Onboard POS sale lines
Endpoints	`GET /api/bot/cashier-sale-items and GET /api/bot/cashier-sale-items/{id}`
Date column	`createdAt`
Columns	11

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`saleId`	Text	Yes	Id of a related record
`itemId`	Text	No	Id of a related record
`packageId`	Text	No	Id of a related record
`recipeId`	Text	No	Id of a related record
`name`	Text	Yes	
`unit`	Text	Yes	
`price`	Number	Yes	
`qty`	Number	Yes	
`round`	Integer	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)

5.6.3 `pos-categories`

Contains	POS categories
Endpoints	`GET /api/bot/pos-categories and GET /api/bot/pos-categories/{id}`
Date column	`createdAt`
Columns	6

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`sortOrder`	Integer	Yes	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.6.4 pos-menu-items

Contains	POS menu items
Endpoints	`GET /api/bot/pos-menu-items and GET /api/bot/pos-menu-items/{id}`
Date column	`createdAt`
Columns	9

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`itemId`	Text	Yes	Id of a related record
`categoryId`	Text	Yes	Id of a related record
`yachtId`	Text	No	→ yachts.id
`price`	Number	Yes	
`isActive`	true / false	Yes	
`sortOrder`	Integer	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.6.5 pos-packages

Contains	POS packages
Endpoints	`GET /api/bot/pos-packages and GET /api/bot/pos-packages/{id}`
Date column	`createdAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`description`	Text	No	
`categoryId`	Text	Yes	Id of a related record
`yachtId`	Text	No	→ yachts.id
`price`	Number	Yes	
`isActive`	true / false	Yes	
`sortOrder`	Integer	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.6.6 `pos-package-items`

Contains	POS package lines
Endpoints	`GET /api/bot/pos-package-items` and `GET /api/bot/pos-package-items/{id}`
Date column	none (from / to not available)
Columns	4

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`packageId`	Text	Yes	Id of a related record
`itemId`	Text	Yes	Id of a related record
`qty`	Number	Yes	

5.6.7 `pos-recipes`

Contains	POS recipes
Endpoints	`GET /api/bot/pos-recipes` and `GET /api/bot/pos-recipes/{id}`
Date column	`createdAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`description`	Text	No	
`categoryId`	Text	Yes	Id of a related record
`yachtId`	Text	No	→ yachts.id
`price`	Number	Yes	
`isActive`	true / false	Yes	
`sortOrder`	Integer	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.6.8 pos-recipe-lines

Contains	POS recipe ingredients
Endpoints	`GET /api/bot/pos-recipe-lines and GET /api/bot/pos-recipe-lines/{id}`
Date column	none (from / to not available)
Columns	4

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`recipeId`	Text	Yes	Id of a related record
`itemId`	Text	Yes	Id of a related record
`qty`	Number	Yes	

5.6.9 pos-discounts

Contains	POS discounts
Endpoints	`GET /api/bot/pos-discounts and GET /api/bot/pos-discounts/{id}`
Date column	`createdAt`
Columns	10

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`type`	Text	Yes	
`value`	Number	Yes	
`yachtId`	Text	No	→ yachts.id
`startDate`	Date-time	No	
`endDate`	Date-time	No	
`isActive`	true / false	Yes	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.7 Marketing

5.7.1 `campaigns`

Contains	Marketing campaigns
Endpoints	`GET /api/bot/campaigns` and `GET /api/bot/campaigns/{id}`
Date column	`createdAt`
Columns	22

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`brand`	Text	No	
`stage`	Choice	Yes	One of: PLANNING, IN_PRODUCTION, APPROVAL, LIVE, COMPLETED
`objective`	Text	No	
`targetResult`	Text	No	
`promise`	Text	No	
`offer`	Text	No	
`startDate`	Date-time	No	
`endDate`	Date-time	No	
`plannedBudget`	Number	No	
`ownerName`	Text	No	
`audienceSegments`	JSON	No	
`markets`	JSON	No	
`masterLanguage`	Text	No	
`additionalLanguages`	JSON	No	
`exclusions`	JSON	No	
`utmSlug`	Text	No	
`createdByUserId`	Text	No	Id of a related record
`createdByName`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

5.7.2 `email-campaigns`

Contains	Email campaigns & stats
Endpoints	`GET /api/bot/email-campaigns and GET /api/bot/email-campaigns/{id}`
Date column	`createdAt`
Columns	21

Column	Type	Always filled	Description
`id`	Text	Yes	Unique id of the record
`name`	Text	Yes	
`subject`	Text	Yes	
`previewText`	Text	No	
`fromEmail`	Text	Yes	
`fromName`	Text	No	
`templateId`	Text	No	Id of a related record
`blocksJson`	JSON	Yes	
`bodyHtml`	Text	Yes	
`status`	Choice	Yes	One of: DRAFT, SCHEDULED, SENDING, PAUSED, SENT, FAILED, CANCELED
`audienceSources`	JSON	Yes	
`scheduledAt`	Date-time	No	
`sentAt`	Date-time	No	
`totalRecipients`	Integer	Yes	
`sentCount`	Integer	Yes	
`failedCount`	Integer	Yes	
`errorMessage`	Text	No	
`createdByUserId`	Text	No	Id of a related record
`createdByName`	Text	No	
`createdAt`	Date-time	Yes	**Date column** (from / to)
`updatedAt`	Date-time	Yes	

6 What the API Never Returns

The following data cannot be reached through this API under any parameter, filter or id.

6.1 Excluded areas

Area	Details
HR & payroll	Employees, payslips, salaries (also as totals), attendance, leave, recruitment, separation
Salary expenses	Expense records mentioning salary / gaji / payroll / wage / upah / bonus
User accounts	ERP users, roles and permissions
System settings	Integrations, credentials, configuration
Conversations	WhatsApp, Instagram and email chats
Related records	Never embedded; read each resource separately and join by id

6.2 Hidden columns

On every resource, columns with these kinds of names are removed from responses and cannot be filtered on. The rule is applied inside JSON columns too.

Kind	Column names containing
Credentials	password, token, secret, apikey, pinhash, hash
Identity documents	passport, nikpassport, niksnap, npwp, bpjs
Personal / medical	medical, health, religion, marital, dateofbirth, birthdate, placeofbirth, emergencycontact, personalemail
Bank / payment	accountnumber, idraccount, usdaccount, swift, iban, cardnumber, cvv, proof
Pay	salary
Signatures	signature
Stored files	names ending in file, files, filename, key, keys, image, attachments
Specific columns	customers.address, agent-contacts.address, crew.phone, crew.email, payments.paymentLink, payments.changeProofUrl, agents.portalPasswordSetById

7 Appendix (for ERP administrators)

A. Server configuration

The API key is set in the ERP server environment (**.env**), not in the database.

Variable	Required	Description
`BOT_API_KEY`	Yes	The key value. Must start with sbk_. Leave it out to turn API key access off.
`BOT_API_KEY_USER`	Yes	Email of an ERP user with role BOT. The key acts as this user and can never act as another role.
`BOT_API_KEY_TENANT`	No	Company (tenant) the key reads. Default: samara

.env example

```
BOT_API_KEY=sbk_<48 random characters>
BOT_API_KEY_USER=bot-user@samarayachting.com
```

How to. Generate a new key with: `echo "sbk_$(openssl rand -hex 24)"`. The production server runs from .next/standalone, so a .env change must also be made there (or the app rebuilt) before restarting.

B. Replacing or disabling the key

I want to...	Do this	Result
Replace the key	Put a new value in BOT_API_KEY and restart	The old key stops working immediately
Turn API access off	Remove BOT_API_KEY and restart	Every request with a key gets 401
Block it from the ERP	Deactivate the BOT user (or change its role)	Key rejected while the user is inactive / not BOT
Use another bot account	Change BOT_API_KEY_USER and restart	Same key, now acting as the other BOT user