

Patient

Santu roy, Male, 46 Yrs
Mobile: +91-9874329506
UHID: APJ1.0010038439

Date: Friday, 01 Dec 2023
Time: 6:12 PM
Consult Type: Online
Appointment ID: 9572573

Chief Complaints

- Epigastric discomfort.; Details: Occasional burning sensation; fullness; excessive bloating; mild pain just below the xiphoid process 01.12.23: persistent discomfort in xiphoid region

Vitals (as declared by patient):




Drug Allergies: No, Diet Allergies/Restrictions: No

Diagnosis/ Provisional Diagnosis


- Asymptomatic cholelithiasis
- Uninvestigated dyspepsia

Medication Prescribed

 Click To Order Medicine >

Medicine Name	Dosage	Medicine Details	Duration
1. ETOGESIC MR TABLET 10'S Contains: ETODOLAC (400 MG) + THIOLCHOLCHOSIDE (4 MG)  Take if you have musculoskeletal pain (chest wall pain and back pain).	----- 1 -----	TABLET As needed Orally. After food	Till Next Review
2. TRYPTOMER 10 MG TABLET 30'S Contains: AMITRIPTYLINE (10 MG)  Take at bedtime	----- 1 -----	TABLET Once a day Orally. After food	2 weeks
3. DDR-D 60/30 CAP 10'S Contains: DEXLANSOPRAZOLE (60 MG) + DOMPERIDONE (30 MG)  Take 30mins before breakfast	1 - 0 - 0 - 0 M - N - E - N	TABLET Once a day Orally. Before food	2 weeks
4. URSOCOL 300 TABLET 15'S Contains: URSODEOXYCHOLICACID (300 MG)	1 - 0 - 0 - 1 M - N - E - N	TABLET Twice a day Orally. After food	Till Next Review

M-N-E-N: Morning - Noon - Evening - Night

 Instruction

NOTE: Medicine Substitution Allowed Wherever Applicable.

Diagnostic Tests

 Click To Book Test >

- UGIE ENDOSCOPY
- CHEST X RAY AP AND LATERAL VIEW

 Instruction

Advice & Instructions

- Take small frequent meals.
- Chew food adequately. Do not hurry while having meals. Have timely meals.

Disclaimer:

This prescription is issued on the basis of your inputs during teleconsultation It is valid from the date of issue until the specific period/dosage of each medicine as advised.

- Avoid spicy, deep fried and oily food.
- Bloating: Keep a food diary. This will help you figure out which foods increase gas in your body. After you identify some foods that cause you excessive bloating, you can try to eat less of them or avoid them altogether. Adjust your diet. If your diet includes a large amount of carbohydrates that are difficult to digest, try to replace them. Carbohydrates that are easier to digest, such as rice and bananas, are substitutes that may reduce flatulence. Avoid gas producing foods (eg. cabbage, legumes, onions, broccoli, brussels sprouts, wheat, and potatoes) Eat smaller meals more frequently. Eating around five to six small meals a day instead of three larger ones may be easier on your digestive system. Try to swallow less air. Avoid doing anything that may increase the amount of air that you swallow. This includes making sure that you're chewing your food properly, and avoiding chewing gum, smoking, and straws. Drink lots of water. Staying hydrated can help you avoid constipation, which causes gas. Exercising regularly.
- Contact me through chat (apollo 247 app) if you notice any new or worsening symptoms in the next 5 days.
- Repeat Online consultation after 2 weeks

Follow Up after 14 days

Scan QR Code
to book follow-up consultation with doctor

Disclaimer:

This prescription is issued on the basis of your inputs during teleconsultation. It is valid from the date of issue until the specific period/dosage of each medicine as advised.

**GET
UPTO
25% OFF**
on medicine
at Apollo247



Order via Whatsapp
@ 91-9355247247



**2-Hour Lightning
Fast Home Delivery**

Order Now

**GET
UPTO
70% OFF**
on Lab Tests
at Apollo247

Call Now on
1800-572-1111



**Home sample
collection in 30 mins.**



Same day reports.

Book Now

**Horlicks
Women's
PLUS**

**Improves Bone
Strength in 6 Months***

Exclusively for **Apollo
247** customers

**UP TO
31%
OFF**

EXCLUSIVE OFFER

SHOP NOW

Refer to pack for details. T&C apply.



**Ensure
Diabetes Care**

**Helps Manage Sugar
Levels in 4 Weeks***

Exclusively for **Apollo
247** customers.

₹200 OFF

BUY NOW



*Offer applicable on 1kg

*There was significant reduction in HbA1c compared to baseline and control at 1st month when you used along with lifestyle intervention. The term "manage" based on ADA recommendation of less stringent A1C goals. Consult your physician before making changes to your diet. Mohan V et al J. Assoc. Phys. Ind. 2019;67(12) 25-30



Patient

Santu roy, Male, 46 Yrs
Mobile: +91-9874329506
UHID: APJ1.0010038439

Date: Friday, 01 Dec 2023
Time: 6:12 PM
Consult Type: Online
Appointment ID: 9572573

Chief Complaints

- Epigastric discomfort.; Details: Occasional burning sensation; fullness; excessive bloating; mild pain just below the xiphoid process 01.12.23: persistent discomfort in xiphoid region

Vitals (as declared by patient):




Drug Allergies: No, Diet Allergies/Restrictions: No

Diagnosis/ Provisional Diagnosis

- Asymptomatic cholelithiasis
- Uninvestigated dyspepsia

Medication Prescribed

 Click To Order Medicine >

Medicine Name	Dosage	Medicine Details	Duration
1. ETOGESIC MR TABLET 10'S Contains: ETODOLAC (400 MG) + THIOLCHOLCHOSIDE (4 MG)  Take if you have musculoskeletal pain (chest wall pain and back pain).	----- 1 -----	TABLET As needed Orally. After food	Till Next Review
2. TRYPTOMER 10 MG TABLET 30'S Contains: AMITRIPTYLINE (10 MG)  Take at bedtime	----- 1 -----	TABLET Once a day Orally. After food	2 weeks
3. DDR-D 60/30 CAP 10'S Contains: DEXLANSOPRAZOLE (60 MG) + DOMPERIDONE (30 MG)  Take 30mins before breakfast	1 - 0 - 0 - 0 M - N - E - N	TABLET Once a day Orally. Before food	2 weeks
4. URSOCOL 300 TABLET 15'S Contains: URSODEOXYCHOLICACID (300 MG)	1 - 0 - 0 - 1 M - N - E - N	TABLET Twice a day Orally. After food	Till Next Review

M-N-E-N: Morning - Noon - Evening - Night

 Instruction

NOTE: Medicine Substitution Allowed Wherever Applicable.

Diagnostic Tests

 Click To Book Test >

- UGIE ENDOSCOPY
- CHEST X RAY AP AND LATERAL VIEW

 Instruction

Advice & Instructions

- Take small frequent meals.
- Chew food adequately. Do not hurry while having meals. Have timely meals.

Disclaimer:

This prescription is issued on the basis of your inputs during teleconsultation It is valid from the date of issue until the specific period/dosage of each medicine as advised.

- Avoid spicy, deep fried and oily food.
- Bloating: Keep a food diary. This will help you figure out which foods increase gas in your body. After you identify some foods that cause you excessive bloating, you can try to eat less of them or avoid them altogether. Adjust your diet. If your diet includes a large amount of carbohydrates that are difficult to digest, try to replace them. Carbohydrates that are easier to digest, such as rice and bananas, are substitutes that may reduce flatulence. Avoid gas producing foods (eg. cabbage, legumes, onions, broccoli, brussels sprouts, wheat, and potatoes) Eat smaller meals more frequently. Eating around five to six small meals a day instead of three larger ones may be easier on your digestive system. Try to swallow less air. Avoid doing anything that may increase the amount of air that you swallow. This includes making sure that you're chewing your food properly, and avoiding chewing gum, smoking, and straws. Drink lots of water. Staying hydrated can help you avoid constipation, which causes gas. Exercising regularly.
- Contact me through chat (apollo 247 app) if you notice any new or worsening symptoms in the next 5 days.
- Repeat Online consultation after 2 weeks

Follow Up after 14 days

Scan QR Code
to book follow-up consultation with doctor

Disclaimer:

This prescription is issued on the basis of your inputs during teleconsultation. It is valid from the date of issue until the specific period/dosage of each medicine as advised.

**GET
UPTO
25% OFF**
on medicine
at Apollo247



Order via Whatsapp
@ 91-9355247247



**2-Hour Lightning
Fast Home Delivery**

Order Now

**GET
UPTO
70% OFF**
on Lab Tests
at Apollo247

Call Now on
1800-572-1111



**Home sample
collection in 30 mins.**



Same day reports.

Book Now

**Horlicks
Women's
PLUS**

**Improves Bone
Strength in 6 Months***

Exclusively for **Apollo
247** customers

**UP TO
31%
OFF**

EXCLUSIVE OFFER

SHOP NOW

Refer to pack for details. T&C apply.



**Ensure
Diabetes Care**

**Helps Manage Sugar
Levels in 4 Weeks***

Exclusively for **Apollo
247** customers.

₹200 OFF

BUY NOW



*Offer applicable on 1kg

*There was significant reduction in HbA1c compared to baseline and control at 1st month when you used along with lifestyle intervention. The term "manage" based on ADA recommendation of less stringent A1C goals. Consult your physician before making changes to your diet. Mohan V et al J. Assoc. Phys. Ind. 2019;67(12) 25-30

Abbott