
PAGE STUDIO




FREE · SOURCE-AVAILABLE · RUN IT YOURSELF

# Page Studio keeps watch so you don't have to.

Apps that work together. Page Studio for Mac (and Linux, in preview) has two halves: Page Power keeps your computer awake while AI coding agents work, and Page Relay pages your phone only when something truly needs you. Page Aura (chat) and Page Orbit (Managed Agents) run on Windows, macOS and Linux, on your own API credits.


Page Studio for Mac | Page Power | Page Relay for iPhone & Android | Page Aura | Page Orbit

roysinclair.github.io/page · Page Studio License

WHAT IT IS

# Agents do the work. Page Studio keeps watch.


You start AI coding agents (Claude Code, Codex, local models) and walk away. Page Studio is the set of tools you run yourself to keep them going and to bring you back only when it matters.




- **Real session state, not CPU guesses.** Page Studio reads the state Claude Code itself writes, and Page Power holds the computer awake only while something is mid-turn, lid closed too on AC.
- **Only the moments that need you.** Approvals and questions page at once; idle and rate-limit pages wait until you step away.
- **Answer from anywhere.** Approve, deny or reply from the lock screen, and Page Relay types it into the exact terminal that asked, or says why it couldn't.
- **Yours to run.** Free and source-available, with no account, no analytics and nothing sent to the authors.

THE STUDIO

# Everything that works together.




MENU-BAR APP

## Page Studio for Mac

Page Power keeps the Mac awake while agents work and pauses them at your cutoff; Page Relay pages your phone, forecasts battery and usage, holds each project to its budget, lists every session in the menu bar, and types replies into Terminal.app, iTerm2, tmux, cmux, WezTerm, kitty, Herdr and Claude Squad.




THE PAGES

## Page Relay for iPhone and Android


Approve, deny or reply from the lock screen. Live sessions with a transcript, a decision sheet, new sessions, photos and what-changed diffs. Android has no push; it stays connected instead.




CLOUDFLARE WORKER

## Page Relay Worker

A small Worker on your own Cloudflare account carries pages and replies. Live session content is end-to-end encrypted. The authors have no access to it.




WINDOWS · MACOS · LINUX

## Page Aura and Page Orbit

Page Aura is chat over the API on your own credits, with context, web search and tools; Page Orbit manages and controls Managed Agents, with deep diagnostics. With Page Studio on the same computer they work with Page Relay, so your phone is paged when a reply is ready or an agent needs your approval.

ONLY WHEN IT MATTERS

# Only the moments that need you.

### APPROVAL

A tool call or plan is waiting for your OK.

`Approve · Deny · Deny with instructions`

### QUESTION

The agent asked something only you can answer.

`Typed reply, or pick an option`

### IDLE

The turn finished and nothing has been typed, while you are away.

`Carry on · typed reply`

### LOOKS STUCK

The same command failed three times in a row, or nothing was written for 15 minutes.

`Steer · Stop it (Esc)`

### RATE LIMIT

A usage limit was hit. Page Studio shows the reset time.

`Information, or send a message at reset`

### LOW BATTERY

Page Power paused the session at your cutoff.

`Carry on · stay paused · typed instructions`

### BUDGET REACHED


A project used its share of your weekly Claude limit, so its sessions were stopped.

`Raise the budget · Let this turn finish`

PAGE RELAY

## Answer from the lock screen.

Approve, deny or reply from the notification. Only undoable commands approve in one tap; anything riskier opens the decision sheet, which names the exact keystroke and terminal.





**Your reply is never a guess.** Page Relay types your answer only into the exact terminal that owns the session. The phone shows sending, queued, delivered or failed, with the reason.

HOW THEY CONNECT

# The Mac and the phone never talk directly.

Your computer connects out to your relay. The phone connects out to your relay. A secret token, shown in Page Studio as a QR code, matches the two.




## The Mac

Does the detecting: session state, keep-awake, battery policy and delivering your reply.

## The relay

Holds pages, queues replies for up to an hour, and asks Apple to push to your iPhone.

## The phone

Shows pages and sends replies. Live session content is decrypted only here.

- **Computer ⇄ relay ⇄ phone.** Pages go up and replies come down. Replies wait up to an hour if your computer is offline.
- **Page Aura and Page Orbit ⇄ Page Studio.** A Unix socket on the same computer only. Neither app ever touches the relay.
- **Apple push (optional).** With a paid Apple developer team, the relay wakes your iPhone. Android has no push.
- **Agent hooks (optional).** Let approvals from the Claude desktop app, VS Code and JetBrains reach your phone too.

PRIVACY AND SELF-HOSTING

# Yours to run. Honest about what travels.

No account, no analytics, no third-party SDKs, and nothing goes to the authors. But a page has to travel from your computer to your phone, so “nothing leaves your devices” would not be true.

### Yours

The relay runs in your Cloudflare account. The phone apps are built with your own Apple or Android developer setup. The pairing token is made on your computer.

### Encrypted end to end


Live session content (titles, folders, transcripts, what you type) is sealed with AES-256-GCM using a key from the pairing QR. The relay stores none of it.

### Not encrypted


Pages pass through your own relay with up to 4000 characters of context, and the last 300 closed pages are kept. Apple’s push service sees the project name and up to 180 characters.

## What you run yourself

- A free Cloudflare account for the relay
- Xcode and your Apple ID for iPhone; a paid Apple team only for push
- Optional: Page Aura or Page Orbit, linked from their own settings
- A Mac running macOS 12 or later
- The Android SDK for Android
- Optional: agent hooks, installed with a diff preview and a backup




Pair once by QR: it carries your relay address and the encryption key




The Tower: power, budget, Macs, attention, encryption

**Treat the QR code as a password.** Anyone with the token can read your pages and send replies. Regenerate it in Page Studio if it leaks. Redaction of secret shapes before context leaves your computer is best effort.

GETTING STARTED

# From nothing to a phone that pages you.

Plan on 30 to 60 minutes the first time.

1. **Deploy your relay.**
   A free Cloudflare account and Node.js 22.18 or later: install, log in, deploy, check `/health`.

2. **Install Page Studio for Mac.**
   Clone the repo and run `./install.sh`. It builds the menu-bar app and never uses sudo. Point it at your relay in Preferences.

3. **Build Page Relay for your phone.**
   Xcode and your Apple ID for iPhone, or the Android SDK for Android. Choose Pair phone… in Page Studio (or run `paged pair` on Linux) and scan the QR.

4. **Optional: Page Aura or Page Orbit.**
   Switch on the Page Relay link in the app's settings. Nothing to deploy.

```
# 1 · relay
cd Cloudflare && npm ci && npx wrangler login && npm run deploy

# 2 · Mac app
cd .. && ./install.sh

# 3 · iPhone
cd iOS && xcodegen generate && open Page.xcodeproj
```

OR SET IT UP WITH AN AI AGENT

`claude`

Then paste the prompt from the guide. The agent never invents values, never commits, never prints secrets, and stops whenever a step needs you.

**Honest limits.** iPhone push needs a paid Apple Developer team. Android has no push. Codex support is narrower than Claude Code's. Terminals Page Relay can't type into, such as Ghostty, VS Code's terminal and Warp, work through tmux or hooks.

# Page Studio

Keep watch over your AI agents, so you don't have to.

| | |
|---|---|
| WEBSITE | roysinclair.github.io/page |
| SOURCE | github.com/roysinclair/page |
| PAGE AURA | github.com/roysinclair/page-studio-apps |
| SETUP GUIDE | docs/SELF-HOSTING.md in the repo |

Source-available under the Page Studio License: free to use and share, but not to modify, sell, or sell hosting or support of it as a product. Page Studio is built on Anthropic's Claude Code, OpenAI's Codex, Cloudflare Workers and Durable Objects, and XcodeGen. Project names in the screenshots are demo data.