

## Part 1: Reading information from a script

1. 10 tables have been created using the CREATE TABLE statement.
2. 6 columns have been created in price\_history table.
3. NOT NULL is used to enforce the constraint that category column of the items table must have a value.
4. customer\_address\_customer\_fk is the name of the foreign key constraint between the customers and customer addresses tables.
5. The lowest values that can be stored in the commission\_rate column for the sales\_representatives table is 0 and the highest values that can be stored in the commission\_rate column for the sales\_representatives table is 99.
6. The lowest values that can be stored in the price column for the price\_history table is -99999.99 and the highest values that can be stored in the price column for the price\_history table is 99999.99.
7. The 3 column that make up the primary key for the price\_history table are itm\_number, start\_date and start\_time.

## Part 2: Updating Constraints

1. Modifying a column  
ALTER TABLE orders  
MODIFY odr\_date DEFAULT SYSDATE;  
DESCRIBE orders;

TABLE ORDERS

Column	Null?	Type
ID	NOT NULL	VARCHAR2(9)
ODR_DATE	NOT NULL	DATE
ODR_TIME	NOT NULL	DATE
NUMBER_OF_UNITS	NOT NULL	NUMBER(2,0)
CTR_NUMBER	NOT NULL	VARCHAR2(6)

2. Adding a check constraint  
DESCRIBE customers;  
ALTER TABLE customers  
ADD CONSTRAINT check\_balance\_positive CHECK (current\_balance >= 0);  
DESCRIBE customers;

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)

### 3. Adding a column

DESCRIBE customers;

```
ALTER TABLE customers ADD mobile_phone_number VARCHAR2(11);
```

DESCRIBE customers;

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)
MOBILE_PHONE_NUMBER	-	VARCHAR2(11)

#### 4. Dropping a column

DESCRIBE customers;

ALTER TABLE customers DROP COLUMN mobile\_phone\_number;

DESCRIBE customers;

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)
MOBILE_PHONE_NUMBER	-	VARCHAR2(11)

TABLE CUSTOMERS

Column	Null?	Type
CTR_NUMBER	NOT NULL	VARCHAR2(6)
EMAIL	NOT NULL	VARCHAR2(50)
FIRST_NAME	NOT NULL	VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(30)
PHONE_NUMBER	NOT NULL	VARCHAR2(11)
CURRENT_BALANCE	NOT NULL	NUMBER(6,2)
SRE_ID	-	VARCHAR2(4)
TEM_ID	-	VARCHAR2(4)
LOYALTY_CARD_NUMBER	-	VARCHAR2(6)