UNIVERSITI TEKNOLOGI MALAYSIA

FACULTY OF COMPUTING, UTM JOHOR BAHRU

SEMESTER 1, SESSION 2023/2024

LAB 3

SECD2523: DATABASE

SECTION 10

NAME   : **MOHAMAD HAIRIL BIN ZAINAL (B23CS0045)**

SECTION NO.   : **10**

LECTURER'S NAME : **MADAM ROZILAWATI BINTI DOLLAH**

Marks :

LAB 3: SQL 3 – DML 2 (ANSWER)

EXERCISE 1: RETRIEVING DATA USING SELECT

Part 1: Retrieving all columns from a table.

Using the SELECT * statement show all data stored in the following tables:

1. customers.

Answer:

```
1 v  SELECT *
2    FROM customers;
```

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-

2. teams.

Answer:

```
1 v  SELECT *
2    FROM teams;
```

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT
t001	Rockets	25	10
t002	Celtics	42	20
t003	Rovers	8	-

3. items.

Answer:

```sql
SELECT *
FROM items;
```

ITM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	ILT_ID
im01101044	gloves	catcher mitt	clothing	brown	m	il010230124
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125
im01101046	socks	team socks with emblem	clothing	range	l	il010230126
im01101047	game top	team shirt with emblem	clothing	range	m	il010230127
im01101048	premium bat	high quaity basball bat	equipment	-	-	il010230128

Part 2: Selecting Specific Columns

1. Display the customer number, first name, last name, email and phone number of the customers.

Answer:

```sql
SELECT ctr_number, first_name, last_name, email, phone_number
FROM customers;
```

CTR_NUMBER	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER
c00001	Robert	Thornberry	bob.thornberry@heatmail.com	01234567898
c00012	Jennifer	Jones	Jjones@freemail.com	01505214598
c00101	John	Doe	unknown@here.com	03216547808
c00103	Andrew	Murcia	MurciaA@globaltech.com	07715246890
c01986	Maria	Galant	margal87@delphiview.com	01442736589

2. Display the name and number of players for each team.

Answer:

```
1 v SELECT name, number_of_players
2   FROM teams;
```

NAME	NUMBER_OF_PLAYERS
Rockets	25
Celtics	42
Rovers	8

3. Display the name, description and category for every item in the table.

Answer:

```
1 v SELECT name, description, category
2   FROM items;
```

NAME	DESCRIPTION	CATEGORY
gloves	catcher mitt	clothing
under shirt	top worn under the game top	clothing
socks	team socks with emblem	clothing
game top	team shirt with emblem	clothing
premium bat	high quaity basball bat	equipment

EXERCISE 2: RETRIEVING DATA USING SELECT

Part 1: Using Arithmetic Operators

1. Every customer has been told they can pay off their current balance over a 12-month period. Display the customer's first name, last name, current balance and monthly payment.

   Answer:

```
1  SELECT first_name, last_name, current_balance, (current_balance / 12)
2      AS monthly_payment
3  FROM customers;
```

FIRST_NAME	LAST_NAME	CURRENT_BALANCE	MONTHLY_PAYMENT
Robert	Thornberry	150	12.5
Jennifer	Jones	0	0
John	Doe	987.5	82.29166666666666666666666666666666667
Andrew	Murcia	85	7.08333333333333333333333333333333333
Maria	Galant	125.65	10.47083333333333333333333333333333333

2. Obl is considering giving a gift card to all its customers of 5.00 that can be used to reduce their current balance. Write a query that will show the customers first name, last name, customer number, current balance and the value of their balance minus the gift value.

   Answer:

```
1  SELECT first_name, last_name, ctr_number, current_balance, (current_balance - 5.00)
2      AS new_current_balance_minus_gift
3  FROM customers;
```

FIRST_NAME	LAST_NAME	CTR_NUMBER	CURRENT_BALANCE	NEW_CURRENT_BALANCE_MINUS_GIFT
Robert	Thornberry	c00001	150	145
Jennifer	Jones	c00012	0	-5
John	Doe	c00101	987.5	982.5
Andrew	Murcia	c00103	85	80
Maria	Galant	c01986	125.65	120.65

4

3. What would be the problem with implementing this scheme?

Answer:

The data may be difficult to verify as to whether it has been updated or not.

Part 2: Using Column Aliases

1. You previously wrote a query that display the customer's first name, last name, current balance and monthly payment. Rewrite the query to use First Name, Last Name, Balance and Monthly Repayments as the column aliases. The aliases are to be shown exactly as described (case sensitive).

Answer:

```
1   SELECT first_name AS First_Name, last_name AS Last_Name, current_balance
2       AS Balance, (current_balance / 12) AS Monthly_Repayments
3   FROM customers;
```

FIRST_NAME	LAST_NAME	BALANCE	MONTHLY_REPAYMENTS
Robert	Thornberry	150	12.5
Jennifer	Jones	0	0
John	Doe	987.5	82.2916666666666666666666666666666666667
Andrew	Murcia	85	7.0833333333333333333333333333333333333
Maria	Galant	125.65	10.4708333333333333333333333333333333333

Part 3: Using Literal Character Strings

1. Write a query that will display the team information in the following format:

The Rockets team has 25 players and receives a discount of 10 percent.

Use **Team Information** as the column alias.

Answer:

```
1   SELECT 'The ' || name || ' team has ' || number_of_players ||
2       ' players and receives a discount of ' || discount || ' percent.' AS "Team Information"
3   FROM teams;
```

```
                        Team Information

The Rockets team has 25 players and receives a discount of 10 percent.

The Celtics team has 42 players and receives a discount of 20 percent.

The Rovers team has 8 players and receives a discount of  percent.
```

2. Why does the last not show a discount

   Answer:

   It because the last team does not have a discount information.

EXERCISE 1: RETRIEVING DATA USING WHERE

Part 1: Using the WHERE Clause.

1. Using the unique customer number in the where clause display all columns for Maria
   Galant.

   Answer:

   ```sql
   SELECT * FROM customers
   WHERE ctr_number = 'c01986';
   ```

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-

2. Display the first name, last name and customer number for all customers who have a
   current balance of greater than 100. Use an appropriate alias for your column headings.

   Answer:

   ```sql
   SELECT first_name AS "First Name", last_name AS "Last Name", ctr_number
       AS "Customer Number"
   FROM customers
   WHERE current_balance > 100;
   ```

First Name	Last Name	Customer Number
Robert	Thornberry	c00001
John	Doe	c00101
Maria	Galant	c01986

3. Display the order id, date and time of all orders that were placed before the 28th of May 2019. Use an appropriate alias for your column headings.

Answer:

```sql
SELECT id AS "Order ID", odr_date AS "Order Date",
    odr_time AS "Order Time"
FROM orders
WHERE odr_date < '28-May-2019';
```

Order ID	Order Date	Order Time
or0101250	17-APR-17	17-APR-17
or0101350	24-MAY-17	24-MAY-17
or0101425	28-MAY-17	28-MAY-17
or0101681	02-JUN-17	02-JUN-17
or0101750	18-JUN-17	18-JUN-17

Part 2: Range Conditions: BETWEEN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have a trade cost of between 3.00 and 15.00.

   Answer:

   ```sql
   SELECT *
   FROM inventory_list
   WHERE cost BETWEEN 3.00 AND 15.00;
   ```

ID	COST	UNITS
il010230125	7.99	250
il010230126	5.24	87

Part 3: Membership Conditions: IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have 50, 100, 150 or 200 units in stock.

   Answer:

   ```sql
   SELECT *
   FROM inventory_list
   WHERE units IN (50, 100, 150, 200);
   ```

ID	COST	UNITS
il010230124	2.5	100

Part 4: Membership Conditions: NOT IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that do not have 50, 100, 150 or 200 units in stock.

   Answer:

```
1  SELECT *
2  FROM inventory_list
3  WHERE units NOT IN (50, 100, 150, 200);
```

ID	COST	UNITS
il010230125	7.99	250
il010230126	5.24	87
il010230127	18.95	65
il010230128	97.46	8

Part 5: Pattern Matching: LIKE Operator

1. Display item number and name of all items that have a name that begins with g. Use an appropriate alias for your column headings.

   Answer:

```
1  SELECT itm_number AS "Item Number", name AS "Item Name"
2  FROM items
3  WHERE name LIKE 'g%';
```

Item Number	Item Name
im01101044	gloves
im01101047	game top

Part 6: Pattern Matching: Combining Wildcard Characters with the LIKE Operator

1. Display item number and name of all items that have a name that contain a lowercase o.
   Use an appropriate alias for your column headings

   Answer:

```sql
1 v SELECT itm_number AS "Item Number", name AS "Item Name"
2   FROM items
3   WHERE name LIKE '%o%';
```

Item Number	Item Name
im01101044	gloves
im01101046	socks
im01101047	game top

EXERCISE 2: RETRIEVING DATA USING WHERE

Part 1: Using the NULL Conditions

1. Write a query that will display information for teams that don't receive a discount in the following format:

   The Rovers team has 25 players and does not receive a discount.

   Use **Team Information** as the column alias.

   Answer:

```sql
1 v SELECT 'The ' || name || ' team has ' || number_of_players ||
2     ' player and does not receive a discount.' AS "Team Information"
3   FROM teams
4   WHERE discount IS NULL;
```

Team Information
The Rovers team has 8 player and does not receive a discount.

2. Write a query that will display information for only teams that receive a discount in the following format:

The Rockets team has 25 players and receives a discount of 10 percent.

Use **Team Information** as the column alias.

Answer:

```sql
SELECT 'The ' || name || ' team has ' || number_of_players ||
    ' player and receives a discount ' || discount || ' percent.' AS "Team Information"
FROM teams
WHERE discount IS NOT NULL;
```

Team Information
The Rockets team has 25 player and receives a discount 10 percent.
The Celtics team has 42 player and receives a discount 20 percent.

Part 2: Logical Operators: AND

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in the starford area of Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

Answer:

```sql
SELECT ctr_number AS "Customer Number", address_line_1 AS "Street Address",
    zip_code AS "Postal Code"
FROM customers_addresses
WHERE city = 'Liverpool' AND address_line_2 = 'Starford';
```

Customer Number	Street Address	Postal Code
c00001	17 Gartsquare Road	LP89JHK

Part 3: Logical Operators: OR

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in either starford or Liverpool in general. Use Customer Number, Street Address and Postal Code as the column aliases.

    Answer:

```sql
SELECT ctr_number AS "Customer Number", address_line_1 AS "Street Address",
    zip_code AS "Postal Code"
FROM customers_addresses
WHERE city = 'Liverpool' OR address_line_2 = 'Starford';
```

Customer Number	Street Address	Postal Code
c00001	83 Barrhill Drive	LP79HJK
c00001	17 Gartsquare Road	LP89JHK
c00001	63 Acacia Drive	LP83JHR

Part 4: Logical Operators: NOT Equal To

1. Write a query that will display the customer number, address line 1 and postal code for customers that do not live in Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

    Answer:

```sql
SELECT ctr_number AS "Customer Number", address_line_1 AS "Street Address",
    zip_code AS "Postal Code"
FROM customers_addresses
WHERE city <> 'Liverpool';
```

Customer Number	Street Address	Postal Code
c00101	54 Ropehill Crescent	ST45AGV
c01986	36 Watercress Lane	JP23YTH

EXERCISE 1: SORTING DATA USING ORDER BY

1. Display the team name and number of players alphabetically in order of team name. Use an appropriate alias for your column headings.

   Answer:

```sql
1  SELECT name AS "Team Name", number_of_players AS "Number of Players"
2  FROM teams
3  ORDER BY name;
```

Team Name	Number of Players
Celtics	42
Rockets	25
Rovers	8

2. Display the team name and number of players in descending order of number of players. Use an appropriate alias for your column headings.

   Answer:

```sql
1  SELECT name AS "Team Name", number_of_players AS "Number of Players"
2  FROM teams
3  ORDER BY number_of_players DESC;
```

Team Name	Number of Players
Celtics	42
Rockets	25
Rovers	8

3. Display the team name and number of players alphabetically in order of team name. Use Team Name for the name alias and Players for the number of players. Sort the output in descending order of name using the alias in the ORDER BY clause.

Answer:

```
1   SELECT name AS "Team Name", number_of_players AS "Number of Players"
2   FROM teams
3   ORDER BY name DESC;
```

Team Name	Number of Players
Rovers	8
Rockets	25
Celtics	42

EXERCISE 2: SORTING DATA USING ORDER BY

Part 1: TOP-N-ANALYSIS (S6L8 Objective 3)

1. The customers are numbered sequentially with each new customer being assigned a higher customer number. Use TOP-N-ANALYSIS to only show the First and last name of the first three customers. Show the customers first and last name in the same column using Customer Name as the column alias.

Answer:

```
1   SELECT ROWNUM AS "Top 3 Customers", first_name || ' ' || last_name
2       AS "Customer Name"
3   FROM (SELECT first_name, last_name
4       FROM customers
5       ORDER BY ctr_number)
6   WHERE ROWNUM <= 3;
```

Top 3 Customers	Customer Name
1	Robert Thornberry
2	Jennifer Jones
3	John Doe

Part 2: Using a Substitution Variable (S6L8 Objective 4)

1. Use a substitution variable that will allow you to enter the commission rate for the sales representatives. The first and last names should be displayed to screen for any sales representatives that earn that commission rate and the output should be ordered by their last name. Use an appropriate alias for your column headings

    Answer:

```sql
SELECT first_name AS "First Name", last_name AS "Last Name"
FROM sales_representatives
WHERE commission_rate = commission_rate
ORDER BY last_name;
```

First Name	Last Name
Charles	Raymond
Barry	Speed
Victoria	Wright