

Blog da Tild

Apresentação

Documentação para utilização da API do blog da Tild.

Autenticação

Não é preciso utilizar autenticação para fazer requisições a esta API.

Error Codes

400 – Bad Request

Dados enviados de forma incorreta ou fora do padrão

422 – Unprocessable Entity

Incapaz de ser seguido devido a erros de validação

USERS

Lista de requisições para os usuários

GET USERS

http://127.0.0.1:8000/api/users

Listagem de usuários com paginação

Example Request

USERS

```
curl --location --request GET "http://127.0.0.1:8000/api/users"
```

GET USER

```
http://127.0.0.1:8000/api/users/:user
```

Retorno de uma item de usuários

Path Variables

| | |
|------|---|
| user | 5 |
|------|---|

Example Request

USER

```
curl --location --request GET "http://127.0.0.1:8000/api/users/:user"
```

POST USER

```
http://127.0.0.1:8000/api/users/
```

Criação de novo item para usuários

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Body raw (application/json)

```
{
  "name": "Thayze Lima",
  "email": "thaylp@gmail.com",
  "password": "senha",
  "age": 27
}
```

Example Request

USER

```
curl --location --request POST "http://127.0.0.1:8000/api/users/" \
--header "Content-Type: application/json" \
--data "{
    \"name\": \"Thayze Lima\",
    \"email\": \"thaylp@gmail.com\",
    \"password\": \"senha\",
    \"age\": 27
}"
```

PUT USER

http://127.0.0.1:8000/api/users/:user

Atualização de item do usuário

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|------|---|
| user | 6 |
|------|---|

Body raw (application/json)

```
{
    "name": "Rodolfo"
}
```

Example Request

USER

```
curl --location --request PUT "http://127.0.0.1:8000/api/users/:user" \
--header "Content-Type: application/json" \
--data "{
    \"name\": \"Rodolfo\"
}"
```

DELETE USER

http://127.0.0.1:8000/api/users/:user

Apagar item dos usuários

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|------|---|
| user | 8 |
|------|---|

Example Request

USER

```
curl --location --request DELETE "http://127.0.0.1:8000/api/users/:user" \
--header "Content-Type: application/json"
```

POSTS

Lista de requisiões para as postagens

GET POSTS

| |
|---------------------------------|
| http://127.0.0.1:8000/api/posts |
|---------------------------------|

Listagem de postagens

Example Request

POSTS

```
curl --location --request GET "http://127.0.0.1:8000/api/posts"
```

GET POST

| |
|---------------------------------------|
| http://127.0.0.1:8000/api/posts/:post |
|---------------------------------------|

Retorno de um item do post

Path Variables

| |
|--|
| |
|--|

post

3

Example Request

POST

```
curl --location --request GET "http://127.0.0.1:8000/api/posts/:post"
```

POST POST

http://127.0.0.1:8000/api/posts

Criação de postagem

Headers

Content-Type application/json

Body raw (application/json)

```
{
  "title": "Quo facere vel necessitatibus illo odio nisi quaerat.",
  "content": "Et labore est illo quidem. Aut doloribus autem quaerat quas necessitatibus. Rerum iure harum earum et culpa voluptatem reprehenderit.",
  "user_id" : 5
}
```

Example Request

POST

```
curl --location --request POST "http://127.0.0.1:8000/api/posts" \
  --header "Content-Type: application/json" \
  --data "{
    \"title\": \"Quo facere vel necessitatibus illo odio nisi quaerat.\",
    \"content\": \"Et labore est illo quidem. Aut doloribus autem quaerat quas necessitatibus. Rerum iure harum earum et culpa voluptatem reprehenderit.\",
    \"user_id\" : 5
  }"
```

PUT POST

http://127.0.0.1:8000/api/posts/:post

Atualização de item do post

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|------|---|
| post | 3 |
|------|---|

Body raw (application/json)

```
{
  "title" : "Novo título"
}
```

Example Request

POST

```
curl --location --request PUT "http://127.0.0.1:8000/api/posts/:post" \
  --header "Content-Type: application/json" \
  --data "{
    \"title\" : \"Novo título\"
  }"
```

DELETE POST

http://127.0.0.1:8000/api/posts/:post

Apagar item do post

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|------|----|
| post | 17 |
|------|----|

```
curl --location --request DELETE "http://127.0.0.1:8000/api/posts/:post" \  
  --header "Content-Type: application/json"
```

COMMENTS

Lista de requisiões para as postagens

GET POSTS

http://127.0.0.1:8000/api/posts/:post/comments

Listagem de comentários de uma determinada postagem

Path Variables

| | |
|------|---|
| post | 6 |
|------|---|

```
curl --location --request GET "http://127.0.0.1:8000/api/posts/:post/comments"
```

GET POST

http://127.0.0.1:8000/api/posts/:post

Retorno de um comentário de um determinado post

Path Variables

| | |
|------|---|
| post | 3 |
|------|---|

```
curl --location --request GET "http://127.0.0.1:8000/api/posts/:post"
```

POST POST

http://127.0.0.1:8000/api/posts/:post/comments

Criação de comentário para determinada postagem

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|------|---|
| post | 6 |
|------|---|

Body raw (application/json)

```
{
  "title": "",
  "content": "Novo comentário",
  "user_id": 6
}
```

Example Request

POST

```
curl --location --request POST "http://127.0.0.1:8000/api/posts/:post/comments" \
--header "Content-Type: application/json" \
--data "{
  \"title\": \"\",
  \"content\": \"Novo comentário\",
  \"user_id\": 6
}"
```

PUT POST

http://127.0.0.1:8000/api/posts/:post/comments/:comment

Atualização de comentário em um determinado post

Headers

| | |
|--|--|
| | |
|--|--|

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|---------|----|
| post | 6 |
| comment | 16 |

Body raw (application/json)

```
{
  "title" : "Novo comentário"
}
```

Example Request

POST

```
curl --location --request PUT "http://127.0.0.1:8000/api/posts/:post/comments/:comment" \
--header "Content-Type: application/json" \
--data "{
  \"title\" : \"Novo comentário\"
}"
```

DELETE POST

http://127.0.0.1:8000/api/posts/:post/comments/:comment

Apagar comentário de um determinado post

Headers

| | |
|--------------|------------------|
| Content-Type | application/json |
|--------------|------------------|

Path Variables

| | |
|---------|----|
| post | 6 |
| comment | 11 |

Example Request

POST

```
curl --location --request DELETE "http://127.0.0.1:8000/api/posts/:post/comments/:comment" \  
--header "Content-Type: application/json"
```
