




Edep/P uncalibrated


hEunc_copy	
Entries	115725
Mean	1.156
Std Dev	0.2096
χ^2 / ndf	57.27 / 48
Constant	3430 $\pm$ 14.1
Mean	1.207 $\pm$ 0.000
Sigma	0.04756 $\pm$ 0.00016

 **E_{TA} versus E_{PR}**


hETAvsEPR	
Entries	115725
Mean x	0.2239
Mean y	0.7155
Std Dev x	0.09864
Std Dev y	0.1794

**Uncalibrated E/p at calorimeter****Edep/P calibrated**

hEcal	
Entries	115725
Mean	0.9608
Std Dev	0.1643
χ^2 / ndf	108.6 / 8
Constant	1.46e+04 $\pm$ 6.19e+01
Mean	1.001 $\pm$ 0.000
Sigma	0.02751 $\pm$ 0.00010

 **ΔP versus Edep/P**

hDPvsEcal	
Entries	115725
Mean x	0.9394
Mean y	-2.156
Std Dev x	0.2145
Std Dev y	5.366

**Normalized E/p at Calorimeter**

hCaloPosNorm	
Entries	11877
Mean x	0.07748
Mean y	-15.92
Std Dev x	13.55
Std Dev y	35.15

