

# Breaking the Vigenère Cipher

Unknown Language

# Breaking Vigenère


- Step 3: Unknown Language
- For each language, need:
  - Word list
  - Most common character
- Can then try breaking
  - As before: most real words
  - Maximize word count across languages

# General Plan

Key	Value
English	
Spanish	
German	

- Read words for each potential language
  - Use `readDictionary` from before
- Make `HashMap<String, HashSet<String>>`
  - Key: language name
  - Value: result of `readDictionary`

# General Plan



- Read words for each potential language
  - Use `readDictionary` from before
- Make `HashMap<String, HashSet<String>>`
  - Key: language name
  - Value: result of `readDictionary`

# Composition: Complicated Types

HashMap<String, HashSet<String>>

- Remember: Composition
  - Can put pieces together



# Plan for Coding

- Two new methods:
  - `char mostCommonCharIn(HashSet<String> words)`
  - `public void breakForAllLangs(String encrypted, HashMap<String, HashSet<String>> languages)`
- Modify two old methods:
  - `public void breakVigenere ()`
  - `public String breakForLanguage(String encrypted, HashSet<String> dictionary)`

# Details of What to Do

`char mostCommonCharIn(HashSet<String> words)`

- 'e' not always most frequent
- Count frequency of letters in dictionary
- Proficient in counting occurrences, max

# Details of What to Do

```
public void breakForAllLangs(String encrypted,  
    HashMap<String, HashSet<String>> languages)
```

- Try each language in languages.keySet()
  - Use breakForLanguage
  - How many words did it end up with?
  - Pick best language + its decryption



# Details of What to Do

public void breakVignere ()

- Method you call from BlueJ
  - Read **all** languages' dictionaries
  - Call **breakForAllLangs** instead of **breakForLanguage**

# Details of What to Do

```
public String breakForLanguage(String encrypted,  
HashSet<String> dictionary)
```

- Use mostCommonCharIn instead of 'e'
  - Find right letter for this language