

Health Facility Assessment (HFA) for small and sick newborns

Pharmacy and Laboratory Module

Version: February 2, 2023

Date (yyyy/mm/dd): / /

Data Collector 1 (first and last name):

Data Collector 2 (first and last name):

Disclaimer: This is a NEST360 | UNICEF global public good. When using content from this document, please include the following reference: “*This document includes content adapted from HFA Pharmacy and Laboratory Module, NEST360 | UNICEF, version 2023.02.02.*” The original NEST360 | UNICEF resources are located here: [NEST360.org/hfa](https://nest360.org/hfa).

Facility Name:

Facility Code:

Module Overview for Pharmacy and Laboratory

Section 1: Pharmacy (direct these questions to the pharmacist)

Section 2: Laboratory Equipment, Supplies, and Testing (direct these questions to the head laboratory technician)

Section 3: Laboratory Capacity for Microbiology (direct these questions to the head laboratory technician)

Section 4: Laboratory Linkage to Neonatal Unit (direct these questions to the head laboratory technician)

Section 5: Blood Bank (direct these questions to the head laboratory technician)

Section 6: Neonatal Unit Linkage to Laboratory (direct these questions to the nurse in charge)

Section 7: Neonatal Unit Medicines (direct these questions to the nurse in charge)

Facility Name:

Facility Code:

Section 1. Pharmacy

Instructions: Copy the Facility Code onto each page before the team begins to collect data. Please have all participants fill in their names and positions below, before completing the following forms in *Section 1. Pharmacy*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 1. Pharmacy

Instructions: Direct these questions to the pharmacist. For some questions, you will need to ask and observe the staff or specific items/spaces at the facility. An item is not functional if it is in need of repair. Please do not leave any variable blank. If a response is unknown, write “unknown” or select “unknown” from the multiple-choice answers.

Prompt: “I’d like to ask you a few questions and make some observations about the pharmacy and pharmacy supplies.”

1A. General System

No.	Item	Response	Skip To
1.01	Does this facility have a pharmacy?	☐ Yes ☐ No	If “No”, skip to Section 1B
1.02	Is the pharmacy accessible 24 hours a day 7 days per week?	☐ Yes ☐ No	—
1.03	What is the major source of medicines for this health facility? (Select one response. If there are two or more sources of equal importance, write them in “Other”.)	☐ Government supplier ☐ Private pharmacy ☐ NGO / bilateral / multilateral ☐ Mission ☐ Other (specify below)	—
			—
1.04	Do you have any other minor sources of medicines for this health facility? (Select one response. If there are two or more sources of equal importance, write them in “Other”.)	☐ No other sources ☐ Government supplier ☐ Private pharmacy ☐ NGO / bilateral / multilateral ☐ Mission ☐ Other (specify below)	—
			—
1.05	Is there a drug inventory register/system? (This could be computerized)	☐ Yes ☐ No	If “No”, skip to 1.07
1.06	For observation only: Observe the drug inventory register/system or bin cards to determine if up to date. Randomly select five cards. All must be up to date to select “Yes”. (Bin cards are defined as a card that records the status of materials in storage to maintain “stock on hand” and help track incoming and outgoing drugs.)	☐ Yes ☐ No	—
1.07	How often do you carry out inventory of drug stock? (Observe most recent report)	☐ Daily ☐ Weekly ☐ Monthly ☐ Quarterly ☐ Annually ☐ Irregularly ☐ Other (specify below)	—

Facility Name:

Facility Code:

No.	Item	Response	Skip To
1.08	When are drugs ordered? (Select all that apply)	☐ Order same time each week/month/quarter ☐ Order every 6 or 12 months ☐ Order whenever stocks reach reorder level ☐ Reorder when we run out ☐ Shipments come automatically ☐ Never order drugs ☐ Other (specify below)	—
			—
1.09	What is the primary source for gloves, syringes, and other medical supplies? (Select one)	☐ Government supplier ☐ Private pharmacy ☐ NGO / bilateral / multilateral ☐ Mission ☐ Other (specify below)	—
			—
1.10	Is there a secondary source for gloves, syringes, and other medical supplies? (Select one)	☐ No other sources ☐ Government supplier ☐ Private pharmacy ☐ NGO / bilateral / multilateral ☐ Mission ☐ Other (specify below)	—
			—
1.11	What is the most common cause of delay in the delivery of supplies? (Select one)	☐ No delays ☐ Transport ☐ Administrative ☐ Financial ☐ Stockout at the central store ☐ Other (specify below)	—
			—

Facility Name:

Facility Code:

No.	Item	Response	Skip To
1.12	What is the second most common cause of delay in the delivery of supplies? (Select one)	☐ No other causes of delays ☐ Transport ☐ Administrative ☐ Financial ☐ Stockout at the central store ☐ Other (specify below)	—
			—
1.13	Is a “First-expired-First-out” system for supply management used? (Ask to see the gentamicin stock and observe if it is arranged by expiration date. Must be arranged in order to select Yes.)	☐ Yes ☐ No ☐ No gentamicin in stock ☐ Did not observe	—
1.14	Is there a regularly used mechanism to ensure that expired drugs are not distributed? (Ask for description of process. This can include a system to keep track of inventory and expiration dates (ideally electronic), or a system to dispose of expired drugs before they can accidentally be distributed.)	☐ Yes ☐ No	—
1.15	For observation only: Are all drugs stored away from the ground?	☐ Yes ☐ No	—
1.16	Is there a functioning thermometer indicating the room temperature in at least one room in the pharmacy?	☐ Yes ☐ No	—
1.17	Does the pharmacy have at least one functioning electric/gas (liquid or compressed) refrigerator?	☐ Yes ☐ No	—
1.18	Does the pharmacy have at least one functioning solar refrigerator?	☐ Yes ☐ No	—
1.19	Which of the following drugs are available free of charge to neonates? (Select all that apply)	☐ None ☐ Gentamicin (injection) ☐ Benzylpenicillin ☐ Amoxicillin ☐ Ampicillin ☐ Phenobarbitone ☐ Caffeine or Aminophylline ☐ Vitamin K	—
1.20	Are prices of drugs publicly displayed anywhere in the hospital?	☐ Yes ☐ No	—

Facility Name:

Facility Code:

Section 1B. Essential Drugs

Instructions: The following questions will ask about the availability of various pharmaceutical drugs. For the following questions you should first assess if the item is available today. If no item is available, select “**not available today**”. If the item is available today and has not been out of stock in the last four weeks, select “**available and no stockout in last 4 weeks**”. If the item is available today, but there has been a stock out at any point in the last four weeks, select “**available today, but stockout in last 4 weeks**”.

No.	Item	Response	Skip
Prevention of mother-to-child transmission (PMTCT)			
1.21	Does the facility have any antiretrovirals?	☐ Yes ☐ No	If “No”, skip to 1.22
1.21a	Azidothymidine/Zidovudine (AZT) (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.21b	Nevirapine (NVP) (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Hypoglycaemia and IV fluids			
1.22	Does the facility have any IV fluids?	☐ Yes ☐ No	If “No”, skip to 1.23
1.22a	Dextrose 10% with normal saline	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22b	Dextrose 5% with normal saline	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22c	Dextrose/glucose 10%	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22d	Normal saline	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22e	Potassium chloride (KCL) 7.5%, 10%, 15%	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22f	Sodium chloride 0.9%	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22g	Ringer’s lactate	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.22h	Water for injection	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Infection			

Facility Name:

Facility Code:

No.	Item	Response	Skip
1.23	Does the facility have any antibiotics?	☐ Yes ☐ No	If "No", skip to 1.24
1.23a	Amoxicillin (oral suspension)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23b	Amoxicillin (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23c	Amikacin	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23d	Ampicillin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23e	Ampicillin (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23f	Benzathine benzylpenicillin (IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23g	Benzylpenicillin (Penicillin G) (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23h	Cefalexine	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23i	Cefixime	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23j	Cefotaxime (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23k	Ceftazidime	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23l	Ceftriaxone (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23m	Cefuroxime	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23n	Ciprofloxacin (oral suspension)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
1.23o	Flucloxacillin / cloxacillin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23p	Flucloxacillin (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23q	Gentamicin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23r	Isoniazid (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23s	Meropenem	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23t	Metronidazole (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23u	Metronidazole (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23v	Piperazine	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23w	Penicillin G Procaine (IM only)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23x	Procaine benzylpenicillin (IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23y	Tetracycline 1% eye ointment	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23z	Vancomycin	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.23aa	Antibiotic drops (moxifloxacin/betadine)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Seizure Management			
1.24	Does the facility have any anticonvulsants?	☐ Yes ☐ No	If "No", skip to 1.25
1.24a	Paraldehyde (rectal)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
		☐ Not available today	
1.24b	Phenobarbital (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.24c	Phenobarbital (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.24d	Phenytoin (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Vaccination			
1.25	Does the facility have any vaccinations?	☐ Yes ☐ No	If "No", skip to 1.26
1.25a	BCG vaccine	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.25b	Hepatitis B vaccine	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.25c	Oral poliomyelitis vaccine	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.25d	Tetanus immunoglobulin (HTIG) (IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Analgesics			
1.26	Does the facility have any analgesics?	☐ Yes ☐ No	If "No", skip to 1.27
1.26a	Morphine (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.26b	Morphine (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.26c	Paracetamol (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.26d	Paracetamol (suppository)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
1.26e	Paracetamol (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
Corticosteroids			
1.27	Does the facility have any corticosteroids?	☐ Yes ☐ No	If "No", skip to 1.28
1.27a	Dexamethasone (IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Emergency Drugs			
1.28	Does the facility have any emergency drugs?	☐ Yes ☐ No	If "No", skip to 1.29
1.28a	Adrenaline/epinephrine (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.28b	Calcium gluconate 10% (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.28c	Hydrocortisone (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.28d	Naloxone (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
Other Drugs			
1.29	Please check the availability of these other drugs in the pharmacy.		
1.29a	Acyclovir (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29b	Acyclovir 3% topical eye ointment	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29c	Aminophylline	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29d	Anti-Rho (D) immune globulin (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29e	Artificial tear drops	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29f	Caffeine citrate (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29g	Caffeine citrate (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
		☐ Not available today	
1.29h	Chlorhexidine digluconate 7.1% gel (delivering 4% chlorhexidine)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29i	Dilating eye drops (tropicamide 0.5% + phenylephrine 2.5%)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29j	Ethambutol	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29k	Ferrous fumarate (oral syrup)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29l	Folic acid	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29m	Fluconazole (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29n	Fluconazole (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29o	Furosemide (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29p	Furosemide (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29q	Glycerin chip	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29r	Hepatitis B immune globulin (HBIG)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29s	Human milk fortifier	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29t	Lidocaine solution	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29u	Local anesthetic eye drops (proparacaine 0.5%)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29v	Miconazole cream (or equivalent e.g., gentian violet)	☐ Available today and no stockout in last 4 weeks	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
		☐ Available today and no stockout in last 4 weeks ☐ Not available today	
1.29w	Multivitamin	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29x	Nystatin (oral solution)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29y	Nystatin (cream)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29z	Oral rehydration solution	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29aa	Phosphate solution	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29bb	Sucrose 30% (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29cc	Surfactant	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29dd	Vitamin K1 (Phytomenadione) (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29ee	Water based lubricant	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—
1.29ff	Zinc oxide cream	☐ Available today and no stockout in last 4 weeks ☐ Available today and no stockout in last 4 weeks ☐ Not available today	—

Section 1C. Stockouts

No.	Item	Response
1.30	Have you had a stock out of any of the following items in the last 3 months? (Read all options out loud.)	
1.30a	Gentamicin (injection)	☐ Yes ☐ No
1.30b	Benzylpenicillin	☐ Yes ☐ No
1.30c	Phenobarbitone	☐ Yes ☐ No
1.30d	Caffeine or Aminophylline	☐ Yes ☐ No

Facility Name:

Facility Code:

No.	Item	Response
1.30e	Vitamin K	☐ Yes ☐ No
1.30f	Amoxicillin	☐ Yes ☐ No
1.30g	Ampicillin	☐ Yes ☐ No
1.31	Stockout Action	
1.31a	If you have had a stockout, what do you most commonly do? (<i>Select one</i>)	☐ No stockout in last 3 months ☐ No action taken/wait ☐ Buy from somewhere else ☐ Borrow from a different facility ☐ Ask patients to buy their own medicine ☐ Other (specify below)

Facility Name:

Facility Code:

Section 2. Laboratory Equipment, Supplies, and Testing

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 2. Laboratory Equipment, Supplies, and Testing*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 2. Laboratory Equipment, Supplies, and Testing

Instructions: Direct these questions to the head laboratory technician. For some questions, you will need to ask and observe the staff or specific items/spaces at the facility. An item is not functional if it is in need of repair. Please do not leave any variable blank. If a response is unknown, write "unknown" or select "unknown" from the multiple-choice answers.

Prompt: "I'd like to ask you a few questions and make some observations about the laboratory equipment, supplies, and testing."

2A. General

No.	Item	Response	Skip to
2.01	Does this facility have a laboratory?	☐ Yes ☐ No	If "No", skip to Section 5
2.02	Is the laboratory operational 24 hours a day 7 days per week?	☐ Yes ☐ No	—
2.03	Does the laboratory have backup power?	☐ Yes ☐ No	If "No", skip to 2.07
2.04	What type of backup power does the lab have? (Select all that apply)	☐ Fuel Generator ☐ Battery Inverter ☐ Solar Power	—
2.05	Is the laboratory lighting covered by the backup power? (Select one)	☐ All Lighting ☐ Some Lighting ☐ No Lighting	—
2.06	Is the laboratory equipment covered by the backup power? (Select one)	☐ All equipment ☐ Some equipment ☐ No equipment	—
2.07	Is there a set of biosafety guidelines?	☐ Yes ☐ No	—
2.08	Is there a set of internal quality control guidelines?	☐ Yes ☐ No	—
2.09	Is there a set of standard operating procedures (SOPs)?	☐ Yes ☐ No	—
Lab Management Team			
2.10	Does the health facility have a lab management team?	☐ Yes ☐ No	If "No", skip to 2.14
2.11	Does the health facility conduct lab management meetings at least every 3 months?	☐ Yes ☐ No	—
2.12	When did team last meet? (Enter dates in yyyy/mm/dd format. If a date is unknown, enter 1999/01/01.)	____/____/____	—
2.13	For observation only: Are meeting minutes available for the most recent meeting?	☐ Yes ☐ Yes, but not observed ☐ No	—

Facility Name:

Facility Code:

No.	Item	Response	Skip to
Inventory and Forecasting			
2.14	Is an inventory of laboratory supplies kept?	☐ Yes ☐ No	—
2.15	How often is this inventory of laboratory supplies carried out? (Select one)	☐ Daily ☐ Weekly ☐ Monthly ☐ Quarterly ☐ Annually ☐ Irregularly ☐ Other (specify below)	—
2.16	When are lab supplies ordered? (Select all that apply)	☐ When we run out of stock ☐ At set intervals before running out of stock (e.g., 2 weeks before running out of stock) ☐ Order at regular intervals throughout the year (e.g., same time each month, every 6 months) ☐ Shipments come automatically ☐ Other (specify below)	—

2B. Equipment and Supplies

Instructions: Direct these questions to the head laboratory technician. The following questions will ask about the availability of various lab supplies. For the following questions you should first assess if the item is available today. If no item is available, select “**not available today**”. If the item is available today and has not been out of stock in the last four weeks, select “**available and no stockout in last 4 weeks**”. If the item is available today, but there has been a stock out at any point in the last four weeks, select “**available today, but stockout in last 4 weeks**”.

For items with an asterisk (*) next to them, also write the total number of items available followed by the number of functional items. Determining functionality will vary by item. An item is not functional if it is broken or in need of repair.

No.	Item	Response
Provision of Donor Blood for Transfusion		
2.17	Does the facility have the following?	
2.17a	Refrigerator for blood bank*	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.17b	Test tubes	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17c	Microscope slides	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17d	Blood lancets	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17e	Cotton wool	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17f	Test tube rack	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17g	0.9% sodium chloride solution	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17h	20% bovine albumin	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17i	Centrifuge, electric*	☐ Available today and functional
		☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
2.17j	37° C water bath (or incubator)*	☐ Available today and functional
		☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
2.17k	Pipettes volumetric	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17l	Blood typing reagents	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.17m	Cross-matching reagents	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
Blood Collection		
2.18	Does the facility have the following?	
2.18a	Bags for collecting blood and airway needle for giving blood	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.18b	Artery forceps	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.18c	Anticoagulant bottles, small	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.18d	Anticoagulant bottles, large	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.18e	Scale for blood collection*	☐ Available today and functional ☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
Laboratory Supplies		
2.19	Does the facility have the following?	
2.19a	Compound Microscope*	☐ Available today and functional ☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
2.19b	Immersion oil	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19c	Glass rods	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19d	Sink or staining tank*	☐ Available today and functional ☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
2.19e	Measuring cylinder, polypropylene	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19f	Wash bottle	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.19g	Bottle with buffered water	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19h	Blood culture bottle (adult)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19i	Blood culture bottle (pediatric)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19j	Timer clock with alarm*	☐ Available today and functional ☐ Available today, but not functional
		How many are available?
		How many are functional?
		☐ Not available today
2.19k	Rack for drying slides	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19l	Giemsa stain	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19m	Wright stain/Eosin	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19n	Funnel and filter paper	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19o	Methanol	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19p	Refrigerator for laboratory supplies* <i>(A dirty refrigerator would include items that contain bacteria, used agar plates, anything that would be fine to contaminate with bacteria, etc. A clean refrigerator would include prepared media, agar plates, reagents, etc.)</i>	☐ Available today and functional ☐ Available today, but not functional
		How many are available?
		How many are functional?
		Which type of refrigerators are available? (Select all that apply) ☐ Clean ☐ Dirty ☐ Clean and dirty combined ☐ Unknown
		☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.19q	Freezer* (Write the temperature for the freezer(s) in Celsius. If unknown, write unknown in that space.)	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? Temperature? (Write the temperature for each freezer in Celsius.) Freezer 1: °C Freezer 2: °C Freezer 3: °C Freezer :4 °C Freezer 5: °C Freezer 6: °C Freezer 7: °C Freezer 8: °C Freezer 9: °C Freezer 10: °C ☐ Not available today
2.19r	Glass containers with lids	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19s	Counting chamber (differential counter)*	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? ☐ Not available today
2.19t	Pipette, 5ml	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19u	Pipette, graduated 1.0ml	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19v	Dropping pipette	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19w	Cover slips	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19x	Petri dishes	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19y	Culture media	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.19z	Kidney dishes	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19aa	Tally counter*	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? ☐ Not available today
2.19bb	Hemoglobinometer* (Specify the manufacturer)	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? Who is the manufacturer? ☐ Not available today
2.19cc	Hydrochloric acid solution	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19dd	Spectrophotometer* (e.g., symex, screenplus)	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? ☐ Not available today
2.19ee	Microhematocrit centrifuge (manual or electric)*	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? Manual or electric? ☐ Not available today
2.19ff	Balance for weighing reagents*	☐ Available today and functional ☐ Available today, but not functional How many are available? How many are functional? ☐ Not available today
2.19gg	Heparinized capillary tubes, 75mm x 1.5mm	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19hh	Ethanol	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19ii	Beakers	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today
2.19jj	Lugol's iodine solution	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.19kk	CD4 machine*	☐ Available today and functional
		☐ Available today, but not functional
		How many are available?
		How many are functional?
2.19ll	Sterile picks/loops	☐ Not available today
		☐ Available today and no stockout in last 4 weeks
		☐ Available but stockout in last 4 weeks
		☐ Not available today

2C. Laboratory Testing

Instructions: The following questions will ask about the availability of various lab supplies. For the following questions you should first assess if the test can be performed today. If it cannot be performed at all, select “**not available today**”. If the test is not available, but usually available, select “**usually available, but not today**”. If the test cannot be performed at the facility, but can be outsourced, select “**not available, but can be outsourced**”.

Outsourcing needs to be a formal arrangement between the facility and another lab. The facility should be responsible for transporting patient samples and receiving results.

Prompt: “Now I’m going to ask you some questions about the laboratory testing capabilities”.

No.	Item	Response
	Biochemistry	
2.20	Which of the following tests can biochemistry perform?	
2.20a	Blood glucose (e.g., glucometer and test strips)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20b	C-reactive protein (CRP)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20c	Electrolytes	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20d	Urea	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20e	Calcium	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.20f	Magnesium	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20g	Creatinine	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20h	Serum bilirubin (conjugated)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20i	Serum bilirubin (unconjugated)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20j	Cerebrospinal fluid analysis (glucose and protein)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20k	Liver function testing	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20l	Blood gas analysis	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20m	Urine dipstick for urinalysis that measures: pH, proteins, glucose, ketones, blood nitrates, leucocytes	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20n	Glucose 6-phosphate dehydrogenase deficiency (G6PD) screening	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.20o	Albumin	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
Hematology		
2.21	Which of the following tests is hematology able to perform?	
2.21a	Coagulation profile	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced

Facility Name:

Facility Code:

No.	Item	Response
		☐ Not available today
2.21b	Full blood count (FBC) / Full blood examination (FBE)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today If available, what method of FBC/FBE? ☐ Differential Microscopy ☐ Hemolyzer ☐ Other (specify below):
2.21c	Hemoglobin (hemocue) or hematocrit testing (erythrocyte volume fraction)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
Microbiology		
2.22	Which of the following tests is microbiology able to perform?	
2.22a	Culture on samples of blood	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22b	Sensitivity on samples of blood	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22c	Culture on samples of pus	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22d	Sensitivity on samples of pus	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22e	Culture on samples of cerebrospinal fluid	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22f	Sensitivity on samples of cerebrospinal fluid	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22g	Culture on samples of urine	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22h	Sensitivity on samples of urine	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
2.22i	If sensitivity testing is available today or usually available in 2.22a–h, is there a protocol for reporting antibiogram/antibiotic susceptibility testing?	☐ Yes ☐ No
2.22j	Cerebrospinal cell count	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22k	Gram staining	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22l	Stool analysis	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22m	Group B Strep (GBS) screening	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.22n	If a GBS screening is available today or usually available in 2.22m, is there a GBS protocol?	☐ Yes ☐ No
Other Important Lab Tests		
2.23	Which of the following tests can be performed?	
2.23a	TB testing (Tuberculin skin testing)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.23b	TB testing (Ziehl-Neilsen staining)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.23c	TB testing (GeneXpert)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
2.23d	Malaria testing (blood film microscopy or rapid diagnostic tests for neonatal malaria)	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today

Facility Name:

Facility Code:

Section 3. Laboratory Capacity for Microbiology

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 3. Laboratory Capacity for Microbiology*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 3. Laboratory Capacity for Microbiology

Instructions: Direct these questions to the laboratory manager. If blood and CSF culture are not available at this facility, please skip to Section 4. For some questions, you will need to ask and observe the staff or specific items/spaces at the facility. If a response is unknown, write “unknown” or select “unknown” from the multiple-choice answers.

Prompt: “I’d like to ask you a few questions and make some observations about the laboratory capacity for microbiology.”

3A. Blood Culture

No.	Item	Response	Skip To
Blood Culture			
3.01	What laboratory method is used to conduct blood culture? (Select one)	☐ Manual Methods - In-Laboratory/In-House Produced Blood Culture Bottles	—
		☐ Manual Methods - Locally Produced Blood Culture Bottles	—
		☐ Manual Methods – Pre-prepared/Procured International Blood Culture Bottles	3.08
		☐ Automated Continuous Systems/Machines	3.11
		☐ Molecular/Genomic Methods	3.18
		☐ Other (specify below)	—
			—
Manual Methods–In-Laboratory/In-House or Locally Produced Blood Culture Bottles			
3.02	Are plastic or glass blood culture bottles used? (Select one)	☐ Plastic ☐ Glass	—
3.03	What is the make of the blood culture bottles?	Make:	—
3.04	What culture media are used to make blood culture bottles? (Select all that apply)	☐ Thioglycolate Broth ☐ Tryptic Soy Broth ☐ Thiol Broth ☐ Brain-Heart Infusion (BHI) ☐ Columbia Broth ☐ Supplemented Peptone Broth ☐ Hypertonic Medium (Brucella Broth) ☐ Unknown ☐ Other (specify below)	—
			—

Facility Name:

Facility Code:

No.	Item	Response	Skip To
3.05	What culture additives are used to make blood culture bottles? (Select all that apply)	☐ Sodium-Polyanethole Sulfate (SPS) ☐ Gelatin ☐ Yeast Extract ☐ Saponin ☐ Hemin (X-Factor) ☐ NAD (V-Factor) ☐ Pyridoxine ☐ Para-amino Benzoic Acid ☐ Cysteine ☐ Resins / Charcoal ☐ Unknown ☐ Other (specify below)	—
			—
3.06	Did stockouts occur for the blood culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.07	Are quality controls for the reagents used in the production of the blood culture bottles?	☐ Yes ☐ No ☐ Unknown	Any response skip to 3.20
Manual Methods—Pre-prepared/Procured International Blood Culture Bottles			
3.08	What is the make of the Pre-prepared/Procured International Blood Culture Bottles?	☐ Thermo Scientific Signal Blood Culture System ☐ BD BBL™ SEPTI-CHEK™ Blood Culture System ☐ BioMerieux Hemoline Performance Manual Methods Bottle ☐ Other (specify below)	—
			—
3.09	Did stockouts occur for the blood culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.10	Are quality controls used for the pre-prepared/procured blood culture bottles?	☐ Yes ☐ No ☐ Unknown	Any response skip to 3.20
Automated Continuous Systems/Machines			
3.11	What is the make of the Automated Continuous Systems/Machines used?	☐ BD Bactec ☐ BioMerieux BacT/Alert ☐ ThermoFisher VersaTREK ☐ Other (specify below)	3.12
			3.13
			3.14
			—
			—
3.12	Which BD Bactec Bottles are used for blood culture? (Select all that apply)	☐ Plus Aerobic F bottle ☐ Lytic 10 Anaerobic F bottle ☐ PEDS Plus F bottle ☐ Other (specify below)	Any response skip to 3.15

Facility Name:

Facility Code:

No.	Item	Response	Skip To
			—
3.13	Which BioMerieux BacT/Alert Bottles are used for blood culture? (Select all that apply)	☐ FA Plus (Aerobic) ☐ FN Plus (Anaerobic) ☐ PF Plus (Paediatric) ☐ Other (specify below)	Any response, skip to 3.15
			—
3.14	Which ThermoFisher VersaTREK Bottles are used for blood culture? (Select all that apply)	☐ REDOX 1 (Aerobic) ☐ REDOX 2 (Anaerobic) ☐ Other (specify below)	—
			—
3.15	Did stockouts occur for the blood culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.16	What is the model name of the machine used?	Model name:	—
3.17	What is the model number of the machine used?	Model number:	Any response, skip to 3.20
Molecular/Genomic Methods			
3.18	What is the make of the molecular/genomic machine used?	Make:	—
3.19	What is the model of the molecular/genomic machine used?	Model:	—

3B. CSF Culture

No.	Item	Response	Skip To
	CSF Culture		
3.20	What method, if any, is used to concentrate the sample before the CSF culture? (Select one)	☐ None ☐ Centrifugation ☐ Membrane Filtration ☐ Other (specify below)	If "None", skip to Section 3C
			—
3.21	What laboratory method is used to conduct CSF culture? (Select one)	☐ Manual Methods - Direct Agar Culture or In-Laboratory/In-House Produced Culture Bottles ☐ Manual Methods - Locally Produced Culture Bottles ☐ Manual Methods – Pre-prepared/Procured International Culture Bottles ☐ Automated Continuous Systems/Machines ☐ Molecular/Genomic Methods	3.22 3.27 3.33 3.36 3.44

Facility Name:

Facility Code:

No.	Item	Response	Skip To
		☐ Other (<i>specify below</i>)	—
			—
Manual Methods – Direct Agar Culture or In-Laboratory/In-House Produced Culture Bottles			
3.22	Are cultures inoculated directly to an agar plate or into a plastic or glass culture bottle? (<i>Select one</i>)	☐ Agar Plate ☐ Plastic Bottle ☐ Glass Bottle	—
3.23	What culture media are used to conduct CSF primary culture? (<i>Select all that apply</i>)	☐ 5% Sheep Blood Agar ☐ Enriched Chocolate Agar ☐ MacConkey Agar ☐ Thioglycolate Broth ☐ Columbia Broth ☐ Supplemented Peptone Broth ☐ Hypertonic Medium (Brucella Broth) ☐ Eurgonic Broth ☐ Tryptic Soy Broth ☐ Thiol Broth ☐ Brain-Heart Infusion (BHI) ☐ Other (<i>specify below</i>)	—
			—
3.24	What culture additives are used to produce the primary agar plates/culture bottles? (<i>Select all that apply</i>)	☐ Sodium-Polyanethole Sulfate (SPS) ☐ Gelatin ☐ Yeast Extract ☐ Saponin ☐ Hemin (X-Factor) ☐ NAD (V-Factor) ☐ Pyridoxine ☐ Para-amino Benzoic Acid ☐ Cysteine ☐ Resins / Charcoal ☐ Unknown ☐ Other (<i>specify below</i>)	—
			—
3.25	Did stockouts occur for the culture bottles, agar plates, or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.26	Are quality controls for the reagents used in the production of the CSF cultures?	☐ Yes ☐ No ☐ Unknown	Any response skip to 3.44
Manual Methods – Locally Produced Culture Bottles			
3.27	Are plastic or glass CSF culture bottles used? (<i>Select one</i>)	☐ Plastic ☐ Glass	—

Facility Name:

Facility Code:

No.	Item	Response	Skip To
3.28	What is the make of the culture bottles?	Make:	—
3.29	What culture media are used to make CSF culture bottles? (Select all that apply)	☐ Thioglycolate Broth ☐ Columbia Broth ☐ Supplemented Peptone Broth ☐ Hypertonic Medium (Brucella Broth) ☐ Eurgonic Broth ☐ Tryptic Soy Broth ☐ Thiol Broth ☐ Brain-Heart Infusion (BHI) ☐ Unknown ☐ Other (specify below)	—
			—
3.30	What culture additives are used to make CSF culture bottles? (Select all that apply)	☐ Sodium-Polyanethole Sulfate (SPS) ☐ Gelatin ☐ Yeast Extract ☐ Saponin ☐ Hemin (X-Factor) ☐ NAD (V-Factor) ☐ Pyridoxine ☐ Para-amino Benzoic Acid ☐ Cysteine ☐ Resins / Charcoal ☐ Unknown ☐ Other (specify below)	—
			—
3.31	Did stockouts occur for the CSF culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.32	Are quality controls conducted for the locally produced CSF culture bottles?	☐ Yes ☐ No ☐ Unknown	Any response skip to 3.44

Facility Name:

Facility Code:

No.	Item	Response	Skip To
Manual Methods – Pre-pared/Procured International Culture Bottles			
3.33	What pre-prepared/procured international CSF culture system is used? (Select one)	☐ Thermo Scientific Signal Blood Culture System ☐ BD BBL™ SEPTI-CHEK™ Blood Culture System ☐ BioMerieux Hemoline Performance Manual Methods Bottle ☐ Other (specify below)	—
			—
3.34	Did stockouts occur for the CSF culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.35	Are quality controls conducted for the pre-prepared/procured CSF culture bottles?	☐ Yes ☐ No ☐ Unknown	Any response skip to 3.44

Facility Name:

Facility Code:

No.	Item	Response	Skip To
Automated Continuous Systems/Machines			
3.36	What automated continuous systems/machines are used? (Select one)	☐ BD Bactec	3.37
		☐ BioMerieux BacT/Alert	3.38
		☐ ThermoFisher Versa TREK	3.39
		☐ Other (specify below)	—
			—
3.37	What BD Bactec bottles are used for CSF culture? (Select all that apply)	☐ Plus Aerobic F bottle	Any response skip to 3.40
		☐ Lytic 10 Anaerobic F bottle	
		☐ PEDS Plus F bottle	
		☐ Other (specify below)	
			—
3.38	What BioMerieux BacT/Alert Bottles are used for CSF culture? (Select all that apply)	☐ FA Plus (Aerobic)	Any response skip to 3.40
		☐ FN Plus (Anaerobic)	
		☐ PF Plus (Paediatric)	
		☐ Other (specify below)	
			—
3.39	What ThermoFisher VersaTREK Bottles are used for CSF culture? (Select all that apply)	☐ REDOX 1 (Aerobic)	—
		☐ REDOX 2 (Anaerobic)	
		☐ Other (specify below)	
3.40	Did stockouts occur for the CSF culture bottles or reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.41	What is the model number of the machine used?	Model number:	Any response skip to 3.44
Molecular/Genomic Methods			
3.42	What make of molecular/genomic machine is used?	Make:	—
3.43	What model of molecular/genomic machine is used?	Model:	—

Facility Name:

Facility Code:

3C. Identification of Blood Isolates

No.	Item	Response	Skip To
3.44	Is the specific microorganism detected from the blood culture bottle identified?	☐ Yes ☐ No	—
3.45	What methods are used for identification of the microorganism cultured from blood culture bottles? <i>(Select all that apply)</i>	☐ Subculture (including agar plates) ☐ Microscopy (including staining) ☐ Manual Biochemical Tests (e.g., IMViC test) ☐ Commercially Available Assays/Minisystems (e.g., API BioMerieux Test Strips) ☐ Other <i>(specify below)</i>	3.46 3.47 3.48 3.51 — —
Subculture			
3.46	What media are used to subculture blood isolates? <i>(Select all that apply)</i>	☐ MacConkey Agar ☐ Kligler Iron Agar ☐ Blood Agar (TSA + 5% Sheep Blood) ☐ Mannitol Salt Agar ☐ CLED Agar ☐ Chromogenic Agar ☐ Fastidious Anaerobe Agar (FAA) ☐ Enriched Chocolate Agar ☐ Other <i>(specify below)</i>	— — — — — — — — —
Microscopy			
3.47	What stains are conducted on blood isolates? <i>(Select all that apply)</i>	☐ Gram Stain ☐ Acridine Orange Stain ☐ Other <i>(specify below)</i>	— — — —

Facility Code:

No.	Item	Response	Skip To
	Manual Biochemical Tests		
3.48	Which of these tests are used for manual biochemical identification of isolates from blood culture? <i>(Select all that apply)</i>	☐ Motility Test ☐ Catalase Test ☐ Oxidase Test ☐ Oxidative Fermentation (OF) Test ☐ Carbohydrate Fermentation Test (e.g., glucose, fructose, maltose, lactose, sucrose) ☐ IMViC Test - Indole Production Test ☐ IMViC Test - Methyl-Red Test ☐ IMViC Test - Voges-Proskauer Test ☐ IMViC Test - Citrate Utilisation Test ☐ Gelatin Hydrolysis ☐ Starch Hydrolysis ☐ Urease Test ☐ Hydrogen Sulphide Production Test ☐ Nitrate Production Test ☐ Other (<i>specify below</i>)	— — — — — — — — — — — — — — —
3.49	Did stockouts occur for the reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	—
3.50	Please provide any comments about stockouts:		
	Commercially Available Assays/Minisystems		
3.51	What make of commercially available assays/minisystems (e.g., API BioMerieux Test Strip) is used for blood culture?	Make:	—
3.52	What model of commercially available assays/minisystems (e.g., API BioMerieux Test Strip) is used for blood culture?	Model:	—
3.53	Did stockouts occur for the reagents used in commercially available assays/minisystems (e.g., API BioMerieux Test Strip) in the last 4 weeks?	☐ Yes ☐ No	—
3.54	Please provide any comments about stockouts:		

Facility Name:

Facility Code:

3D. Identification of CSF Isolates

No.	Item	Response	Skip To
3.55	Is the specific microorganism detected from the CSF culture identified?	☐ Yes ☐ No	—
3.56	What methods are used for identification of the microorganism cultured from CSF culture? (Select all that apply)	☐ Subculture (including agar plates) ☐ Microscopy (including staining) ☐ Manual Biochemical Tests (e.g., IMViC Test) ☐ Commercially Available Assays/Minisystems (e.g., API BioMerieux Test Strips) ☐ Other (specify below)	3.57 3.58 3.59 3.62 — —
Subculture			
3.57	What media are used to subculture CSF isolates? (Select all that apply)	☐ MacConkey Agar ☐ Kligler Iron Agar ☐ Blood Agar (TSA + 5% Sheep Blood) ☐ Mannitol Salt Agar ☐ CLED Agar ☐ Chromogenic Agar ☐ Fastidious Anaerobe Agar (FAA) ☐ Enriched Chocolate Agar ☐ Other (specify below)	— — — — — — — — —
Microscopy			
3.58	What stains are conducted on CSF isolates? (Select all that apply)	☐ Gram Stain ☐ Acridine Orange Stain ☐ Other (specify below)	— — — —

Facility Name:

Facility Code:

No.	Item	Response	Skip To
Manual Biochemical Tests			
3.59	Which of these tests are used for manual biochemical identification of isolates from CSF culture? (Select all that apply)	☐ Motility Test ☐ Catalase Test ☐ Oxidase Test ☐ Oxidative Fermentation (OF) Test ☐ Carbohydrate Fermentation Test (e.g. glucose, fructose, maltose, lactose, sucrose) ☐ IMViC Test - Indole Production Test ☐ IMViC Test - Methyl-Red Test ☐ IMViC Test - Voges-Proskauer Test ☐ IMViC Test - Citrate Utilisation Test ☐ Gelatin Hydrolysis ☐ Starch Hydrolysis ☐ Urease Test ☐ Hydrogen Sulphide Production Test ☐ Nitrate Production Test ☐ Other (specify below)	—
			—
3.60	Did stockouts occur for the reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	—
3.61	Please provide any comments about stockouts:		—
Commercially Available Assays/Minisystems			
3.62	What make of commercially available assays/minisystems (e.g., API BioMerieux Test Strip) is used for CSF culture?	Make:	—
3.63	What model of commercially available assays/minisystems (e.g., API BioMerieux Test Strip) is used for CSF culture?	Model:	—
3.64	Did stockouts occur for the reagents used in commercially available assays/minisystems (e.g., API BioMerieux Test Strip) in the last 4 weeks?	☐ Yes ☐ No	—
3.65	Please provide any comments about stockouts:		

Facility Name:

Facility Code:

3E. Antibiotic Sensitivity Testing

Antibiotic Sensitivity Testing			
3.66	What method, if any, of antibiotic sensitivity/resistance is used at your facility? (Select all that apply)	☐ None ☐ Disc Diffusion ☐ Broth Dilution ☐ Etest (Antibiotic Gradient Method) ☐ MALDI-TOF MS ☐ qPCR ☐ DNA Microarray/Chips ☐ Loop-mediated Isothermal Amplification (LAMP) ☐ Unknown ☐ Other (specify below)	— — — 3.67 3.69 3.71 3.73 3.75 — — —
3.67	Etest (Antibiotic Gradient Method): What is the make of the equipment?	Make:	—
3.68	Etest (Antibiotic Gradient Method): What is the model of the equipment?	Model:	—
3.69	MALDI-TOF MS: What is the make of the equipment?	Make:	—
3.70	MALDI-TOF MS: What is the model of the equipment?	Model:	—
3.71	qPCR: What is the make of the equipment?	Make:	—
3.72	qPCR: What is the model of the equipment?	Model:	—
3.73	DNA Microarray/Chips: What is the make of the equipment?	Make:	—
3.74	DNA Microarray/Chips: What is the models of the equipment?	Model:	—
3.75	Loop-mediated Isothermal Amplification (LAMP): What is the make of the equipment?	Make:	—
3.76	Loop-mediated Isothermal Amplification (LAMP): What is the model of the equipment?	Model:	—
3.77	Did stockouts occur for the reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	—
3.78	Please provide any comments about stockouts:		

Facility Name:

Facility Code:

3.79	Are any of these antibiotic sensitivity testing machines used? (Select all that apply)	☐ None ☐ MicroScan WalkAway (Beckman Coulter) ☐ Micronaut (Merlin) ☐ Avantage test (Abbott Laboratories) ☐ Vitek 2 (BioMerieux) ☐ Phoenix (BD Diagnostics) ☐ Sensititre ARIS 2X (Trek Diagnostic Systems) ☐ Other (specify below)	—
3.80	Did stockouts occur for the reagents used in any of these methods in the last 4 weeks?	☐ Yes ☐ No	
3.81	Please provide any comments about stockouts:		
Onsite/Research Studies			
3.82	What, if any, current research studies involving laboratory culture, antimicrobial resistance (AMR), or neonatal infections are there? (Select all that apply)	☐ None ☐ Laboratory culture ☐ Antimicrobial resistance (AMR) ☐ Neonatal infection	—

3F. Protocols

No.	Item	Response
3.83	Please attach a copy of the GBS screening laboratory protocol used at this facility. This should include a copy of each page in the protocol.	☐ Attached ☐ None to attach
3.84	Please attach a copy of the blood culture laboratory protocols (including subculture and isolate identification) used at this facility. This should include a copy of each page in the protocol.	☐ Attached ☐ None to attach
3.85	Please attach a copy of the CSF culture laboratory protocols (including subculture and isolate identification) used at this facility. This should include a copy of each page in the protocol.	☐ Attached ☐ None to attach
3.86	Please attach a copy of the laboratory protocol used for CSF culture isolate antibiotic sensitivity testing. This should include a copy of each page in the protocol.	☐ Attached ☐ None to attach
3.87	Please attach a copy of the laboratory protocol used for blood culture isolate antibiotic sensitivity testing. This should include a copy of each page in the protocol.	☐ Attached ☐ None to attach

Facility Name:

Facility Code:

Section 4. Laboratory Linkage to Neonatal Unit (Lab)

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 4. Laboratory Linkage to Neonatal Unit (Lab)*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 4. Laboratory Linkage to Neonatal Unit (Lab)

Instructions: Direct these questions to the laboratory manager. For some questions, you will need to ask and observe the staff or specific items/spaces at the facility. Please do not leave any variable blank. If a response is unknown, write "unknown" or select "unknown" from the multiple-choice answers.

Prompt: "I'd like to ask you a few questions and make some observations about the laboratory and how it coordinates with the neonatal unit."

4A. Cultures for the neonatal unit

No.	Item	Response
4.01	In the last 7 days, how many blood cultures were requested by the neonatal unit?	Number:
4.02	In the last 7 days, how many blood cultures were completed for the neonatal unit?	Number:
4.03	What, if any, were the challenges to performing all blood cultures requested by the neonatal unit? (Select all that apply)	☐ None ☐ Inappropriate or incomplete labelling ☐ Lack of lab supplies ☐ Lack of staff ☐ Training needed ☐ Power outage ☐ Other (specify below)
4.04	In the last 7 days, how many CSF cultures were requested by the neonatal unit?	Number:
4.05	In the last 7 days, how many CSF cultures were completed for the neonatal unit?	Number:
4.06	What, if any, were the challenges to performing all neonatal unit CSF cultures requested? (Select all that apply)	☐ None ☐ Inappropriate or incomplete labelling ☐ Lack of lab supplies ☐ Lack of staff ☐ Training needed ☐ Power outage ☐ Other (specify below)
4.07	In the last 7 days, how many bilirubin tests were requested by the neonatal unit?	Number:
4.08	In the last 7 days, how many bilirubin tests were completed for the neonatal unit?	Number:

Facility Name:

Facility Code:

No.	Item	Response
4.09	What, if any, were the challenges to performing all neonatal unit bilirubin tests requested? (Select all that apply)	☐ None ☐ Inappropriate or incomplete labelling ☐ Lack of lab supplies ☐ Lack of staff ☐ Training needed ☐ Power outage ☐ Other (specify below)
4.10	What record keeping system is used for the lab? (Select one)	☐ Paper ☐ Electronic ☐ Other (specify below)
4.11	How are blood cultures labelled? (Select one)	☐ Written labels ☐ Bar code labels ☐ Other (specify below)
4.12	Do you have a protocol for reporting culture results back to the neonatal unit?	☐ Yes ☐ No
4.13	If yes, please describe the protocol for reporting culture results to the neonatal unit:	
4.14	How long does it usually take to receive results for a suspected sepsis test? (Select one)	☐ Within an hour ☐ Same day ☐ Within a week ☐ Within a month ☐ Irregularly ☐ Other (specify below)
4.15	Is the laboratory manager onsite or offsite? (Select one)	☐ Onsite ☐ Offsite ☐ Not applicable (no lab manager)

Facility Name:

Facility Code:

4B. Laboratory Staffing

Instructions: Direct these questions to the laboratory manager about the staffing of the laboratory. Someone is considered on-call if they can be called and reach the hospital within 30 minutes or if they are able to provide support needed by telephone. On-call excludes the staff that are physically present at the time, and only includes additional staff that have set times during which they could be called to the hospital if they are needed.

Laboratory Technicians Currently Employed

No.	Item	Response
4.16	How many laboratory technicians are currently employed by this facility?	Number:

Laboratory Staffing Schedule

No.	Which of the following times is the laboratory staffed by laboratory technicians?	Response		
	Regular Schedule (not on-call staff)	Are the laboratory staff physically present?		If yes, how many?
4.17	Weekday (e.g. Monday – Friday) (Day)	☐ Yes	☐ No	Number:
4.18	Weekday (e.g. Monday – Friday) (Night)	☐ Yes	☐ No	Number:
4.19	Weekend (e.g. Saturday-Sunday) (Day)	☐ Yes	☐ No	Number:
4.20	Weekend (e.g. Saturday-Sunday) (Night)	☐ Yes	☐ No	Number:
4.21	Last night	☐ Yes	☐ No	Number:
4.22	Today	☐ Yes	☐ No	Number:
	On-Call Schedule	Is laboratory staff on-call?		If yes, how many?
4.23	Weekday (e.g. Monday – Friday) during the day	☐ Yes	☐ No	Number:
4.24	Weekday (e.g. Monday – Friday) during the night	☐ Yes	☐ No	Number:
4.25	Weekend (e.g. Saturday-Sunday) during the day	☐ Yes	☐ No	Number:
4.26	Weekend (e.g. Saturday-Sunday) during the night	☐ Yes	☐ No	Number:
4.27	Last night	☐ Yes	☐ No	Number:
4.28	Today	☐ Yes	☐ No	Number:

Facility Name:

Facility Code:

Section 5. Blood Bank

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 5. Blood Bank*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 5. Blood Bank

Instructions: Direct these questions to the head laboratory technician. The following questions will ask about the availability of the blood bank. For the following questions you should first assess if the test can be performed today. If it cannot be performed at all, select “**not available today**”. If the test is not available, but usually available, select “**usually available, but not today**”. If the test cannot be performed at the facility, but can be outsourced, select “**not available, but can be outsourced**”.

Outsourcing needs to be a formal arrangement between the facility and another lab. The facility should be responsible for transporting patient samples and receiving results.

Prompt: “Now I’m going to ask you some questions about the blood bank capabilities”.

5A. Blood Bank Testing

No.	Item	Response
	Blood Bank	
5.01	Which of the following is the blood bank able to perform?	
5.01a	Blood typing and cross matching	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today If available or usually available, do you have a blood typing and cross matching protocol? ☐ Yes ☐ No ☐ Unknown
5.01b	Coombs test	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today

Facility Name:

Facility Code:

No.	Item	Response
5.01h	Blood screening for HIV	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today If available or usually available, do you have a blood screening for HIV protocol? ☐ Yes ☐ No ☐ Unknown
5.01i	Blood screening for Hepatitis B	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
5.01j	Blood screening for Hepatitis C	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
5.01k	Blood screening for syphilis	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
5.01l	Blood screening for malaria	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today
5.01m	Blood screening for sickle cell	☐ Available today ☐ Usually available, but not today ☐ Not available, but can be outsourced ☐ Not available today

5B. Blood Transfusion and Supply

No.	Item	Types	How many units?
5.02	How many units of blood are in stock and ready for transfusion? <i>(Write the number of available units for each type)</i>	A+	
		A-	
		B+	
		B-	
		AB+	
		AB-	
		O+	
		O-	

Facility Name:

Facility Code:

Section 6. Neonatal Unit Linkage to Laboratory

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 6. Neonatal Unit Linkage to Laboratory*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 6. Neonatal Unit Linkage to Laboratory

Instructions: Direct these questions to the nurse in charge. For some questions, you will need to ask and observe the staff or specific items/spaces at the facility. Please do not leave any variable blank. If a response is unknown, write “unknown” or select “unknown” from the multiple-choice answers.

Prompt: “I’d like to ask you a few questions and make some observations about the neonatal unit and how it coordinates with the laboratory.”

No.	Item	Response
6.01	In the last 7 days, how many blood cultures were requested by the neonatal unit?	Number:
6.02	In the last 7 days, how many blood culture results were received by the neonatal unit?	Number:
6.03	In the last 7 days, how many CSF cultures were requested by the neonatal unit?	Number:
6.04	In the last 7 days, how many CSF culture results were received by the neonatal unit?	Number:
6.05	In the last 7 days, how many bilirubin tests were requested by the neonatal unit?	Number:
6.06	In the last 7 days, how many bilirubin test results were received by the neonatal unit?	Number:
6.07	Do you have a protocol for receiving results from the laboratory and adding them to patient files?	☐ Yes ☐ No
6.08	If yes, please describe this protocol.	
6.09	How long does it usually take to receive results for a suspected sepsis test? (Select one)	☐ Within an hour ☐ Same day ☐ Within a week ☐ Within a month ☐ Irregularly ☐ Other (specify below)

Facility Name:

Facility Code:

Section 7. Neonatal Unit Medicines

Instructions: Please have all participants fill in their names and positions below, before completing the following forms in *Section 7. Neonatal Unit Medicines*.

Respondents	
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position
Respondent Name (first and last name)	Respondent Position

Facility Name:

Facility Code:

Section 7. Neonatal Unit Medicines

Instructions: Direct these questions to the nurse in charge. The following questions will ask about the availability of various pharmaceutical drugs **on the neonatal unit**. For the following questions you should first assess if the item is available today. If no item is available, select “**not available today**”. If the item is available today and has not been out of stock in the last four weeks, select “**available and no stockout in last 4 weeks**”. If the item is available today, but there has been a stock out at any point in the last four weeks, select “**available today, but stockout in last 4 weeks**”.

No.	Item	Response	Skip
Prevention of mother-to-child transmission (PMTCT)			
7.01	Does the neonatal unit have any antiretrovirals?	☐ Yes ☐ No	If “No”, skip to 7.02
7.01a	Azidothymidine/Zidovudine (AZT) (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.01b	Nevirapine (NVP) (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Hypoglycaemia and IV fluids			
7.02	Does the neonatal unit have any IV fluids?	☐ Yes ☐ No	If “No”, skip to 7.03
7.02a	Dextrose/glucose 10%	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.02b	Normal saline	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.02c	Sodium chloride 0.9%	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.02d	Ringer’s lactate	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.02e	Water for injection	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Infection			
7.03	Does the neonatal unit have any antibiotics?	☐ Yes ☐ No	If “No”, skip to 7.04
7.03a	Amoxicillin (oral suspension)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03b	Amoxicillin (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03c	Amikacin (injection)	☐ Available today and no stockout in last 4 weeks	

Facility Name:

Facility Code:

No.	Item	Response	Skip
		☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03d	Ampicillin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03e	Benzathine benzylpenicillin (IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03f	Benzylpenicillin (Penicillin G) (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03g	Cefotaxime (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03h	Ceftriaxone (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03i	Flucloxacillin/cloxacillin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03i	Gentamicin (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03j	Meropenem	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
7.03k	Tetracycline 1% eye ointment	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	
Seizure Management			
7.04	Does the neonatal unit have any anticonvulsants?	☐ Yes ☐ No	If "No", skip to 7.05
7.04a	Paraldehyde (rectal)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.04b	Phenobarbital (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Analgesics			
7.05	Does the neonatal unit have any analgesics?	☐ Yes ☐ No	If "No", skip to 7.06
7.05a	Paracetamol (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
7.05b	Paracetamol (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Emergency Drugs			
7.06	Does the neonatal unit have any emergency drugs?	☐ Yes ☐ No	If "No", skip to 7.07
7.06a	Adrenaline/epinephrine (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.06b	Calcium gluconate 10% (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.06c	Hydrocortisone (injection)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.06d	Naloxone (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
Other Drugs			
7.07	Please check the availability of these other drugs in the neonatal unit.		
7.07a	Acyclovir (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07b	Aminophylline	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07c	Caffeine citrate (oral)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07d	Chlorhexidine digluconate 7.1% gel (delivering 4% chlorhexidine)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07e	Furosemide (IV)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07f	Miconazole cream (or equivalent e.g. gentian violet)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07g	Multivitamin	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—

Facility Name:

Facility Code:

No.	Item	Response	Skip
7.07h	Nystatin (oral solution)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07i	Vitamin K1 (Phytomenadione) (IV or IM)	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—
7.07j	Water based lubricant	☐ Available today and no stockout in last 4 weeks ☐ Available today, but stockout in last 4 weeks ☐ Not available today	—