Decoding ISO 9001 2026 Clause 10 Improvement

Nonconformity causes corrective action and verified results



Make closure a conclusion about the evidence rather than a date on an action list.

Expanded practitioner edition for IMS managers, engineers and leadership teams

First edition | November 2026 | £4.99

RPG Excellence | Management Systems and Business Assurance

Using this publication

Make closure a conclusion about the evidence rather than a date on an action list.

This expanded practitioner edition explains every numbered subclause within Clause 10 of the supplied ISO 9001:2026 text. It develops the earlier RPG collected technical insights into a standalone working guide with operational examples, role applications, two reusable worksheets and two printable poster annexes.

Requirements and recommendations

The required outcomes are original paraphrases of the supplied standard. Its informative Annex A clarifies meaning without adding requirements. Practical methods, scenarios, sample sizes, worksheet fields, review periods and poster prompts in this book are RPG recommendations, unless a requirement is expressly identified. Use a licensed copy for the complete normative text. [1]

How to read it

Begin with the working language and coverage route. Read the relevant clause interpretation, then follow one real process with its owner. Use the cases to challenge your reasoning and the worksheets to record a decision. The annexes can support team discussion; they are not exhaustive audit checklists.

Technical basis

Supporting referrals were checked against official public publication records on 8 November 2026. Many APG papers and ISO/TS 9002:2016 address the earlier edition. Use them only where consistent with the 2026 requirement. ISO 9000 supplies the normative vocabulary referral. Other supporting publications do not automatically expand ISO 9001 requirements.

All organisations, events and figures in the cases are fictional teaching examples. They are not customer results, statistical benchmarks or promised savings. Photographs are illustrative. This guide does not establish certification or replace applicable technical, contractual or legal assessment.

Working language and practical translation

These are plain English working explanations, not formal quotations or replacements for ISO 9000 definitions. The application column shows the decision each term should help a reader make.

Term	Working explanation	Practical translation
Containment	An immediate measure that limits potential exposure.	Establish the affected population and current status.
Correction	A response that resolves a detected nonconformity.	Recheck the corrected output where required.
Corrective action	Action on a cause to prevent recurrence or occurrence elsewhere.	Explain the mechanism the action changes.
Cause	A supported explanation of the conditions producing the problem.	Test the hypothesis against available facts.
Effectiveness	Evidence that the action achieved its intended result.	Examine relevant exposure and remaining failure routes.
Continual improvement	Repeated improvement over time, allowing intervals.	Choose changes that improve system performance and capability.

Read the verbs carefully

A requirement calls for fulfilment. Guidance suggests a possible approach. Thinking about an issue differs from incorporating it into a decision. Suitability depends on the organisation’s context, while applicability concerns whether a requirement is relevant to the situation. The supplied Annex A.2 and the vocabulary referrals help resolve these distinctions. [1]

Do not turn a preferred template, score or software workflow into a requirement simply because it is familiar. Equally, do not use flexible wording to avoid an outcome the standard actually requires.

Clause coverage and reading route

The references below cover every numbered subclause within this book’s main clause. Where related subclauses share a page, their required outcomes are distinguished in the text. Parent headings organise the requirements and are included in this coverage.

Covered references	Interpretation section
10.1	10.1 Improve the system and its future capability
10.2, 10.2.1	10.2.1 Respond investigate and verify the action
10.2.2	10.2.2 Preserve the explanation behind closure

The question to carry through the book

What changed in the condition that allowed the problem to occur?

Read across the system

Clause interpretation supports a working process. It does not require the organisation’s manuals, software modules or department structure to mirror the numbering of the standard. The links to other clauses in this book help preserve that systems perspective. [1, A.1, A.2]

10.1 Improve the system and its future capability

Required outcome

Continually improve QMS suitability, adequacy and effectiveness. Use monitoring, measurement, analysis, evaluation and management review to identify opportunities and address them through improvement. Actions include better processes and outputs, attention to future needs and prevention, correction or reduction of unwanted effects. [1, A.10.1]

Practical translation

Improvement can be incremental or involve a substantial change. It concerns the functioning of the system, not only the disposal of a defect. A useful proposal identifies the condition to improve, the intended result and the evidence that would justify the conclusion.

Application in the work

An engineering review identifies repeated ambiguity in customer specifications. An improvement can change the acceptance interface so ambiguous work is clarified before it enters production. The organisation should also consider future work and capability needs rather than limiting attention to today’s complaint.

Evidence and judgement

Connect the proposal to the information that revealed it. Define a proportionate baseline, responsible sponsor, suitable implementation controls and evaluation. Review the effect on conformity and customer satisfaction as well as the effort consumed. These are RPG implementation recommendations.

Avoid this mistake

Continual does not mean unbroken activity at every moment. ISO 9001 does not prescribe a project quota or require a formal corrective action for every improvement. In the supplied 2026 structure, continual improvement is 10.1, not 10.3.

Guidance referral

A.10.1 explains different forms of improvement. ISO 9004:2018 is a broader sustained success referral; ISO 10009:2024 supports selection of suitable quality tools. [5,4]

10.2.1 Respond investigate and verify the action

Required outcome

When a nonconformity occurs, react appropriately to control and correct it and deal with consequences. Evaluate whether action is needed to eliminate causes by reviewing the problem, determining causes and considering similar actual or potential issues elsewhere. Implement needed action, review corrective action effectiveness and update planning risks, opportunities or the QMS where necessary. Make the response appropriate to the effects of the problem. [1]

Practical translation

Correction addresses the particular detected problem. Corrective action addresses its cause to prevent recurrence or occurrence elsewhere. Containment limits exposure while the organisation establishes the position. A complete investigation separates what is observed, what is inferred and what remains untested.

Application in the work

A report is released using a superseded acceptance rule. Correct the affected report as appropriate and assess other potentially affected work. Investigate how the rule entered the review, why the control did not detect it and what organisational conditions maintained the weakness. Test a proposed cause against the evidence before selecting the action.

Evidence and judgement

An effectiveness review asks whether the relevant failure mechanism has been controlled under representative conditions. Examine both the changed control and a suitable period or sample of operation. If there are no further opportunities for the failure to occur, absence of recurrence alone provides limited evidence.

Avoid this mistake

The standard does not mandate five whys, an eight discipline report or a particular root cause tool. Human error, retraining and procedure revision can be relevant subjects, but none is automatically an adequate cause explanation or corrective action.

Guidance referral

A.10.2 clarifies proportionate investigation. APG nonconformity review guidance and ISO 10009 provide supporting referrals. [3,4]

10.2.2 Preserve the explanation behind closure

Required outcome

Keep documented evidence describing the nature of nonconformities and subsequent actions, together with the results of corrective action. [1]

Practical translation

The record should allow another reviewer to understand the problem, response and conclusion. The requirement does not prescribe a particular software workflow, but an unexplained closed status is a poor substitute for evidence about the action and its result.

Application in the work

For a revision control failure, preserve the applicable criterion, observed mismatch, affected work assessment, correction, cause evidence, chosen action and effectiveness result. Where further observation is necessary, distinguish implemented action from verified effectiveness. Make any remaining exposure and review point clear.

Evidence and judgement

A practical closure review asks whether the original gap is resolved, the cause claim is supported, similar exposure was considered and the effectiveness test answers the intended question. Assign a competent reviewer appropriate to the consequence. Independence can strengthen assurance but is not a universal separate verifier requirement in this subclause.

Avoid this mistake

A signature or uploaded photograph can demonstrate an activity without establishing its effectiveness. Do not invent retrospective evidence or convert a planned task into a completed record simply to meet a closure target.

Guidance referral

A.10.2 explains the contextual choice of approach. ISO 10002:2018 is a related referral where customer complaints reveal nonconformity. [6]

Apply the clause across the team

These responsibilities are recommended applications for the reader groups. The organisation still determines its own roles, competence and authority.

Reader	Contribution	Useful output
IMS manager	Maintain the link from the criterion and evidence to the cause and effectiveness conclusion.	A reviewable corrective action record and honest status.
Engineer	Test the technical mechanism and the effect of the proposed response.	A supported cause explanation and representative verification.
Leadership team	Address organisational conditions, resources and recurring exposure.	An authorised systemic response and review of whether it worked.

Use it in an integrated management system

One incident can reveal quality, safety, environmental and information security weaknesses. An integrated investigation can preserve common facts and coordinate actions, while keeping each applicable criterion and consequence clear. Closing one disciplinary action must not silently close an unresolved requirement in another system. Competent technical input remains necessary where a specialist mechanism is involved.

Connections that should remain visible

Related clause	Connection to this decision
Clauses 4 and 6	Learning can change context assumptions, risks and opportunities.
Clause 7	Competence, knowledge and information can be part of the cause or response.
Clause 8	Control affected outputs while assessing the wider system issue.
Clause 9	Analysis and management review help identify and evaluate improvement.

Engineering case The familiar answer of retraining

Fictional scenario for practical discussion

Fictional Alder Engineering releases a result using an old acceptance criterion. The first proposed corrective action is to remind the reviewer to check the revision. Investigation finds that the workflow supplies the older criterion by default and the release screen does not show the effective revision.

The reminder may support an immediate response, but it does not change the default or the visibility of the decision. Establish the affected population, review technical consequences and correct outputs as appropriate. Test whether the configuration and review interface explain the observed events.

The proposed systemic action changes the controlled source link and requires an appropriate revision check at the decision point. Verification should include normal work and a deliberately selected changed requirement in a safe test environment, followed by representative live evidence. Do not intentionally release an incorrect result to test the control.

The cause conclusion remains open to contradictory evidence. Record what the test demonstrates and any limitations. If a different failure route remains possible, address it proportionately rather than declaring that the problem can never recur.

Use the case with your team

Identify the applicable requirement, distinguish the observed facts from assumptions and decide what evidence would support the next action. Explain who has the authority and competence to make that decision. Discuss what would contradict your initial conclusion.

Your decision and the evidence still needed

Service case An action is closed before exposure returns

Fictional scenario for practical discussion

Fictional Westhaven Services changes a process following a complaint about an incorrect transfer of customer requirements. The action is marked effective after two quiet weeks, but no comparable new orders have passed through the changed interface.

The absence of another complaint has little evidential value when the triggering situation has not occurred. The team first verifies that the control has been implemented and can operate using a representative safe test. It then defines an observation point linked to comparable actual work.

Suppose a later fictional review finds two handover failures in 50 comparable jobs, against eight in 50 earlier jobs. The observed rates are four per cent and 16 per cent. The improvement is 12 percentage points, or 75 per cent relative to the earlier rate, but remaining failures still require assessment.

Check comparability and the seriousness of each exception before deciding on effectiveness. The appropriate status can be partly effective with further action, rather than either a perfect success claim or a return to the original unsupported closure.

Use the case with your team

Identify the applicable requirement, distinguish the observed facts from assumptions and decide what evidence would support the next action. Explain who has the authority and competence to make that decision. Discuss what would contradict your initial conclusion.

Your decision and the evidence still needed

Audit the decision and plan the response

The following prompts are practical aids. Define the audit criteria and scope using the applicable requirements and the organisation’s own arrangements. A prompt in this table is not a separate mandatory ISO requirement.

Subject	Question to test	Weak signal
Problem	What criterion was not met and what evidence establishes the gap?	A vague allegation or preferred method stated as a requirement.
Cause	What evidence supports the proposed mechanism?	Human error or retraining used without investigation.
Action	How does the response interrupt that mechanism?	A completed task with no connection to the cause.
Effectiveness	Did the test include representative exposure and limitations?	No recurrence reported where no relevant work occurred.

A focused implementation discussion

1. Select a recently closed action with a consequential failure mechanism.
2. Separate containment, correction, cause and corrective action.
3. Check whether similar exposure and contradictory evidence were considered.
4. Review the effectiveness basis and record whether closure remains justified.

Write a useful finding

Separate the criterion, what was observed and the resulting gap. Keep an improvement suggestion distinct from a nonconformity. Where immediate control is needed, use the appropriate operational authority rather than waiting for the audit report.

Record the next decision

Identify the responsible owner, the action or decision needed, the evidence of implementation and the test of effectiveness where relevant. Set timing proportionate to the issue. The organisation must determine what can proceed while uncertainty remains.

Cause to action reasoning

Reusable RPG worksheet for internal application

Complete for one defined process or decision. Reference supporting records rather than copying a whole report. The worksheet is a suggested method; its fields are not additional requirements.

1. Criterion observed evidence and affected population

2. Immediate containment correction and consequences

3. Cause hypothesis and evidence for or against it

4. Similar actual or potential exposure elsewhere

5. Action linked to the mechanism and responsible owner

6. Required changes to risks opportunities or the QMS

Completion check: can another competent reviewer understand the basis, authority and limitations of the decision?

Effectiveness and closure decision

Reusable RPG worksheet for internal application

Complete for one defined process or decision. Reference supporting records rather than copying a whole report. The worksheet is a suggested method; its fields are not additional requirements.

1. Intended change and acceptance basis

2. Implementation evidence and date

3. Representative test population or exposure

4. Results limitations and remaining failures

5. Competent review and authorised conclusion

6. Further action monitoring and review trigger

Completion check: can another competent reviewer understand the basis, authority and limitations of the decision?

References and publication information

Official publication records and public guidance checked on 8 November 2026. The referral notes identify scope and appropriate use; they are not full reviews of the supporting standards. Obtain the full publication where it is needed.

[1] ISO 9001:2026 Quality management systems Requirements
Primary clause basis: the supplied standard text and its informative Annex A. Open official record

[2] ISO/TS 9002:2016 Guidelines for the application of ISO 9001:2015
Earlier edition implementation guidance; check compatibility with 2026. Open official record

[3] ISO 9001 Auditing Practices Group
Supplementary audit papers, many for the 2015 edition. Open official record

[4] ISO 10009:2024 Guidance for quality tools and their application
Guidance referral for choosing and applying quality tools. Open official record

[5] ISO 9004:2018 Guidance to achieve sustained success
Broader organisational development and assessment referral. Open official record

[6] ISO 10002:2018 Guidelines for complaints handling
Guidance referral for the complaints handling process. Open official record

[7] ISO 9000:2026 Quality management Fundamentals and vocabulary
Normative vocabulary referral identified by ISO 9001. Open official record

[8] ISO 9000 Glossary Guidance on selected words 2025
Supporting language clarification. Use formal definitions where applicable. Open official record

Rights and use

Copyright 2026 RPG Excellence. First expanded edition, November 2026. Standalone digital publication price £4.99. Purchasers may copy and adapt the two worksheets and print the poster annexes for internal use within their own organisation, retaining attribution. This permission excludes resale, public redistribution and inclusion in a commercial template library. Third party materials retain their own rights.

Independent commentary, not issued or endorsed by ISO, BSI or a certification body. This publication is not the standard and purchase does not confer certification. It expands the RPG collected technical insights series without reproducing the licensed normative text.

Published by RPG Excellence | info@rpgexcellence.com | www.rpgexcellence.com

From containment to verified closure

Practical prompts for applying the requirements. Read with the publication and the licensed standard.

01

Containment

Limit the potentially affected exposure.

02

Correction

Resolve the particular detected problem.

03

Cause

Explain the mechanism using evidence.

04

Corrective action

Change the condition that permits recurrence.

05

Effectiveness

Test whether the response works under relevant conditions.

06

Closure

Record the supported conclusion and any remaining exposure.

RPG recommended practice. These prompts do not add ISO requirements.

Copyright 2026 RPG Excellence. Internal printing permitted with attribution.

The effectiveness review

Practical prompts for applying the requirements. Read with the publication and the licensed standard.

01
Criterion

What result would justify the proposed conclusion?

02
Exposure

Has the relevant operating situation actually occurred?

03
Evidence

Does the test challenge the failure mechanism?

04
Comparison

Are the definitions and populations comparable?

05
Limitations

What remains uncertain or unresolved?

06
Decision

Close, continue observation or require further action.

RPG recommended practice. These prompts do not add ISO requirements.

Copyright 2026 RPG Excellence. Internal printing permitted with attribution.