RPG EXCELLENCE
MANAGEMENT SYSTEMS & BUSINESS ASSURANCE
SAFETY • ENVIRONMENT • SECURITY • RESILIENCE

RPG EXCELLENCE

Decoding Environmental Aspects

Climate biodiversity and life cycle decisions for ISO 14001 2026



A practical workbook for environmental managers, QHSE leaders and operational teams

From a listed aspect to a control you can test

First edition | November 2026

www.rpgexcellence.com

Using this publication

Choose one real process and work through its environmental decisions from beginning to end.

This workbook helps you identify environmental interactions, decide which need attention, specify operational controls and check whether those controls work. It is designed for organisations that already have an environmental management system, or are developing one, and need a practical method for improving the quality of their decisions.

The central task is straightforward: take an aspect that matters and trace it through to a named owner, a workable control, an evidence source and a review decision. A longer register is not the intended result.

Technical basis

ISO lists ISO 14001:2026 as the fourth edition, published in April 2026. [1] This is independent practitioner guidance informed by public primary sources. It does not reproduce the standard or provide a complete interpretation of every requirement. Use a licensed copy of the applicable standard to assess conformity and agree certification transition arrangements with your certification body.

The scoring method, thresholds, examples, worksheets and 90-day programme are RPG suggested practices. They are not additional ISO requirements. Environmental laws, permits, consents and reporting duties depend on location and activity. England-specific illustrations are identified; check the competent regulator for every jurisdiction in which you operate.

How to work through it

Bring together an operational owner, someone who understands the environmental obligations, and a person who can challenge the evidence. Use pages 4 to 17 to review the process, pages 18 and 19 to test your interpretation of results, and pages 22 to 26 to record your own decisions.

All organisations, process records, costs, scores and numerical results in the worked examples are fictional. They are teaching examples, not customer results, validated benchmarks or promised savings.

Contents and working route

Use the chapters as a working sequence or go directly to the decision you need to make.

Page	Subject
4	What the 2026 edition changes for this task
5	Define the process and your influence
6	Describe the environmental interaction
7	Separate operating conditions
8	Assess climate in both directions
9	Make biodiversity relevant to the location
10	Use a life cycle perspective
11	Choose defensible significance criteria
12	Calibrate the method with examples
13	Evaluate obligations with evidence
14	Specify controls and supplier expectations
15	Plan changes before implementation
16	Test environmental emergency arrangements
17	Measure performance and qualify claims
18–19	Worked case on water use and waste
20	Audit the complete evidence trail
21	A 90-day implementation programme
22–26	Five reusable worksheets
27–28	References and publication information
29–30	Four branded guidance posters

For an inherited register: start at page 5, sample one significant aspect, and use the audit questions on page 20. For a new process or changed supplier: start at page 15. For an improvement claim: start at pages 17 to 19.

The deliverable is an explainable decision supported by records. Worksheets can be copied into your own controlled system under the internal-use permission on page 28.

What the 2026 edition changes for this task

Review the substance of environmental decisions before changing document headings.

ISO's public explanation of the 2026 revision highlights a broader environmental context, including climate, ecosystems, pollution and resource availability. It also describes clearer links between aspects, obligations and actions, stronger oversight of external provision, and planning of changes in Clause 6.3. [2] These themes make this a useful time to examine how your organisation chooses and maintains its operational controls.

Start with an operational question

Take a receiving yard that stores cleaning chemicals and waste. Its register may already include spills. The useful review asks whether heavier rainfall, altered deliveries, a changed drainage connection or a new waste contractor changes the credible route to harm. A newly added word such as biodiversity does not answer that question.

Do not assume every environmental topic needs its own programme or that every existing control is deficient. Record the evidence for relevance, the decision and the trigger for reconsidering it. A reasoned finding that an issue has limited relevance is more useful than a generic commitment with no owner.

Keep three assessments distinct

Environmental significance concerns the importance of an interaction and its potential impact. Compliance evaluation concerns whether applicable obligations are being met. Business risk concerns effects on the organisation, such as interruption or loss of supply. The assessments inform one another, but a low business cost does not make environmental harm acceptable.

Question	Useful output
What has changed around us?	A location-specific context review
How can our work affect the environment?	An aspect and impact description
What must or have we committed to do?	An applicable obligation and evidence test
What decision follows?	A control, owner, resource or review trigger

Practical task: select one current significant aspect and ask the process owner to show the control in use. Keep a note of any difference between the written register and the actual operation.

Define the process and your influence

A meaningful assessment begins with an activity, a location and a decision you can influence.

“Manufacturing” is usually too broad to assess usefully. “Transferring cleaning solution from the delivery vehicle into the wash-line tank at Site A” identifies a specific operation. It allows the team to inspect the transfer connection, drainage, supervision and supplier responsibilities.

Set boundaries before collecting scores. Include the process start and end, operating hours, physical areas, products or services, and interfaces with other parties. Identify shared facilities and landlord responsibilities. An outsourced activity can still involve decisions your organisation controls, such as the specification, location, timetable or acceptance criteria.

Distinguish control from influence

Control means you can directly determine how an activity is performed within the relevant arrangement. Influence means you can affect another party’s decision through design, purchasing, contracts, information or collaboration. Limited influence should be described accurately; it is not a reason to ignore a credible impact.

Example interaction	Decision available	Evidence to request
Chemical transfer on your site	Approve location and transfer method	Observed transfer and approved method
Waste treatment by a contractor	Select route and specify acceptance conditions	Authorisation and destination evidence
Product use by a customer	Change design and instructions	Validated design assumptions and instructions
Electricity at a leased office	Agree landlord metering and improvement actions	Lease responsibilities and meter boundary

Make boundaries visible

Use a simple site or process sketch showing incoming materials, energy and water, activities, outputs, drainage and off-site destinations. Walk the route with an operator and a maintainer. Ask what happens during cleaning, shutdown and out-of-hours work. These conversations often reveal interfaces that a desk review misses.

Record one owner for each control, even where delivery is shared. “Facilities and the contractor” does not identify who must check that the agreed arrangement is operating.

Describe the environmental interaction

Write the mechanism clearly enough that someone else can challenge it.

In this workbook, an aspect is the part of an activity, product or service that interacts with the environment. An impact is the resulting environmental change. These are plain-language working explanations, not quotations from the standard. Avoid using a topic such as “waste” as the whole description.

For a possible release, connect a source, a route and a receptor. The Environment Agency uses this structure in environmental permit risk assessment. [3] The original example below applies the logic to a fictional cleaning area.

Element	Worked description
Activity	Moving a container of spent cleaning fluid
Aspect	Potential release of contaminated liquid
Source	Damaged valve or unsecured transfer connection
Pathway	Yard fall and surface water drainage
Receptor	A downstream stream and its aquatic habitat
Potential impact	Deterioration of water quality and harm to aquatic life

An impact can have several pathways. A spill may reach water through a drain, soil through damaged paving, and an off-site receptor through contaminated firewater. Do not stop the assessment at the site fence.

Apply the right model

Not every interaction is a spill. For resource use, describe what is consumed, where it comes from and what drives demand. For greenhouse gases, describe the emitting activity and accounting boundary. For noise or light, describe the source, exposure and sensitive location. For habitat change, describe the place and ecological function affected.

The description should support a choice. “Potential contaminated discharge from the external wash area to the stream through drain D4” suggests inspection and containment tests. “Water pollution” does not.

Evidence to retain: process observations, photographs or drawings, drainage verification, material information, location data and the reasoning behind any excluded pathway. Mark uncertain connections for investigation rather than treating them as safe.

Separate operating conditions

Assess what happens when the normal arrangement is interrupted.

A control that works during steady production may not work during startup, cleaning, maintenance or a delivery failure. Separate these conditions when the source, exposure, consequence or required response changes. Use linked entries rather than forcing unlike situations into one score.

Condition	Fictional scenario	Assessment focus
Normal	Scheduled wash cycles discharge through the approved collection system	Volumes, composition and authorised route
Abnormal	The collection pump fails during cleaning	Overflow route, alarm and shutdown
Emergency	Fire or vehicle impact damages stored containers	Release pathways, firewater and safe response
Planned change	A different detergent is trialled	Composition, compatibility and discharge conditions

Describe a credible scenario

Use the inventory, equipment arrangement, location and operating record. An emergency scenario should be plausible enough to plan for and sufficiently demanding to test the arrangements. Do not choose an arbitrary catastrophic event simply to generate a high number.

Consider concurrent failures where there is a credible common cause. A power loss can stop a pump and disable an alarm. Flooding can obstruct vehicle access and damage stored materials. If two controls depend on the same power supply or person, they may not provide independent protection.

Keep the assumptions open to challenge

Record the duration, quantity or exposure assumption. If the maximum inventory is unknown, obtaining it is an action. If a drain isolation valve is described as a control, establish where it is, who can reach it and whether it is maintained. An assumption about capability is not evidence of capability.

Review the assessment when inventories, operating hours, drainage, contractors, equipment or local conditions change. A scheduled review can provide a useful backstop; it should not be the only trigger.

Practical task: ask an operator what they do when the primary environmental control stops working. Compare that answer with the approved response and the actual resources available.

Assess climate in both directions

Consider emissions from your activities and the effect of climate conditions on your controls.

Mitigation

Identify activities that generate greenhouse gas emissions or influence energy and material demand. Begin with fuel, electricity and the value-chain activities that matter to the process. A site electricity bill alone does not describe an organisation's complete climate impact.

GHG Protocol provides separate guidance for corporate inventories, purchased energy and value-chain emissions. [4] Use the appropriate current method for your reporting purpose. Define the boundary, activity data, factors, factor year and treatment of estimates. An aspects review does not by itself create a complete verified greenhouse gas inventory.

Adaptation

Ask how heat, rainfall, flooding, drought or storms could change operating conditions and weaken an environmental control. In the cleaning-area example, intense rainfall might mobilise contamination or overwhelm collection capacity. A drought might restrict an assumed water supply. These require different decisions from reducing electricity consumption.

For a flood response, the Environment Agency's business checklist covers action triggers, responsibilities, protection measures and continuity arrangements. [5] Translate relevant local information into a site decision: what changes, at what trigger, and who has authority to act?

Climate issue	Decision to examine	Proof to seek
High rainfall at external storage	Relocate stock or improve engineered containment	Design basis and inspection results
Higher cooling demand	Review capacity and energy use together	Metered demand and operating conditions
Water supply restriction	Change cleaning or production arrangements	Quality checks and authorised water routes

Use site-specific information and an appropriate time horizon. A temporary work area and a long-life building investment need different assumptions. Treat missing climate data as uncertainty to manage, not as evidence that the issue is irrelevant.

Record mitigation and adaptation actions separately where their purposes differ. Check whether an adaptation measure increases energy use, water demand or waste elsewhere.

Make biodiversity relevant to the location

Start with the place, its ecological features and the organisation's dependency or impact.

A general statement about biodiversity says little about a particular site. Locate the activity, identify nearby or connected habitats and consider the pathways by which operations may affect them. In England, official protected-area information provides an initial screening route. [6] A map is a starting point, not an ecological survey or permission to undertake work.

Consider water discharges, land disturbance, lighting, noise, dust, vegetation management and material sourcing where they are relevant. The dependency question is different: does the process rely on water availability, soil condition, flood regulation or another service provided by nature?

Use evidence appropriate to the decision

For a planned change near a sensitive location, seek competent ecological and regulatory advice before setting controls. Do not infer that an unprotected site has no ecological value, or that a small footprint has no material impact. Record the season, scope and limitations of any observation or survey.

TNFD's LEAP guidance offers a structured approach to identifying nature-related dependencies, impacts, risks and opportunities. Its current published guidance is version 2.0, October 2026. [7] It is a voluntary assessment resource in this workbook, not an ISO certification requirement.

Fictional location	Question worth asking	Possible management response
Yard draining to a stream	Could runoff carry cleaning residues?	Verify drainage and prevent release
Night-lit service compound	Does lighting affect a sensitive habitat?	Obtain advice and review lighting design
Water-intensive supplied material	Where is it sourced and what is the exposure?	Investigate source information before substitution

Prioritise preventing and reducing the identified harm. A planting project does not demonstrate that a discharge, habitat disturbance or sourcing impact has been controlled. Any claim of ecological improvement needs an appropriate baseline, method and observation period.

Useful output: a location-specific decision with the evidence, uncertainty, accountable owner and trigger for reassessment. Use Worksheet 1 on page 22.

Use a life cycle perspective

Look beyond the operation without pretending to control every stage.

Review the stages before and after your own process that could change an environmental decision: raw materials, design, purchasing, transport, use, maintenance and end of life. Ask where you can control an activity or meaningfully influence another party.

ISO's published life cycle guidance explains that a life cycle perspective need not involve a detailed life cycle assessment. That guidance originated with the 2015 edition. [8] A formal comparative life cycle assessment is a separate technical exercise; use current applicable standards and competent advice when one is needed.

Stage	Fictional cleaning-service decision	Evidence to consider
Purchasing	Compare ready-mixed and concentrated product	Composition, packaging, transport and dosing
Delivery	Reduce failed or unnecessary deliveries	Load data and delivery records
Use	Introduce controlled dosing and rinse reuse	Trials, water data and product quality
End of life	Confirm how the spent solution is managed	Composition, authorised route and acceptance

Avoid moving the problem

A concentrate may reduce packaging and transport but increase the consequence of an uncontrolled spill. Reusable packaging may reduce disposals but need more washing. A lower-water process may create a more concentrated waste stream. These are questions to investigate, not reasons to reject every change.

Make the comparison on a consistent functional basis: for example, a specified number of conforming cleaned batches, rather than one container of product. Confirm the service delivered, lifetime, geography and assumptions before making a comparative claim.

Where supplier data are limited, identify the uncertainty and choose a proportionate next step. A targeted trial or a request for source-specific information may be more useful than a supplier questionnaire containing hundreds of unrelated questions.

Practical task: select one proposed purchase and write down one upstream and one downstream consequence that could alter approval. Record who can obtain the evidence and when a decision is needed.

Choose defensible significance criteria

Use a method that makes the environmental reasoning visible.

The following is an RPG example method, not a prescribed ISO matrix. It separates environmental significance from the current effectiveness of controls. Adopt it only after checking that it fits your operations and obligations.

Determine the consequence first

Describe a credible impact scenario before applying the assessed controls. Use environmental severity, scale, duration, reversibility and receptor sensitivity. Assign severity S from 1 to 5 with locally agreed anchors: 1 for minor readily reversible effects, 3 for material effects needing intervention, and 5 for severe, extensive or persistent harm. Define intermediate levels in your own method.

Assess likelihood on a stated basis

For event scenarios, assign likelihood L from 1 to 5 over a stated period. Use operating frequency, failure history and relevant technical evidence. Define what rare, plausible and recurrent mean for your process. For routine consumption or emissions, likelihood is usually 5 because the interaction occurs; investigate quantity and significance rather than describing the activity as unlikely.

Calculate S × L. In this example, a score of 12 or more is significant. A severity of 5 also makes an aspect significant regardless of the product. Document any site-specific environmental sensitivity criterion. Keep a separate priority flag for actual or suspected noncompliance, failed critical controls or credible urgent harm. These flags require action regardless of the numerical score.

Then evaluate control effectiveness

Estimate current residual risk only where control performance is supported. Record the evidence and its limitations. Do not automatically remove significance because an effective control reduces likelihood: that can remove the very attention that keeps the control working. Retain significant status in this example until a justified review changes the underlying interaction.

Use a separate process to assess beneficial opportunities, considering expected environmental benefit, feasibility, resources and unintended effects. A positive opportunity does not cancel a harmful impact or an unmet obligation.

Before use, calibrate the method with operators and environmental specialists. If similar assessors reach different priorities, resolve the descriptions and assumptions before scoring the rest of the register.

Calibrate the method with examples

Compare the assumptions as well as the numbers.

These fictional scores illustrate the page 11 method. They are not sector benchmarks. “Before control” refers to the stated scenario without credit for the assessed controls. Each site needs its own severity and likelihood anchors.

Scenario	S	L	Decision before control
Cleaning-fluid spill can reach a sensitive stream	5	2	10; significant through severity override
Continuous water demand in a constrained catchment	3	5	15; significant through threshold
Small office paper use with limited local consequence	1	5	5; not significant by this method
Occasional low-volume activity with an overdue mandatory test	2	2	4; compliance priority still requires action

Explain the spill decision

The first scenario is significant despite a score below 12 because credible severe harm triggers the override. With engineered containment, verified isolation and an observed transfer procedure, the assessed current likelihood might fall to 1. The residual score would be 5. The aspect remains significant under this example method, and control verification continues.

Explain the routine-use decision

Water consumption occurs during each operating cycle. A low frequency score would be misleading. The relevant questions include the volume, available supply, catchment conditions, authorisation where applicable and ability to improve efficiency. A severe supply dependency may also create a separate business continuity risk.

Do not hide an obligation in an average

An overdue required test cannot be averaged away by good performance elsewhere. Determine the legal position and immediate response through the responsible competent person. Record the finding, action and evidence of resolution. Do not describe a suspected breach as compliant while an investigation is outstanding.

A useful calibration meeting ends with agreed anchors, one or two boundary examples, a defined approval role and a rule for handling uncertainty. Keep the reasoning with the method so that a future reviewer can understand why the threshold was chosen.

Evaluate obligations with evidence

A register of legislation is an index; evaluation needs a conclusion supported by records.

Identify the jurisdiction, activity, applicable requirement, accountable owner and evidence needed to judge compliance. Include relevant permits, consents and other commitments as appropriate. Use the actual instrument and current regulator guidance rather than relying on a generic list of legislation.

In England, official guidance directs businesses to establish whether their activities need environmental permits or licences before operating. [9] The answer depends on the activity and conditions. Certification does not replace an authorisation or determine whether a particular activity is lawful.

Use a specific evidence test

A hypothetical consent may limit discharge composition, require monitoring and specify reporting arrangements. Evaluation means checking representative results, methods, dates, exceedances and required notifications against the actual consent. Keep the evidence reference, evaluator, date, conclusion and follow-up. Where evidence is missing, describe the uncertainty and action; do not record an unsupported positive conclusion.

Current example for England and Wales

As checked on 5 November 2026, Defra guidance says permitted or licensed receivers of controlled waste in England and Wales must use the Report receipt of waste service from 1 October 2026, subject to the guidance's stated exclusions. Records generally need submission within two working days, with the clock starting the day after receipt. Existing transfer and consignment documentation continues where required. [10] This is a receiver-specific obligation, not a blanket new reporting duty for every waste producer.

The practical lesson is to determine who performs the regulated activity, what data they need, who checks submission and what happens when records fail. Do not assume a contractor's software removes your organisation's applicable responsibilities.

Evaluation field	Example of useful detail
Requirement	Exact permit condition, duty or commitment
Evidence	Result, submission, inspection or authorisation reference
Conclusion	Met, not met, or not yet demonstrated with reasons
Follow-up	Responsible person, due date and verification record

Set the review frequency according to obligations and risk. Bring changes in law, permits, process and evidence failures into the review before the next scheduled cycle.

Specify controls and supplier expectations

Write what must happen and how you will know it happened.

“Staff trained” or “contractor approved” is rarely a complete operational control. Specify the operating condition, the limit or method, the owner and the response to failure. Prefer preventing a release or reducing demand at source where feasible; support engineered measures with maintenance, competence and supervision.

For the fictional transfer operation, a control might require transfer only at an approved contained point, using compatible connections, with a competent person present and an identified stop condition. The exact design and operating limits need competent assessment. A spill kit is a response resource, not proof that a release cannot occur.

Control element	Question that tests it
Operating rule	What may proceed, under which conditions?
Ownership	Who checks before use and who can stop the work?
Capability	Does the equipment suit the substance and scenario?
Verification	What inspection or test demonstrates performance?
Failure response	What must change when the control is unavailable?

Purchase the environmental outcome you need

Translate relevant expectations into specifications, contracts, work instructions and acceptance checks. For a waste service, establish the described material, authorised route, responsibilities for records and arrangements for exceptions. For a maintenance service, include control of residues and access to the correct collection route. Request evidence proportionate to the actual risk.

A supplier’s certificate can be useful background. It does not establish that a specific waste route, discharge or work method is acceptable. Equally, do not impose blanket certification requirements on every supplier without a reasoned purchasing decision.

Check the interface

Observe a delivery or contractor task. Ask both parties who checks the location, controls and records. Resolve conflicting assumptions before the activity begins. Keep the relevant requirements in the documents used at the workface rather than only in the environmental manager’s register.

Useful output: a concise control specification with acceptance criteria and a named person who can act when those criteria are not met. Use Worksheet 4 on page 25.

Plan changes before implementation

Environmental review should influence approval while options are still open.

Use change planning for a new substance, modified equipment, changed hours, temporary storage, a replacement supplier, altered drainage or a different waste route. ISO's public summary identifies planning of changes in Clause 6.3. [2] The practical record below is an RPG implementation approach, not a required form.

Examine the proposed state

Describe what will change, why, where and for how long. Compare the proposed operation with the current assessment. Revisit normal, abnormal and emergency conditions, life cycle consequences and applicable obligations. Identify who must approve technical, environmental and operational conditions before use.

For a detergent trial, request composition and compatibility information, confirm the intended discharge or collection route, and establish what quality and environmental data will be measured. A substitution marketed as greener may still change waste classification, concentration or equipment performance.

Approval point	Evidence before release
Technical suitability	Trial plan, compatibility and quality acceptance
Environmental acceptability	Updated interaction and impact assessment
Obligations	Applicable conditions and any approval needed
Operational readiness	Controls installed, responsibilities understood
Verification and rollback	Review date, acceptance measures and stop conditions

Control temporary and emergency changes

Set an expiry date and owner for a temporary arrangement. Record the authority for emergency decisions and arrange prompt review. A temporary container location can become permanent without ever being assessed if nobody owns the end date.

Close the change on evidence

After implementation, verify that the intended controls operate and that unanticipated impacts have not emerged. Update drawings, instructions, competence needs, records and the aspects assessment. Closure should identify what was checked and what remains open; commissioning or purchase completion alone does not demonstrate environmental effectiveness.

Use Worksheet 3 on page 24. Link the change record to actions and incident findings so that lessons reach future purchasing and design decisions.

Test environmental emergency arrangements

A plan is useful when people can act safely under the actual conditions.

Base the exercise on a credible scenario from the assessment. Choose one that challenges a significant pathway, an out-of-hours interface or a dependency such as power, communications or contractor availability. Agree safe exercise boundaries and never deliberately release pollutants.

Example exercise for the cleaning area

A simulated damaged container is reported near the external collection point during heavy rain. The shift team must identify the substance, protect people, assess the potential route and initiate the approved response. Use exercise cards or clean substitutes in a safe setup; do not test by contaminating a drain.

The objectives might be to verify that the person on shift can find the current drain plan, raise the alarm, contact the authorised decision maker and demonstrate the approved isolation arrangement. Any technical containment or intervention must follow the site's safe system of work. Do not direct an untrained person into floodwater, a contaminated area or an unsafe confined location.

Observation	Evidence to record
Recognition and escalation	What was identified and when the alarm was raised
Control access	Whether the equipment and information were available
Communication	Whether responsibilities and messages were understood
Protection of receptors	Whether the approved route-control method was practicable
Recovery	How waste, restart and follow-up would be managed

Government pollution-prevention guidance highlights the importance of known drainage arrangements and suitable incident planning. [11] Your exercise should test the site-specific arrangements and the notification requirements that actually apply, using the current emergency contacts and relevant authorisations.

Turn observations into decisions

Differentiate between a missing document, an unavailable control and an unclear decision role. Assign actions and verify that the corrected arrangement works. Repeat a targeted part of the exercise where necessary. A completed attendance sheet is evidence of participation, not evidence that the response would protect the environment.

Keep the scenario, objectives, observations, limitations and follow-up. Exercise conditions seldom reproduce the full consequences of a real incident; describe that limitation when judging readiness.

Measure performance and qualify claims

Use a defined boundary, comparable data and a measure of unintended effects.

Start with the decision the measurement needs to support. To judge rinse efficiency, measure the relevant water volume and conforming output. To judge a discharge control, use the parameters and sampling arrangements appropriate to the authorisation and technical risk. A count of completed inspections measures activity; it does not by itself demonstrate reduced pollution.

Build a small measurement set

Measure	What it tells you	Important limitation
Absolute demand or release	Total environmental pressure within the boundary	Can change when output changes
Intensity per conforming output	Resource or waste associated with a comparable service	Can improve while total pressure increases
Control performance	Whether the required arrangement operates	Implementation is not the final impact
Balancing measure	Whether a benefit transfers harm elsewhere	Requires its own reliable data

Define units, meter or data source, collection frequency, numerator, denominator and responsible person. Reconcile unusual readings with operations. Note estimates, missing records, product mix, seasonal effects and measurement uncertainty. Compare like periods or explain the adjustment rather than removing inconvenient data.

State only what the evidence supports

A narrow claim about a measured process is often more defensible than a broad environmental label. The CMA's Green Claims Code checklist stresses accuracy, clear scope, credible evidence and the wider life cycle context of a claim. [12] Apply the rules relevant to your market and obtain appropriate review before publishing.

If water use falls but concentrated waste rises, report both. If pollutant mass was not measured, do not infer that a smaller liquid volume means a lower pollutant load. An apparent improvement during one trial may justify further work without establishing a sustained result.

Use the fictional case on the next two pages to practise separating absolute change, intensity change, output adjustment and financial effects. The disciplined conclusion may be to continue the trial rather than announce success.

Worked case on water and waste

A fictional component-cleaning trial produces a useful result and an unresolved trade-off.

A fictional engineering service company trials staged rinsing and controlled dosing. The assessment identifies water demand, spent concentrate, potential releases and the authorised disposal route. The trial covers the same cleaning line in two comparable four-week periods. All batches in the table met the same acceptance criteria; no rejected output is excluded.

The team records submeter readings and waste weights. Product mix and cleaning specification are held similar for the example. In real use, test those assumptions and consider weather, rework, downtime and data uncertainty. No conclusion about pollutant mass is possible because concentration and load data are not available.

Measure	Baseline	Trial
Conforming batches	400	450
Water used	120 m3	108 m3
Water per conforming batch	0.30 m3	0.24 m3
Spent concentrate collected	600 kg	720 kg
Concentrate per conforming batch	1.50 kg	1.60 kg

Calculate the water result

Absolute water use falls by 12 m3: (120 − 108) ÷ 120 = 10%. Water intensity falls from 0.30 to 0.24 m3 per batch: (0.30 − 0.24) ÷ 0.30 = 20%. The baseline intensity applied to 450 batches gives an illustrative comparison of 135 m3. Against that output-adjusted comparator, the trial used 27 m3 less water.

Examine the balancing measure

Absolute concentrate mass rises by 120 kg, or 20%. Its intensity rises by about 6.7%: (1.60 − 1.50) ÷ 1.50. At the baseline intensity, 450 batches would correspond to 675 kg. The trial records 45 kg more concentrate than that comparator. A lower water figure is therefore not enough to claim an overall environmental benefit.

Decision for discussion: continue investigation under the approved trial controls, establish the reason for increased concentrate and confirm the disposal and discharge implications. Do not relax controls or approve full rollout solely because the water-intensity target was met.

Interpret the result before approving rollout

The financial and environmental conclusions need their own evidence.

For illustration only, assume the relevant variable combined water charge is £3.20 per m3 and the additional concentrate disposal charge is £0.90 per kg. Assume an extra £20 of consumables for the trial period. These invented rates are not market prices. Confirm actual invoice structure, fixed charges, sewer allowances and acceptance terms before using this approach.

Output-adjusted comparison	Calculation	Illustrative value
Water cost avoided against comparator	27 m3 × £3.20	£86.40
Additional concentrate disposal cost	45 kg × £0.90	£40.50
Additional consumables	Recorded trial assumption	£20.00
Indicative contribution before other costs	£86.40 − £40.50 − £20.00	£25.90

This £25.90 is a modelled output-adjusted contribution, not demonstrated cash saved against the earlier bill. It excludes labour, capital, maintenance, extra energy and any changed treatment costs. Do not annualise it from one short trial without evidence of repeatability and the relevant operating cycle.

Make a bounded environmental statement

A supportable description is: “In this fictional four-week trial, the cleaning line used 20% less water per conforming batch and 10% less water in total. Concentrate mass per batch increased by about 6.7%. The team is assessing composition, treatment and repeatability before deciding whether to roll out the change.”

Record an approval decision

The operational sponsor can authorise a further controlled trial with an agreed review date. Assign the process engineer to investigate concentrate generation, the environmental lead to check the applicable route and obligations, and Finance to validate the cost model. Agree what evidence would support rollout, modification or withdrawal.

A useful next test measures the parameters needed to evaluate the waste trade-off and confirms quality and control performance. Keep original readings, weighing records, product mix and assumptions. If the comparative periods are not sufficiently comparable, state that the data are descriptive and avoid presenting the output adjustment as a proven causal effect.

Audit the complete evidence trail

Follow one environmental decision through the work rather than sampling documents in isolation.

Select a significant aspect and a recent change, then trace the connection between assessment, obligation, control, records and management response. Define the audit scope and criteria using the organisation's applicable requirements. The questions below are an RPG aid and do not replace a complete audit programme.

Audit question	Evidence worth examining
Does the assessment describe the actual activity?	Observation, process boundaries and operator explanation
Are the pathway and receptor credible?	Drawings, location information and verified assumptions
Were abnormal and emergency conditions examined?	Scenarios and linked response arrangements
Was significance decided consistently?	Criteria, reasoning, overrides and approval
Are obligations specific to the activity and place?	Applicable instruments, conditions and named owner
Does the control operate during the relevant shift?	Direct observation and representative records
Can a contractor explain its responsibilities?	Work instructions, interface checks and exceptions
Was a recent change reviewed before use?	Approval, trial conditions and post-change review
Do performance data include a balancing measure?	Original records, definitions and comparison basis
Did management act on unresolved exposure?	Decision, authority, resources and follow-up

Write a finding that can be acted on

Separate the criterion, observed evidence and resulting gap. Avoid presenting a personal preference for a particular spreadsheet or scoring matrix as a requirement. Where the risk needs immediate control, escalate through the appropriate operational arrangement while maintaining an accurate audit record.

Closure should demonstrate the corrected control and address why the gap occurred where corrective action is required. A revised register may be part of the response; it does not show that the workface condition changed.

Useful output: an evidence trail that allows a different reviewer to reconstruct the decision and understand what remains unresolved. Use Worksheet 4 for control checks and Worksheet 5 for the management decision.

A 90 day implementation programme

Improve a manageable scope and test the result before expanding it.

This is a suggested programme for an organisation with an existing EMS. Adapt the timing to the risk, authority, resources and any regulatory deadlines. Urgent environmental harm or an unmet obligation requires the appropriate immediate response rather than waiting for a programme milestone.

Period	Work to complete	Decision or deliverable
Days 1 to 15	Agree sponsor and scope; walk the process; confirm locations, conditions and records	Defined process, owner and evidence gaps
Days 16 to 30	Review context, life cycle stages, obligations and significance criteria	Priorities approved with reasons
Days 31 to 45	Specify controls; resolve contractor interfaces; assess planned changes	Approved controls and readiness checks
Days 46 to 60	Implement authorised actions and collect baseline or trial data	Evidence of operation and measurement quality
Days 61 to 75	Test a key control and emergency arrangement; examine trade-offs	Verification results and unresolved issues
Days 76 to 90	Audit the evidence trail and present the management decision	Continue, adjust, expand or stop with follow-up

Choose a sponsor with decision authority

An environmental specialist can coordinate the method and challenge the evidence. The process owner needs to control the operation, resources and implementation. Purchasing, Facilities, Finance and technical specialists should participate where their decisions affect the result. Avoid assigning all actions to the person who maintains the register.

Hold a focused evidence discussion

Ask what changed, which record supports that conclusion and what could still invalidate it. Discuss overdue decisions and weak controls before presentation formatting. If the observation period is too short, retain suitable controls and specify the next review rather than declaring success.

At the final review, record the authorised decision, residual exposure, outstanding obligations and next trigger. A 90-day improvement programme can strengthen an EMS; completion is not proof of conformity with the whole standard or of long-term environmental improvement.

Worksheet 1 Context and location review

Complete one sheet for the process and location under review.

Process location and review team

Identify the operating boundary, responsible owner and contributors.

Environmental conditions and dependencies

Consider climate, resource availability, pollution, habitats and ecosystem conditions that could alter a decision.

Evidence and its limitations

Reference maps, surveys, operational records, supplier information or competent advice. Include dates and uncertainty.

Relevant impact and control decisions

Explain which activities, pathways or dependencies need further assessment and why.

Issues with limited current relevance

Record the reasoned conclusion and what would trigger reconsideration.

Approval and next trigger

Name the decision maker, date and event or review point.

Completion check: a topic name alone is not a relevance assessment. Keep the location and mechanism visible.

Worksheet 2 Aspect and significance record

Use a separate record when conditions or the impact mechanism change materially.

Activity operating condition and life cycle stage

Describe what happens, where, and whether your organisation controls or influences the activity.

Aspect impact and mechanism

Identify the interaction, resulting change and source, pathway and receptor where relevant.

Significance decision and reasoning

Identify the approved method, severity, likelihood basis, timeframe, threshold and any override. Record uncertainty.

Obligations and priority flags

Reference applicable conditions and separately identify urgent harm, suspected noncompliance or failed critical controls.

Existing controls and evidence

Describe who does what, the acceptance criterion and proof of control performance. State residual risk assumptions.

Action owner and review

Record the authorised action, accountable owner, due date and reassessment trigger.

Completion check: do not remove a significant aspect simply because the controls that manage it are working.

Worksheet 3 Environmental change review

Complete before approving the changed operation and revisit after implementation.

Proposed change and purpose

Identify the current and proposed state, location, duration and accountable sponsor.

Environmental review

Record effects under normal, abnormal and emergency conditions, including upstream and downstream consequences.

Obligations and specialist input

Identify approvals, consents, competent advice and changes to conditions or commitments.

Release conditions and stop criteria

Describe required controls, resources, responsibilities, trial limits and circumstances requiring suspension.

Verification plan and rollback

Define the measures, balancing checks, observation period and safe return arrangements.

Approval and post implementation review

Record authority, date, findings, outstanding actions and temporary-change expiry if applicable.

Completion check: purchase approval, installation and effective environmental control are different decisions. Link the supporting records.

Worksheet 4 Operational control verification

Use this sheet to check one important control in the actual operating conditions.

Control aspect and acceptance criterion

Reference the relevant assessment and state exactly what must operate or be achieved.

Owner and operating boundary

Identify who performs the task, who checks it, relevant shifts and contractor interfaces.

Verification method and safe limits

Specify observation, record review or technical test; define competence and safe test arrangements.

Evidence and exceptions

Record the date, conditions, result, evidence reference and any missing or unreliable information.

Effectiveness decision

State effective, partly effective, ineffective or insufficient evidence, with the reason and exposure that remains.

Response and follow up

Record immediate controls where needed, corrective actions, responsible person and verification date.

Completion check: a signed inspection record is only useful if it demonstrates the acceptance criterion was met. Check what the record actually proves.

Worksheet 5 Performance and management decision

Use comparable evidence and make the limits of the conclusion explicit.

Problem scope and decision requested

Identify the process, baseline period and approval or resource decision needed.

Measures and comparability

Define absolute and intensity measures, denominator, data sources, product mix and uncertainty.

Outcome and unintended effects

Record the change, balancing measures and whether the evidence supports an environmental benefit.

Costs benefits and assumptions

Separate observed expenditure, modelled comparators, fixed costs, capital and other implementation costs.

Unresolved exposure and obligations

Identify remaining impacts, control weaknesses, compliance questions and conditions for continued operation.

Authorised decision and next review

Record approve, continue trial, modify or stop; identify authority, action owners and review trigger.

Completion check: the decision must fit the evidence. An improvement in one metric cannot establish an overall benefit when a material trade-off remains unassessed.

References and further reading

Primary sources checked on 5 November 2026. Numbered references identify technical background and current factual statements.

[1] ISO. ISO 14001 2026 product and publication record.
Edition and publication status. Obtain a licensed copy for requirements and conformity assessment.
Open source

[2] ISO. ISO 14001 2026 What has changed and what it means for your business.
Public explanation of revision themes and planning of changes. This workbook is not a clause-by-clause transition assessment.
Open source

[3] Environment Agency. Risk assessments for your environmental permit.
Source, pathway and receptor assessment in the England permitting context.
Open source

[4] GHG Protocol. Standards and Guidance.
Choose the relevant current corporate, purchased-energy or value-chain method for the intended inventory.
Open source

[5] Environment Agency. Business flood plan checklists.
Practical flood planning and response considerations.
Open source

[6] UK Government. Find protected areas of countryside.
Initial route to protected-area information. Use the relevant jurisdiction and competent advice for a specific activity.
Open source

[7] Taskforce on Nature related Financial Disclosures. Guidance on the identification and assessment of nature related issues.
LEAP version 2.0, October 2026. Voluntary background resource, not an ISO certification obligation.
Open source

References and publication information

Continue to check current sources when making operational or legal decisions.

[8] ISO Technical Committee 207 Subcommittee 1. Life cycle perspective.
Public guidance originating with ISO 14001:2015; distinguishes life cycle thinking from a detailed life cycle assessment.
Open source

[9] Environment Agency and Defra. Check if you need an environmental permit.
England-specific activity and authorisation guidance.
Open source

[10] Defra and Welsh Government. Digital waste tracking Check if you need to report the waste you receive.
Guidance updated 19 October 2026. Check applicability, exclusions, timescales and continuing documentation duties.
Open source

[11] Environment Agency. Pollution prevention for businesses.
England-specific guidance on drainage, storage and incident prevention.
Open source

[12] Competition and Markets Authority. The Green Claims Code checklist.
Consumer environmental claims and supporting evidence.
Open source

Rights and use

© 2026 RPG Excellence. Original explanatory text, fictional examples and worksheets. Purchasers may copy and adapt the five worksheets for internal use within their own organisation. This permission does not allow resale, public redistribution of the book, or inclusion in a commercial template library. Third-party sources retain their own rights.

Published by RPG Excellence. Independent of ISO, BSI, regulators and TNFD; no endorsement is implied. Publication date November 2026. Contact info@rpgexcellence.com | www.rpgexcellence.com

Guidance posters 1 and 2

RPG EXCELLENCE
MANAGEMENT SYSTEMS & BUSINESS ASSURANCE
SAFETY • ENVIRONMENT • SECURITY • RESILIENCE



Describe the environmental interaction

Write the mechanism clearly enough that someone else can challenge it.

1 Activity
Moving a container of spent cleaning fluid

2 Aspect
Potential release of contaminated liquid

3 Source
Damaged valve or unsecured transfer connection

4 Pathway
Yard fall and surface water drainage

5 Receptor
A downstream stream and its aquatic habitat

6 Potential impact
Deterioration of water quality and harm to aquatic life

RPG EXCELLENCE | GUIDANCE 01 | Guide page 6 rpgexcellence.com

RPG EXCELLENCE
MANAGEMENT SYSTEMS & BUSINESS ASSURANCE
SAFETY • ENVIRONMENT • SECURITY • RESILIENCE



Assess climate in both directions

Consider emissions from your activities and the effect of climate conditions on your controls.

Mitigation

Identify activities that generate greenhouse gas emissions or influence energy and material demand. Begin with fuel, electricity and the value-chain activities that matter to the process.

Define the boundary, activity data, factors, factor year and treatment of estimates.

Adaptation

Ask how heat, rainfall, flooding, drought or storms could change operating conditions and weaken an environmental control.

For a flood response, the Environment Agency's business checklist covers action triggers, responsibilities, protection measures and continuity arrangements.

Record mitigation and adaptation actions separately where their purposes differ.

RPG EXCELLENCE | GUIDANCE 02 | Guide page 8 | Sources 4 and 5 rpgexcellence.com

Guidance posters 3 and 4

RPG EXCELLENCE
MANAGEMENT SYSTEMS & BUSINESS ASSURANCE
SAFETY • ENVIRONMENT • SECURITY • RESILIENCE



Use a life cycle perspective

Look beyond the operation without pretending to control every stage.

1

Purchasing

Compare ready-mixed and concentrated product

Composition, packaging, transport and dosing

2

Delivery

Reduce failed or unnecessary deliveries

Load data and delivery records

3

Use

Introduce controlled dosing and rinse reuse

Trials, water data and product quality

4

End of life

Confirm how the spent solution is managed

Composition, authorised route and acceptance

Ask where you can control an activity or meaningfully influence another party.

RPG EXCELLENCE | GUIDANCE 03 | Guide page 10 | Fictional cleaning-service example rpgexcellence.com

RPG EXCELLENCE
MANAGEMENT SYSTEMS & BUSINESS ASSURANCE
SAFETY • ENVIRONMENT • SECURITY • RESILIENCE



Plan changes before implementation

Environmental review should influence approval while options are still open.

1

Technical suitability

Trial plan, compatibility and quality acceptance

2

Environmental acceptability

Updated interaction and impact assessment

3

Obligations

Applicable conditions and any approval needed

4

Operational readiness

Controls installed, responsibilities understood

5

Verification and rollback

Review date, acceptance measures and stop conditions

Closure should identify what was checked and what remains open; commissioning or purchase completion alone does not demonstrate environmental effectiveness.

RPG EXCELLENCE | GUIDANCE 04 | Guide page 15 | Suggested implementation approach rpgexcellence.com

Purchasers may print and use the four posters within their own organisation, retaining the RPG Excellence attribution.