

https://rpires71.github.io/milestone1/certifications.html

11/12 8/8

Performance

Best Practices


## 11/12

## Performance

▲ 0–49

50-89

90-100



METRICS Expand view

Total Blocking Time

**Cumulative Layout Shift** 

0 ms

0

Interaction to Next Paint

30 ms

View Treemap

View Trace



about:blank 1/10

Later this year, insights will replace performance audits. Learn more and provide feedback

Try insights

here.

Show audits relevant to: All CLS INP

## **DIAGNOSTICS**

Image elements do not have explicit width and height Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions (CLS) URL img.logo.logo-navbar ...images/logodbg2.webp (rpires71.github.io) img.section-icon ...images/a-plus-logo2.webp (rpires71.github.io) img.section-icon ...images/itfplus-logo2.webp (rpires71.github.io) img.section-icon ...images/graphic-design-certificatelogo2.webp (rpires71.github.io)

about:blank 2/10

...images/ccna-logo2.webp (rpires71.github.io)

...images/pgce2.webp (rpires71.github.io)

img.section-icon

img.section-icon

	URL
img.section-icon	images/uac-cs-logo2.webp (rpires71.github.io)
img.section-icon	images/ecdl2.webp (rpires71.github.io)
img.section-icon	images/software-developer-logo2.webp (rpires71.github.io)
img.img-fluid	images/badgev2.webp (rpires71.github.io)
img.logo.logo-header.img-fluid	images/certificate-logo.webp (rpires71.github.io)
img.footer-icon.me-2	icons/award.svg (rpires71.github.io)
img.footer-icon.me-2	icons/map-pin.svg (rpires71.github.io)
img.footer-icon.me-2	icons/send.svg (rpires71.github.io)

	URL
img	footer-icon.me-2 icons/phone.svg (rpires71.github.io)
img	footer-icon.me-2icons/message-circle.svg (rpires71.github.io)
img	social-icon.me-2icons/linkedin.svg (rpires71.github.io)
img	social-icon.me-2icons/facebook.svg (rpires71.github.io)
img	social-iconicons/instagram.svg (rpires71.github.io)
Avoid non-composited animations	
Animations which are not composited	can be janky and increase CLS. <u>Learn how to avoid non-composited animations</u> CLS
Element	Name
butt	on.navbar-toggler.collapsed
Unsupported CSS Property: box-sl	
Unsupported CSS Property: box-sl	nadow box-shadow

Element	Name
div#navbarNav.navbar-collapse.collapse	
Unsupported CSS Property: height	height
Unsupported CSS Property: height	height
a.nav-link	
Unsupported CSS Property: color	color
Unsupported CSS Property: color	color
a.nav-link	
Unsupported CSS Property: color	color
Unsupported CSS Property: color	color
a.nav-link	
Unsupported CSS Property: color	color
Unsupported CSS Property: color	color
a#nav-skills.nav-link	
Unsupported CSS Property: color	color
Unsupported CSS Property: color	color
a.nav-link	
Unsupported CSS Property: color	color
Unsupported CSS Property: color	color
a#nav-contact.nav-link	
Unsupported CSS Property: color	color
a.nav-link.active	
Unsupported CSS Property: color	color

Minimizes work during key interaction — 30 ms spent on event 'pointerup'

This is the thread-blocking work occurring during the Interaction to Next Paint measurement. <u>Learn more about the Interaction to Next Paint metric</u>. <u>INP</u>

**Event target** 

a#nav-contact.nav-link

about:blank 5/10

Phase	Total time	Script evaluation	Style & Layout	Rendering
Input delay	1 ms			
Processing duration	0 ms			
Presentation delay	29 ms			
/milestone1/certifications.html (rpires71.github.io)	2 ms	1 ms	1 ms	0 ms
/milestone1/index.html (rpires71. github.io)	2 ms	0 ms	0 ms	0 ms
js/bootstrap.bundle.min.js (cdn.j sdelivr.net)	1 ms	0 ms	0 ms	0 ms

More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

PASSED AUDITS (22)	Hide
O Properly size images	^
Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size images.	
O Minify CSS	^
Minifying CSS files can reduce network payload sizes. <u>Learn how to minify CSS</u> .	
Minify JavaScript	^
Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript.	
Reduce unused JavaScript	^
Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network ac Learn how to reduce unused JavaScript.	ctivity.
Efficiently encode images	^
Optimized images load faster and consume less cellular data. <u>Learn how to efficiently encode images</u> .	
O Serve images in next-gen formats	^

about:blank 6/10

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. <u>Learn more about modern image formats</u>.

O Enable text compression	^
Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. <u>Learn rabout text compression</u> .	<u>nore</u>
Use HTTP/2	^
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more about HTTP/2.	
Use video formats for animated content	^
Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more about efficient video formats</u>	
Remove duplicate modules in JavaScript bundles	^
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.	
Avoid serving legacy JavaScript to modern browsers	^
Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for mode browsers. Consider modifying your JavaScript build process to not transpile <a href="Baseline">Baseline</a> features, unless you know you must support legacy browsers. <a href="Learn why most sites can deploy ES6+">Learn why most sites can deploy ES6+</a> code without transpiling.	
Avoids enormous network payloads — Total size was 0 KiB	^
Large network payloads cost users real money and are highly correlated with long load times. <u>Learn how to reduce paylosizes</u> .	<u>nad</u>
Uses efficient cache policy on static assets — 0 resources found	^
A long cache lifetime can speed up repeat visits to your page. <u>Learn more about efficient cache policies</u> .	
O User Timing marks and measures	^
Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key use experiences. <u>Learn more about User Timing marks</u> .	er
JavaScript execution time — 0.0 s	^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to reduce Javascript execution time</u>. <u>TBT</u>

about:blank 7/10

URL	Total CPU Time	Script Evaluation	Script Parse
/milestone1/index.html (rpires71.github.io)	196 ms	17 ms	0 ms

Minimizes main-thread work — 0.2 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work (TBT)

Category	Time Spent
Other	116 ms
Rendering	89 ms
Script Evaluation	23 ms
Style & Layout	22 ms

Minimize third-party usage

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn how to minimize third-party impact</u>. TBT

Avoid large layout shifts

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to <u>windowing</u>. <u>Learn how to improve CLS</u> <u>CLS</u>

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. <u>Learn more about adopting passive event listeners</u>.

Avoids document.write()

For users on slow connections, external scripts dynamically injected via document.write() can delay page load by tens of seconds. <u>Learn how to avoid document.write()</u>.

Avoid long main-thread tasks

about:blank 8/10

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. <u>Learn how to avoid long main-thread tasks</u> (TBT)

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>

8/8

## **Best Practices**

PASSED AUDITS (8)	Hide
Uses HTTPS	^
All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoid where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTP from tampering with or passively listening in on the communications between your app and your users for HTTP/2 and many new web platform APIs. Learn more about HTTPS.	S prevents intruders
Avoids deprecated APIs	^
Deprecated APIs will eventually be removed from the browser. <u>Learn more about deprecated APIs</u> .	
Avoids third-party cookies	^
Third-party cookies may be blocked in some contexts. <u>Learn more about preparing for third-party cook</u>	<u>kie restrictions</u> .
Displays images with correct aspect ratio	^
Image display dimensions should match natural aspect ratio. <u>Learn more about image aspect ratio</u> .	
Serves images with appropriate resolution	^
Image natural dimensions should be proportional to the display size and the pixel ratio to maximize im to provide responsive images.	age clarity. <u>Learn how</u>
No browser errors logged to the console	^

concerns. <u>Learn more about this errors in console diagnostic audit</u>

about:blank 9/10

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser

No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

.

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. <u>Learn more about source maps</u>.

Captured at Aug 20, 2025, 12:54 AM GMT User interactions timespan Emulated Desktop with Lighthouse 12.6.1 Custom throttling Single page session

Using Chromium 139.0.0.0 with devtools

Generated by **Lighthouse** 12.6.1 | File an issue

about:blank 10/10