
ITEM NO.	PART NUMBER	1:18/QTY.	
1	Chassis	1	
2	Wheel Leg (Front)	1	
3	Wheel Leg (Back)	1	
4	Motor and Gear Platform	1	
5	Wheel Pair and Shaft	2	
6	Motor	1	
7	Gear Shaft (Top)	1	
8	Gear Shaft (Bottom)	1	
9	Gear Shaft Cap	2	
10	Motor Spacer	1	
11	Battery Components	1	
12	Gear Train	1	
13	Cargo puller	1	
14	Side plate	2	



Α	
	PROPRIETARY AND CONFIDENTIAL
	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <insert company="" here="" name="">. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <insert company="" here="" name=""> IS PROHIBITED.</insert></insert>

			UNLESS OTHERWISE SPECIFIED:	
			DIMENSIONS ARE IN MM	D
			Please refer to individual parts for tolerances.	C
				Е
				٨
F			INTERPRET GEOMETRIC	G
			TOLERANCING PER:	С
			MATERIAL PLA, ABS, Aluminum sheet, Steel	W
	NEXT ASSY	USED ON	FINISH	0
	APPLICATION		DO NOT SCALE DRAWING	TI b

D:		NAME	DATE			
	DRAWN	RP	25/01/18			
	CHECKED			TIT		
	ENG APPR.					
	MFG APPR.					
	Q.A.					
	COMMENTS:			SIZ		
	While there also are 64:1 and 48:1 gear ratio configuration, this drawing will only feature 18:1 configuration.					
	The components h			SC		

	TITLE:								
	Whiteout								
_	, ,								
	0175	5146				55.7			
	J.22	DWG.	NO. 1			REV 1			
	Α		ı			I			
	SCAL	E: 1:2	WEIGHT:		SHEE	T 1 OF 8			

Isometric view


В

2

1

В


ITEM NO.	PART NUMBER	1:18/QTY.
1	Chassis	1
2	Wheel Leg (Front)	1
3	Wheel Leg (Back)	1
4	Motor and Gear Platform	1
5	Wheel Pair and Shaft	2
6	Motor	1
7	Gear Shaft (Top)	1
8	Gear Shaft (Bottom)	1
9	Gear Shaft Cap	2
10	Motor Spacer	1
11	Battery Components	1
12	Gear Train	1
13	Cargo puller	1
14	Side plate	2



Α

В

			UNLESS OTHERWISE SPECIFIED:		NAME	DATE	١c	omotrio	viow
_			DIMENSIONS ARE IN MM	DRAWN	RP	25/01/18	15	ometric	VIEW
			Please refer to individual parts for tolerances.	CHECKED			TITLE:		
				ENG APPR.			1	Whited	⊃r it ⊟
				MFG APPR.				* * 1 111 C C	501
PROPRIETARY AND CONFIDENTIAL			INTERPRET GEOMETRIC TOLERANCING PER:	Q.A. COMMENTS:					
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF			MATERIAL PLA, ABS, Aluminum sheet, Steel	While there also are 64:1 and 48:1 gear ratio configuration, this drawing will only feature 18:1 configuration.		6. NO.	REV		
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF	NEXT ASSY	USED ON	FINISH				A		I
<insert company="" here="" name=""> IS PROHIBITED.</insert>	APPLICATION		DO NOT SCALE DRAWING	The components hidden in this view was shown in the previous page.		SCALE: 1:2	WEIGHT:	SHEET 2 OF 8	



2

DO NOT SCALE DRAWING

SCALE: 1:2 WEIGHT:

SHEET 3 OF 8

NEXT ASSY


WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS

PROHIBITED.

USED ON

APPLICATION

2



The gear ratio is 18:1, consisting of: 10t (at motor) mesh with 30t; 30t compound with 20t; 20t mesh with 30t; 30t compound with 10t; 10t mesh with 40t (at wheel shaft) (t stands for teeth; ie. 10t has 10 teeth).

В

UNLESS OTHERWISE SPECIFIED: NAME DATE Gear train view 25/01/18 DRAWN DIMENSIONS ARE IN MM TOLERANCES: ±.2MM TITLE: CHECKED Whiteout ENG APPR. MFG APPR. Q.A. PROPRIETARY AND CONFIDENTIAL COMMENTS: THE INFORMATION CONTAINED IN THIS SIZE DWG. NO. REV DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY FINISH REPRODUCTION IN PART OR AS A WHOLE NEXT ASSY **USED ON** WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS SCALE: 1:1 WEIGHT: SHEET 4 OF 8 PROHIBITED. APPLICATION DO NOT SCALE DRAWING

2

1

