```
| q2_vars.m × +
      mr = 0.095;
2 -
      r = 0.085;
3 -
      br = 0.001;
      mp = 0.024;
      Lp = .129;
      bp = .00005;
      g = 9.81;
 8 -
      Jr = mr*r*r/3;
      Jp = mp*Lp*Lp/3;
10 -
      1 = Lp/2;
11 -
      Jt = Jr*Jp - (mp*r*1)^2;
```

Fig 1: Matlab code




Fig 2: Simulink model, and plot (theta over time (yellow) and alpha over time (blue))

```
2c.
```

```
q2_vars.m × +
1 - mr = 0.095;
2 -
     r = 0.085;
3 -
     br = 0.001;
     mp = 0.024;
4 -
5 -
      Lp = .129;
6 -
     bp = .00005;
7 -
     q = 9.81;
8 -
     Jr = mr*r*r/3;
9 -
     Jp = mp*Lp*Lp/3;
10 -
      1 = Lp/2;
11 -
     Jt = Jr*Jp - (mp*r*1)^2;
12 -
      A = [0 \ 1 \ 0 \ 0; \ 0 \ -Jp*br/Jt \ ((mp*1)^2)*r*g/Jt \ mp*r*l*bp/Jt; \ 0 \ 0 \ 0 \ 1; \ 0 \ mp*r*l*br/Jt \ -Jr*mp*g*l/Jt \ -Jr*bp/Jt]; 
13 -
     B = [0; Jp/Jt; 0; -mp*r*1/Jt];
14 -
     A_inv = [0 1 0 0; 0 -Jp*br/Jt -((mp*1)^2)*r*g/Jt -mp*r*l*bp/Jt; 0 0 0 -1; 0 -mp*r*l*br/Jt -Jr*mp*g*l/Jt -Jr*bp/Jt];
     B inv = [0; Jp/Jt; 0; mp*r*1/Jt];
15 -
16 -
     C = [1 \ 0 \ 0 \ 0; \ 0 \ 0 \ 1 \ 0];
17 -
     D = [0; 0];
18 -
     [~,eigval] = eig(A);
19 -
     [~,eigval_inv] = eig(A_inv);
20 -
     disp("normal pendulum's eigen values:");
21 -
     disp(eigval);
22 -
     disp("an eigenvalue is zero, so we need to check rank(eigval*I-A) =? n-m");
23 -
     disp("we know n=4, and m=1 (no repeated eig vals), so n-m=3");
24 -
     disp("normal pendulum's rank(0*I - A):");
25 -
     disp(rank(-A));
      disp("since rank is 3 which is equal to n-m=3, normal pendulum is marginally stable");
26 -
27 -
     disp("inverted pendulum's eigen values:");
28 -
     disp(eigval inv);
29 - disp("one of the eigenvalues is >0, so inverted pendulum is unstable");
 >> q2 vars
 normal pendulum's eigen values:
     0.0000 + 0.0000i 0.0000 + 0.0000i 0.0000 + 0.0000i 0.0000 + 0.0000i
     0.0000 + 0.0000i -4.8479 + 0.0000i 0.0000 + 0.0000i 0.0000 + 0.0000i
     0.0000 + 0.0000i 0.0000 + 0.0000i -3.0749 +15.1276i 0.0000 + 0.0000i
     0.0000 + 0.0000i 0.0000 + 0.0000i
                                                    0.0000 + 0.0000i -3.0749 -15.1276i
 an eigenvalue is zero, so we need to check rank(eigval*I-A) =? n-m
 we know n=4, and m=1 (no repeated eig vals), so n-m=3
 normal pendulum's rank(0*I - A):
       3
 since rank is 3 which is equal to n-m=3, normal pendulum is marginally stable
 inverted pendulum's eigen values:
            0
                         0
                                                  0
            0
               -20.8385
                                     0
                                                  Ω
            0
                         0
                              -4.0042
             0
                         0
                                          13.8450
 one of the eigenvalues is >0, so inverted pendulum is unstable
```

Fig 3: Matlab code and computed values