- 1. Compute the mean and median for the following set of scores: 5,7,5,4,3,12,9,6,6,5,7,5,6,4
- 2. A sample of N=6 scores has a mean of  $\overline{X}=8$ . If one score with a value of X=3 is removed from the sample, what is the mean of the remaining set of scores?
- 3. Compute the variance and standard deviation for the following scores: 1,8,0,4,2
- 4. For a distribution with  $\mu = 70$  and  $\sigma = 20$ , find the z-score that corresponds to each of the following X values: 80, 100, 65, 40.
- 5. For a distribution with  $\mu = 60$  and  $\sigma = 6$ , find the X-value that corresponds to each of the following z-scores: 1.50, -0.50, 2.00, -1/3
- 6. On a psychology exam with  $\overline{X} = 76$  and  $\sigma = 12$ , Tom scored 8 points below the mean, Mary had a score of 73, and Bill had a z-score of -0.50. Rank these students in order from lowest to highest score.
- 7. A distribution of scores with  $\mu_1 = 73$  and  $\sigma_1 = 6$  is standardized to create a new distribution with  $\mu_2 = 50$  and  $\sigma_2 = 10$ . What is the new value for each of the following scores from the original distribution: 67, 70, 79, 82
- 8. The length of conversations between supervisors and workers in a particular manufacturing industry is normally distributed with a mean of 4.0 minutes and a standard deviation of 0.8 minutes. What percentage of conversations are:
  - (a) longer than 4.4 minutes?
  - (b) Longer than 3 minutes?
  - (c) Shorter than 2.5 minutes?
- 9. Scores on the SAT form a normal distribution with a mean of  $\mu = 500$  with  $\sigma = 100$ . If a certain university only accepts students who score at or above the 60th percentile on the SAT, what is the minimum score needed to be accepted?
- 10. Suppose we are taking samples from a normal population with  $\mu = 40$  and  $\sigma = 8$ :
  - (a) What is the probability of obtaining a sample mean less than 37 for a sample of size 16?
  - (b) What is the probability of obtaining a sample mean greater than 37 for a sample of size 16?
  - (c) What is the probability of obtaining a sample mean less than 37 for a sample of size 4?