PSYC 2317: Statistical Methods for Psychology

Tarleton State University

Homework 3

Fall 2019

- 1. Find each of the following probabilities for a standard normal distribution:
 - (a) P(z > 1.25)
 - (b) P(z > -0.60)
 - (c) P(z < 0.70)
 - (d) P(z < -1.30)
- 2. What proportion of the standard normal distribution is located between each of the following *z*-score boundaries?
 - (a) z = -0.25 and z = +0.25
 - (b) z = -1.20 and z = +1.20
 - (c) z = +0.20 and z = +1.50
 - (d) z = -0.50 and z = +1.00
- 3. Find the *z*-score location of the vertical line that separates the standard normal distribution as described in each of the following:
 - (a) 5% in the tail on the left
 - (b) 30% in the tail on the right
 - (c) 65% in the body on the left
 - (d) 80% in the body on the right
- 4. For a normal distribution with a mean of $\mu=60$ and a standard deviation of $\sigma=10$, find the proportion of the population corresponding to each of the following:
 - (a) Scores greater than 65
 - (b) Scores less than 68
 - (c) Scores between 50 and 70
- 5. The distribution of scores on the SAT is approximately normal with a mean of $\mu = 500$ and a standard deviation of $\sigma = 100$. For the population of students who have taken the SAT,
 - (a) What proportion have SAT scores less than 400?
 - (b) What proportion have SAT scores greater than 650?
 - (c) What is the highest minimum SAT score needed to be in the highest 20% of the population?
 - (d) If a state college only accepts students from the top 40% of the SAT distribution, what is the minimum SAT score needed to be accepted?