Fakulteta za informacijske študije
Faculty of information studies

lab00

Student : Filip Polić
Student ID : 35250232
Student email : policfilip2003@gmail.com

```
Code collects usage data. Read our privacy statement and learn how to opt out.
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS                                bash

@policfilip ➜ /workspaces/codespaces-blank $ whoami
codespace
@policfilip ➜ /workspaces/codespaces-blank $ sudo adduser filippolic
info: Adding user `filippolic' ...
info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `filippolic' (1002) ...
info: Adding new user `filippolic' (1002) with group `filippolic (1002)' ...
info: Creating home directory `/home/filippolic' ...
info: Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for filippolic
Enter the new value, or press ENTER for the default
        Full Name []: Filip Polic
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] y
info: Adding new user `filippolic' to supplemental / extra groups `users' ...
info: Adding user `filippolic' to group `users' ...
@policfilip ➜ /workspaces/codespaces-blank $ sudo usermod -aG sudo filippolic
@policfilip ➜ /workspaces/codespaces-blank $ sudo visudo
@policfilip ➜ /workspaces/codespaces-blank $
```

```
  GNU nano 7.2                                        /etc/sudoers.tmp
#Defaults:%sudo env_keep += "GPG_AGENT_INFO"

# Host alias specification

# User alias specification

# Cmnd alias specification

# User privilege specification
root    ALL=(ALL:ALL) ALL
filippolic  ALL=(ALL:ALL) ALL


# Members of the admin group may gain root privileges
%admin ALL=(ALL) ALL

# Allow members of group sudo to execute any command
%sudo   ALL=(ALL:ALL) ALL

# See sudoers(5) for more information on "@include" directives:

@includedir /etc/sudoers.d

^G Help        ^O Write Out   ^W Where Is    ^K Cut         ^T Execute     ^C Location
^X Exit        ^R Read File   ^\ Replace     ^U Paste       ^J Justify     ^/ Go To Line
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS                    tmate

Tip: if you wish to use tmate only for remote access, run: tmate -F
To see the following messages again, run in a tmate session: tmate show-messages
Press <q> or <ctrl-c> to continue
-------------------------------------------------------------------
Connecting to ssh.tmate.io...
Note: clear your terminal before sharing readonly access
web session read only: https://tmate.io/t/ro-tFKEM7yNzzhHUmTpcVcthM7sh
ssh session read only: ssh ro-tFKEM7yNzzhHUmTpcVcthM7sh@lon1.tmate.io
web session: https://tmate.io/t/myW6jr2aGwgKfp8rcy2NAAwkA
ssh session: ssh myW6jr2aGwgKfp8rcy2NAAwkA@lon1.tmate.io
```

```
Terminal - filip@vmi3135542: ~/linux-exercise
File  Edit  View  Terminal  Tabs  Help
filip@vmi3135542:~$ cd ~
filip@vmi3135542:~$ mkdir linux-exercise
filip@vmi3135542:~$ cd linux-exercise
filip@vmi3135542:~/linux-exercise$ pwd
/home/filip/linux-exercise
filip@vmi3135542:~/linux-exercise$ ls
filip@vmi3135542:~/linux-exercise$
```

```
Terminal - filip@vmi3135542: ~/linux-exercise
File  Edit  View  Terminal  Tabs  Help
  GNU nano 7.2                    description.txt *
Filip Polic
```

```
filip@vmi3135542:~/linux-exercise$ mkdir test
filip@vmi3135542:~/linux-exercise$ mv description.txt test/
filip@vmi3135542:~/linux-exercise$ ls
test
filip@vmi3135542:~/linux-exercise$
```

```
filip@vmi3135542:~/linux-exercise$ mkdir test
filip@vmi3135542:~/linux-exercise$ mv description.txt test/
filip@vmi3135542:~/linux-exercise$ ls
test
filip@vmi3135542:~/linux-exercise$ mv test/description.txt test/my_profile.txt
filip@vmi3135542:~/linux-exercise$ cp test/my_profile.txt ~
filip@vmi3135542:~/linux-exercise$ ls
test
filip@vmi3135542:~/linux-exercise$ ls ~
Desktop    VO-Vaje                                my_profile.txt
Documents  Videos                                 powerlevel10k
Downloads  brute_a                                scan_hackycorp_all.sh
Music      docker-compose.yml                     snap
Pictures   google-chrome-stable_current_amd64.deb thinclient_drives
Public     hackycorp_scan                         venv
Templates  linux-exercise                         webgoat
filip@vmi3135542:~/linux-exercise$
```

```
filip@vmi3135542:~/linux-exercise$ du -sh ./*
8.0K    ./test
filip@vmi3135542:~/linux-exercise$ ls -lh test
total 4.0K
-rw-rw-r-- 1 filip filip 12 Apr  1 17:56 my_profile.txt
filip@vmi3135542:~/linux-exercise$ chmod 444 test/my_profile.txt
filip@vmi3135542:~/linux-exercise$ ls -l test/my_profile.txt
-r--r--r-- 1 filip filip 12 Apr  1 17:56 test/my_profile.txt
filip@vmi3135542:~/linux-exercise$
```

```
filip@vmi3135542:~/linux-exercise$ uname -a
Linux vmi3135542 6.8.0-106-generic #106-Ubuntu SMP PREEMPT_DYNAMIC Fri Mar  6 07
:58:08 UTC 2026 x86_64 x86_64 x86_64 GNU/Linux
filip@vmi3135542:~/linux-exercise$ q
Command 'q' not found, but can be installed with:
sudo snap install q                       # version 1.6.3-1, or
sudo apt  install python3-q-text-as-data  # version 3.1.6-3
See 'snap info q' for additional versions.
filip@vmi3135542:~/linux-exercise$ du -ah ~ | sort -rh | head -n 5
2.6G    /home/filip
854M    /home/filip/.ZAP
675M    /home/filip/.ZAP/session
648M    /home/filip/.ZAP/session/untitled3.data
422M    /home/filip/.m2
filip@vmi3135542:~/linux-exercise$
```