

Req ID	Type	Description	Priority	Acceptance Criteria	Rationale
FR-001	Functional	The system shall generate an anonymized pseudo-ID for employee accounts to book counseling sessions without revealing corporate email or employee ID to the therapist.	High	Pass: Therapist dashboard displays pseudo-ID only. Fail: Employee PII exposed in booking metadata.	Protects employee identity to ensure confidential wellness usage.
FR-002	Functional	The system shall allow corporate employees to complete self-administered stress assessment tests and view their instant stress scores.	Medium	Pass: Stress score is calculated and displayed within 2 seconds of test submission. Fail: Test fails to compute score or	Helps employees evaluate mental wellness before booking a session.

				stores corporate identity with results.	
FR-003	Functional	The system shall allow corporate employees to search, select, and book available time slots with licensed therapists.	High	Pass:Appointment confirmation generated with valid pseudo-ID and visible calendar slot reserved. Fail: Double-booking allowed or failure to confirm slot.	Core scheduling functionality required for therapy delivery.
FR-004	Functional	The system shall allow employees to track personal stress scores and session history over time via an anonymized	Low	Pass: Graphical trend line loads historical stress indices accurately for the logged-in pseudo-ID.	Encourages continuous tracking of long-term personal mental health.

		personal dashboard.		Fail: Dashboard displays incorrect historical data or fails to render.	
FR-005	Functional	The system shall allow licensed therapists to submit post-session clinical notes tied exclusively to the employee's pseudo-ID.	High	Pass: Notes are successfully saved and accessible only under the targeted pseudo-ID record. Fail: Notes fail to save or append to actual employee corporate ID.	Ensures therapists maintain clinical progress tracking securely.
NFR-001	Nonfunctional	The appointment scheduler must handle timezone conversions accurately across global office locations.	High	Pass: Benchmarking tests confirm target latency and security standards under simulated peak load.	Prevents scheduling conflicts across global offices.

				Fail: Timezone conversion shifts appointment by +/- X hours.	
NFR-002	Nonfunctional	All stored employee data, stress assessment logs, and therapy session notes must be encrypted at rest using AES-256.	High	Pass:Automated vulnerability scan confirms zero plaintext storage of health records in the database. Fail: Database logs expose unencrypted health records.	Ensures compliance with medical data privacy regulations and security standards.