

Syntax

Child: >

```
nav>ul>li
  <nav>
    <ul>
      <li></li>
    </ul>
  </nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

Multiplication: *

```
ul>li*5
  <ul>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
  </ul>
```

Item numbering: \$

```
div+div>p>span+em^^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

```
(div>d1>(dt+dd)*3)+footer>p
  <div>
    <d1>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </d1>
  </div>
  <footer>
    <p></p>
  </footer>
```

```
ul>li.item$*5
  <ul>
    <li class="item1"></li>
    <li class="item2"></li>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
  </ul>
```

```
ul>li.item$@-*5
  <ul>
    <li class="item5"></li>
    <li class="item4"></li>
    <li class="item3"></li>
    <li class="item2"></li>
    <li class="item1"></li>
  </ul>
```

ID and CLASS attributes

```
#header
  <div id="header"></div>

p.class1.class2.class3
  <p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
  <p title="Hello world"></p>
```

Text: {}

```
a{Click me}
  <a href="">Click me</a>
```

Implicit tag names

```
.class
  <div class="class"></div>
```

```
table>.row>.col
  <table>
    <tr class="row">
      <td class="col"></td>
    </tr>
  </table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

```
h${title=item$}{Header $}*3
  <h1 title="item1">Header 1</h1>
  <h2 title="item2">Header 2</h2>
  <h3 title="item3">Header 3</h3>
```

```
ul>li.item$@3*5
  <ul>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
    <li class="item6"></li>
    <li class="item7"></li>
  </ul>
```

```
.title
  <div class="title"></div>
```

```
td[rowspan=2 colspan=3 title]
  <td rowspan="2" colspan="3" title=""></td>
```

```
p>{Click }+a{here}+{ to continue}
  <p>Click <a href="">here</a> to continue</p>
```

```
em>.class
  <em><span class="class"></span></em>
```

```
ul>li.item$$$*5
  <ul>
    <li class="item001"></li>
    <li class="item002"></li>
    <li class="item003"></li>
    <li class="item004"></li>
    <li class="item005"></li>
  </ul>
```

```
form#search.wide
  <form id="search" class="wide"></form>
```

```
[a='value1' b="value2"]
  <div a="value1" b="value2"></div>
```

```
ul>.class
  <ul>
    <li class="class"></li>
  </ul>
```

!

Alias of html:5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

bdo:l

```
<bdo dir="ltr">|</bdo>
```

link:css

```
<link rel="stylesheet" href="style.css" />
```

link:touch

```
<link rel="apple-touch-icon" href="favicon.png" />
```

link:import, link:im

```
<link rel="import" href="component.html" />
```

meta:win

```
<meta http-equiv="Content-Type"
content="text/html; charset=windows-1251" />
```

script

```
<script>|</script>
```

img:srcset, img:s

```

```

source, src

```
<source />
```

source:media, src:m

```
<source media="(min-width:)" srcset="|" />
```

source:media:sizes, src:mz

```
<source media="(min-width:)" sizes="|" srcset="|
|" />
```

a

```
<a href="|">|</a>
```

a:mail

```
<a href="mailto:|">|</a>
```

acronym, acr

```
<acronym title="|">|</acronym>
```

basefont

```
<basefont />
```

frame

```
<frame />
```

bdo

```
<bdo dir="|">|</bdo>
```

col

```
<col />
```

link:print

```
<link rel="stylesheet" href="print.css"
media="print" />
```

link:rss

```
<link rel="alternate" type="application/rss+xml"
title="RSS" href="rss.xml" />
```

meta

```
<meta />
```

meta:vp

```
<meta name="viewport" content="width=
device-width, user-scalable=no, initial-scale=
1.0, maximum-scale=1.0, minimum-scale=1.0"
/>
```

script:src

```
<script src="|">|</script>
```

img:sizes, img:z

```

```

source:src, src:sc

```
<source src="|" type="|" />
```

source:type, src:t

```
<source srcset="|" type="image/" />
```

source:sizes:type, src:zt

```
<source sizes="|" srcset="|" type="image/" />
```

a:link

```
<a href="http://|">|</a>
```

abbr

```
<abbr title="|">|</abbr>
```

base

```
<base href="|" />
```

br

```
<br />
```

hr

```
<hr />
```

bdo:r

```
<bdo dir="rtl">|</bdo>
```

link

```
<link rel="stylesheet" href="|" />
```

link:favicon

```
<link rel="shortcut icon" type="image/x-icon"
href="favicon.ico" />
```

link:atom

```
<link rel="alternate" type="application/atom+xml"
title="Atom" href="atom.xml" />
```

meta:utf

```
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible" content="IE=7"
/>
```

style

```
<style>|</style>
```

img

```

```

picture

```
<picture>|</picture>
```

source:srcset, src:s

```
<source srcset="|" />
```

source:sizes, src:z

```
<source sizes="|" srcset="|" />
```

source:media:type, src:mt

```
<source media="(min-width:)" srcset="|" type="
image/" />
```

iframe

```
<iframe src="|" frameborder="0">|</iframe>
```

```

embed
  <embed src="" type="" />

map
  <map name="" />

area:c
  <area shape="circle" coords="" href="" alt="" />

form:post
  <form action="" method="post"> />

inp
  <input type="text" name="" id="" />

input:search
  Alias of inp[type=search]
  <input type="search" name="" id="" />

input:password, input:p
  Alias of inp[type=password]
  <input type="password" name="" id="" />

input:datetime-local
  Alias of inp[type=datetime-local]
  <input type="datetime-local" name="" id="" />

input:time
  Alias of inp[type=time]
  <input type="time" name="" id="" />

input:color
  Alias of inp[type=color]
  <input type="color" name="" id="" />

input:range
  Alias of inp[type=range]
  <input type="range" name="" id="" />

input:button, input:b
  <input type="button" value="" />

select
  <select name="" id="" />

```

```

object
  <object data="" type="" />

area
  <area shape="" coords="" href="" alt="" />

area:r
  <area shape="rect" coords="" href="" alt="" />

form
  <form action="" />

label
  <label for="" />

input:hidden, input:h
  Alias of input[type=hidden name]
  <input type="hidden" name="" />

input:email
  Alias of inp[type=email]
  <input type="email" name="" id="" />

input:datetime
  Alias of inp[type=datetime]
  <input type="datetime" name="" id="" />

input:month
  Alias of inp[type=month]
  <input type="month" name="" id="" />

input:tel
  Alias of inp[type=tel]
  <input type="tel" name="" id="" />

input:checkbox, input:c
  Alias of inp[type=checkbox]
  <input type="checkbox" name="" id="" />

input:file, input:f
  Alias of inp[type=file]
  <input type="file" name="" id="" />

isindex
  <isindex />

```

```

param
  <param name="" value="" />

area:d
  <area shape="default" href="" alt="" />

area:p
  <area shape="poly" coords="" href="" alt="" />

form:get
  <form action="" method="get"> />

input
  <input type="text" />

input:text, input:t
  Alias of inp
  <input type="text" name="" id="" />

input:url
  Alias of inp[type=url]
  <input type="url" name="" id="" />

input:date
  Alias of inp[type=date]
  <input type="date" name="" id="" />

input:week
  Alias of inp[type=week]
  <input type="week" name="" id="" />

input:number
  Alias of inp[type=number]
  <input type="number" name="" id="" />

input:radio, input:r
  Alias of inp[type=radio]
  <input type="radio" name="" id="" />

input:submit, input:s
  <input type="submit" value="" />

input:image, input:i
  <input type="image" src="" alt="" />

input:reset
  Alias of input:button[type=reset]
  <input type="reset" value="" />

```

select:disabled, select:d

Alias of select[disabled.]
 <select name=" " id=" " disabled="disabled">
 </select>

menu:toolbar, menu:t

Alias of menu[type=toolbar]>
 <menu type="toolbar"></menu>

button:submit, button:s, btn:s

Alias of button[type=submit]
 <button type="submit"></button>

fieldset:disabled, fieldset:d, fset:d, fst:d

Alias of fieldset[disabled.]
 <fieldset disabled="disabled"></fieldset>

figc

Alias of figcaption
 <figcaption></figcaption>

emb

Alias of embed
 <embed src=" " type=" " />

colg

Alias of colgroup
 <colgroup></colgroup>

optg

Alias of optgroup
 <optgroup></optgroup>

art

Alias of article
 <article></article>

option, opt

<option value=" "></option>

marquee

<marquee behavior=" " direction=" "></marquee>

video

<video src=" "></video>

html:xml

<html xmlns="http://www.w3.org/1999/xhtml">
 </html>

button:reset, button:r, btn:r

Alias of button[type=reset]
 <button type="reset"></button>

bq

Alias of blockquote
 <blockquote></blockquote>

pic

Alias of picture
 <picture></picture>

obj

Alias of object
 <object data=" " type=" "></object>

fst, fset

Alias of fieldset
 <fieldset></fieldset>

tarea

Alias of textarea
 <textarea name=" " id=" " cols="30" rows="10">
 "></textarea>

hdr

Alias of header
 <header></header>

textarea

<textarea name=" " id=" " cols="30" rows="10">
 "></textarea>

menu:context, menu:c

Alias of menu[type=context]>
 <menu type="context"></menu>

audio

<audio src=" "></audio>

keygen

<keygen />

command

<command />

button:disabled, button:d, btn:d

Alias of button[disabled.]
 <button disabled="disabled"></button>

fig

Alias of figure
 <figure></figure>

ifr

Alias of iframe
 <iframe src=" " frameborder="0"></iframe>

cap

Alias of caption
 <caption></caption>

btn

Alias of button
 <button></button>

leg

Alias of legend
 <legend></legend>

sect

Alias of section
 <section></section>

fttr

Alias of footer
 <footer></footer>

adr

Alias of address
`<address>|</address>`

prog

Alias of progress
`<progress>|</progress>`

datag

Alias of datagrid
`<datagrid>|</datagrid>`

det

Alias of details
`<details>|</details>`

doc4

Alias of `<html><head>meta[http-equiv="Content-Type" content="text/html; charset=${charset}"]<title ${1:Document}</title></head><body>|</body></html>`

dlg

Alias of dialog
`<dialog>|</dialog>`

mn

Alias of main
`<main>|</main>`

data1

Alias of datalist
`<datalist>|</datalist>`

cmd

Alias of command
`<command />`

ri:dpr, ri:d

Alias of ``
``

ri:art, ri:a

Alias of `<pic>`
`src:m+img<picture><source media="(min-width:)" srcset="|" /></picture>`

str

Alias of strong
`|`

tem

Alias of template
`<template>|</template>`

kg

Alias of keygen
`<keygen />`

out

Alias of output
`<output>|</output>`

doc

Alias of `<html>`
`(<head>meta[charset=${charset}]+title{${1:Document}})+body<html><head><meta charset="UTF-8" /><title>Document</title></head><body>|</body></html>`

ri:viewport, ri:v

Alias of ``
`z`

ri:type, ri:t

Alias of `<pic>`
`src:t+img<picture><source srcset="|" type="image/" /></picture>`

html:4t

```
Alias of !!!4t+doc4[lang=${lang}]

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:xs

```
Alias of
!!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:4s

```
Alias of !!!4s+doc4[lang=${lang}]

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:xss

```
Alias of
!!!xss+doc4[xmlns=http://www.w3.org/1999/xhtml
l xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ul+

```
Alias of ul>li

<ul>
  <li>|</li>
</ul>
```

html:xt

```
Alias of
!!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:5

```
Alias of !!!+doc[lang=${lang}]

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ol+

```
Alias of ol>li

<ol>
  <li>|</li>
</ol>
```

dl+

```
Alias of dl>dt+dd

<dl>
  <dt>|</dt>
  <dd>|</dd>
</dl>
```

map+

Alias of map>area

```
<map name="">
  <area shape="" coords="" href="" alt="" />
</map>
```

select+

Alias of select>option

```
<select name="" id="">
  <option value=""></option>
</select>
```

!!!

```
<!DOCTYPE html>
```

!!!xs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
strict.dtd">
```

cc:ie

```
<!--[if IE]>
  ${child}
<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.

If abbreviation wasn't found, it is transformed into property name: `foo-bar → foo-bar: |`;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `-foo`

Visual Formatting

pos

position: `relative`;

t

top: `|`;

r:a

right: auto;

table+

Alias of table>tr>td

```
<table>
  <tr>
    <td></td>
  </tr>
</table>
```

optgroup+, optg+

Alias of optgroup>option

```
<optgroup>
  <option value=""></option>
</optgroup>
```

!!!4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

!!!xss

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
```

cc:noie

```
<!--[if !IE]><!-->
  ${child}
<!--<![endif]-->
```

colgroup+, colg+

Alias of colgroup>col

```
<colgroup>
  <col />
</colgroup>
```

tr+

Alias of tr>td

```
<tr>
  <td></td>
</tr>
```

pic+

Alias of picture>source:srcset+img

```
<picture>
  <source srcset="" />
  <img src="" alt="" />
</picture>
```

!!!4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
```

!!!xt

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
```

c

```
<!-- ${child} -->
```

cc:ie6

```
<!--[if lte IE 6]>
  ${child}
<![endif]-->
```


l	left: l ;	l:a	left:auto;	z	z-index: l ;
z:a	z-index:auto;	fl	float: left ;	fl:n	float:none;
				fl:l	float:left;
fl:r	float:right;	cl	clear: both ;	cl:n	clear:none;
				cl:l	clear:left;
cl:r	clear:right;	cl:b	clear:both;	d	display: block ;
d:n	display:none;	d:b	display:block;	d:f	display:flex;
d:if	display:inline-flex;	d:i	display:inline;	d:ib	display:inline-block;
d:li	display:list-item;	d:ri	display:run-in;	d:cp	display:compact;
d:tb	display:table;	d:itb	display:inline-table;	d:tbc	display:table-caption;
d:tbc1	display:table-column;	d:tbc1g	display:table-column-group;	d:tbhg	display:table-header-group;
d:tbfg	display:table-footer-group;	d:tbr	display:table-row;	d:tbrg	display:table-row-group;
d:tbc	display:table-cell;	d:rb	display:ruby;	d:rbb	display:ruby-base;
d:rbbg	display:ruby-base-group;	d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;
v	visibility: hidden ;	v:v	visibility:visible;	v:h	visibility:hidden;
		v:c	visibility:collapse;	ov	overflow: hidden ;
ov:v	overflow:visible;	ov:h	overflow:hidden;	ov:s	overflow:scroll;
ov:a	overflow:auto;	ovx	overflow-x: hidden ;	ovx:v	overflow-x:visible;
				ovx:h	overflow-x:hidden;
ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;	ovy	overflow-y: hidden ;
ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;	ovy:s	overflow-y:scroll;
ovy:a	overflow-y:auto;	ovs	overflow-style: scrollbar ;	ovs:a	overflow-style:auto;
				ovs:s	overflow-style:scrollbar;
ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;	ovs:mq	overflow-style:marquee;
zoo, zm	zoom:1;	cp	clip: l ;	cp:a	clip:auto;
cp:r	clip:rect(top right bottom left);	rsz	resize: l ;	rsz:n	resize:none;
		rsz:b	resize:both;	rsz:h	resize:horizontal;
rsz:v	resize:vertical;	cur	cursor:\${pointer};	cur:a	cursor:auto;
cur:d	cursor:default;	cur:c	cursor:crosshair;	cur:ha	cursor:hand;
cur:he	cursor:help;	cur:m	cursor:move;	cur:p	cursor:pointer;
cur:t	cursor:text;				

Margin & Padding

m margin: **|**;

mt:a margin-top:auto;

mb margin-bottom: **|**;

ml:a margin-left:auto;

pr padding-right: **|**;

Box Sizing

bxz box-sizing: **border-box**;

bxsh:ra box-shadow: **inset** **h** **v** **blur** **spread** **rgba**(**0**, **0**, **0**, **.5**);

h:a height:auto;

mah max-height: **|**;

mih min-height: **|**;

Font

f font: **|**;

fw:b font-weight:bold;

fs font-style:\${italic};

fs:o font-style:oblique;

fv:sc font-variant:small-caps;

fza:n font-size-adjust:none;

ff:ss font-family:sans-serif;

ff:m font-family:monospace;

ff:v font-family: Verdana, Geneva, sans-serif;

fef:o font-effect:outline;

femp:b font-emphasize-position:before;

fems:n font-emphasize-style:none;

fems:c font-emphasize-style:circle;

fsm:a font-smooth:auto;

fst font-stretch: **|**;

fst:ec font-stretch:extra-condensed;

m:a margin:auto;

mr margin-right: **|**;

mb:a margin-bottom:auto;

p padding: **|**;

pb padding-bottom: **|**;

bxz:cb box-sizing:content-box;

bxsh box-shadow: **inset** **hoff** **voff** **blur** **color**;

bxsh:n box-shadow:none;

w:a width:auto;

maw max-width: **|**;

mah:n max-height:none;

f+ font: **1em** **Arial,sans-serif**;

fw:br font-weight:bolder;

fs:n font-style:normal;

fv font-variant: **|**;

fz font-size: **|**;

ff font-family: **|**;

ff:c font-family:cursive;

ff:a font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;

fef font-effect: **|**;

fef:eg font-effect:engrave;

fem font-emphasize: **|**;

femp:a font-emphasize-position:after;

fems:ac font-emphasize-style:accent;

fems:ds font-emphasize-style:disc;

fsm:n font-smooth:never;

fst:n font-stretch:normal;

fst:c font-stretch:condensed;

mt margin-top: **|**;

mr:a margin-right:auto;

ml margin-left: **|**;

pt padding-top: **|**;

pl padding-left: **|**;

bxz:bb box-sizing:border-box;

bxsh:r box-shadow: **inset** **hoff** **voff** **blur** **spread** **rgb**(**0**, **0**, **0**);

w width: **|**;

h height: **|**;

maw:n max-width:none;

miw min-width: **|**;

fw font-weight: **|**;

fw:n font-weight:normal;

fw:lr font-weight:lighter;

fs:i font-style:italic;

fv:n font-variant:normal;

fza font-size-adjust: **|**;

ff:s font-family:serif;

ff:f font-family:fantasy;

ff:t font-family: "Times New Roman", Times, Baskerville, Georgia, serif;

fef:n font-effect:none;

fef:eb font-effect:emboss;

femp font-emphasize-position: **|**;

fems font-emphasize-style: **|**;

fems:dt font-emphasize-style:dot;

fsm font-smooth: **|**;

fsm:aw font-smooth:always;

fst:uc font-stretch:ultra-condensed;

fst:sc font-stretch:semi-condensed;

fst:se	font-stretch:semi-expanded;	fst:e	font-stretch:expanded;	fst:ee	font-stretch:extra-expanded;
fst:ue	font-stretch:ultra-expanded;				
Text					
va	vertical-align:top;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align:left;	ta:l	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-lst	text-align-last:;
ta:l:a	text-align-last:auto;	ta:l:l	text-align-last:left;	ta:l:c	text-align-last:center;
ta:l:r	text-align-last:right;	td	text-decoration:none;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:l	text-decoration:line-through;	te	text-emphasis:;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height:;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent:;	ti:-	text-indent:-9999px;	tj	text-justify:;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline:;	to+	text-outline:0 0 #000;
to:n	text-outline:none;	tr	text-replace:;	tr:n	text-replace:none;
tt	text-transform:uppercase;	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:l	text-transform:lowercase;
tw	text-wrap:;	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow:hoff voff blur #000;
tsh:r	text-shadow:h v blur rgb(0, 0, 0);	tsh:ra	text-shadow:h v blur rgba(0, 0, 0, .5);	tsh+	text-shadow:0 0 0 #000;
lh	line-height:;	lts	letter-spacing:;	tsh:n	text-shadow:none;
whs	white-space:;	lts-n	letter-spacing:normal;	lts-n	letter-spacing:normal;
whs:nw	white-space:nowrap;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:pl	white-space:pre-line;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse:;	whs:k	white-space-collapse:keep-all;	whsc:k	white-space-collapse:keep-all;

whsc:l white-space-collapse:loose;
 wob word-break:l;
 wob:ba word-break:break-all;
 wow:nm word-wrap:normal;
 wow:s word-wrap:suppress;

Background

bg background:#000;
 bgc:t background-color:transparent;
 bgr background-repeat:l;
 bgr:y background-repeat:repeat-y;
 bga background-attachment:l;
 bgp background-position:0 0;
 bgbk:eb background-break:each-box;
 bgcp:bb background-clip:border-box;
 bgcp:nc background-clip:no-clip;
 bgo:bb background-origin:border-box;
 bgsz:a background-size:auto;

Color

c color:#000;
 op opacity:l;

Generated content

cnt content:'l';
 cnt:noq, ct:noq content:no-open-quote;
 cnt:a, ct:a content:attr(l);
 ct content:l;
 q:ru quotes:'\00AB' '\00BB' '\201E' '\201C';

Outline

ol outline:l;
 olw outline-width:l;
 olw:tc outline-width:thick;

whsc:bs white-space-collapse:break-strict;
 wob:n word-break:normal;
 wos word-spacing:l;
 wow:n word-wrap:none;
 wow:b word-wrap:break-word;

bg+ background:#fff url(l) 0 0 no-repeat;
 bgi background-image:url(l);
 bgr:n background-repeat:no-repeat;
 bgr:sp background-repeat:space;
 bga:f background-attachment:fixed;
 bgpx background-position-x:l;
 bgbk background-break:l;
 bgbk:c background-break:continuous;
 bgcp:pb background-clip:padding-box;
 bgo background-origin:l;
 bgo:cb background-origin:content-box;
 bgsz:ct background-size:contain;

c:r color:rgb(0, 0, 0);

cnt:n, ct:n content:normal;
 cnt:cq, ct:cq content:close-quote;
 cnt:c, ct:c content:counter(l);
 q quotes:l;
 q:en quotes:'\201C' '\201D' '\2018' '\2019';

ol:n outline:none;
 olw:tn outline-width:thin;
 ols outline-style:l;

whsc:ba white-space-collapse:break-all;
 wob:k word-break:keep-all;
 wow word-wrap:l;
 wow:u word-wrap:unrestricted;

bg:n background:none;
 bgc background-color:#fff;
 bgi:n background-image:none;
 bgr:x background-repeat:repeat-x;
 bgr:rd background-repeat:round;
 bga:s background-attachment:scroll;
 bgpy background-position-y:l;
 bgbk:bb background-break:bounding-box;
 bgcp background-clip:padding-box;
 bgcp:cb background-clip:content-box;
 bgo:pb background-origin:padding-box;
 bgsz background-size:l;
 bgsz:cv background-size:cover;

c:ra color:rgba(0, 0, 0, .5);

cnt:oq, ct:oq content:open-quote;
 cnt:ncq, ct:ncq content:no-close-quote;
 cnt:cs, ct:cs content:counters(l);
 q:n quotes:none;
 coi counter-increment:l;
 cor counter-reset:l;

olo outline-offset:l;
 olw:m outline-width:medium;
 ols:n outline-style:none;

ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:#000;
olc:i	outline-color:invert;				

Tables

tbl	table-layout:1;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side:1;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells:1;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border

bd	border:1;	bd+	border:1px solid #000;	bd:n	border:none;
bdbk:c	border-break:close;	bdc1	border-collapse:1;	bdbk	border-break:close;
bdc1:s	border-collapse:separate;	bdc	border-color:#000;	bdc1:c	border-collapse:collapse;
				bdc:t	border-color:transparent;
bdi:n	border-image:none;	bdti	border-top-image:url(1);	bdi	border-image:url(1);
bdri	border-right-image:url(1);	bdri:n	border-right-image:none;	bdti:n	border-top-image:none;
bdbi:n	border-bottom-image:none;	bdli	border-left-image:url(1);	bdbi	border-bottom-image:url(1);
bdc1	border-corner-image:url(1);	bdli:n	border-left-image:none;	bdbi:n	border-bottom-image:none;
bdtli	border-top-left-image:url(1);	bdc1:n	border-corner-image:none;	bdc1:c	border-corner-image:continue;
bdtri	border-top-right-image:url(1);	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdbri	border-bottom-right-image:url(1);	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbli	border-bottom-left-image:url(1);	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdf	border-fit:repeat;	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;
		bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
bdf:ow	border-fit:overwrite;	bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdlen	border-length:1;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bds	border-style:1;	bdlen:a	border-length:auto;	bdsp	border-spacing:1;
bds:dt	border-style:dotted;	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:db	border-style:double;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:w	border-style:wave;	bds:dtds	border-style:dot-dash;	bds:dtdtds	border-style:dot-dot-dash;
bds:i	border-style:inset;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bdt, bt	border-top:1;	bds:o	border-style:outset;	bdw	border-width:1;
		bdt+	border-top:1px solid #000;	bdt:n	border-top:none;
				bdtw	border-top-width:1;

bdt	border-top-style: !;	bdt	border-top-style: none;	bdt	border-top-color: # 000 ;
bdtc:t	border-top-color: transparent;	bdr, br	border-right: !;	bdr+	border-right: 1px solid #000 ;
bdr:n	border-right: none;	bdrw	border-right-width: !;	bdrst	border-right-style: !;
bdrst:n	border-right-style: none;	bdr	border-right-color: # 000 ;	bdr	border-right-color: transparent;
				bdb, bb	border-bottom: !;
bdb+	border-bottom: 1px solid #000 ;	bdb:n	border-bottom: none;	bdbw	border-bottom-width: !;
		bdb	border-bottom-style: !;	bdb	border-bottom-style: none;
bdb	border-bottom-color: # 000 ;	bdb	border-bottom-color: transparent;	bdl, bl	border-left: !;
		bdl+	border-left: 1px solid #000 ;	bdl:n	border-left: none;
				bdlw	border-left-width: !;
bdls	border-left-style: !;	bdls:n	border-left-style: none;	bdlc	border-left-color: # 000 ;
bdlc:t	border-left-color: transparent;	bdrs	border-radius: !;	bdtrrs	border-top-right-radius: !;
bdtlrs	border-top-left-radius: !;	bdbrrs	border-bottom-right-radius: !;	bdblr	border-bottom-left-radius: !;
Lists					
lis	list-style: !;	lis:n	list-style: none;	lisp	list-style-position: !;
lisp:i	list-style-position: inside;	lisp:o	list-style-position: outside;	list	list-style-type: !;
list:n	list-style-type: none;	list:d	list-style-type: disc;	list:c	list-style-type: circle;
list:s	list-style-type: square;	list:dc	list-style-type: decimal;	list:dc1z	list-style-type: decimal-leading-zero;
list:lr	list-style-type: lower-roman;	list:ur	list-style-type: upper-roman;	lisi	list-style-image: !;
lisi:n	list-style-image: none;				
Print					
pgbb	page-break-before: !;	pgbb:au	page-break-before: auto;	pgbb:al	page-break-before: always;
pgbb:l	page-break-before: left;	pgbb:r	page-break-before: right;	pgbi	page-break-inside: !;
pgbi:au	page-break-inside: auto;	pgbi:av	page-break-inside: avoid;	pgba	page-break-after: !;
pgba:au	page-break-after: auto;	pgba:al	page-break-after: always;	pgba:l	page-break-after: left;
pgba:r	page-break-after: right;	orp	orphans: !;	wid	widows: !;
Others					
!	!important	@f	@font-face { font-family: !; src: url(!;); }		

@f+	<pre>@font-face { font-family: 'FontName'; src: url('FileName.eot'); src: url('FileName.eot? #iefix') format('embedded- opentype'), url('FileName.woff') format('woff'), url('FileName.ttf') format('truetype'), url('FileName.svg# FontName') format('svg'); font-style: normal; font-weight: normal; }</pre>	@i, @import	@import url();	@kf	<pre>@-webkit-keyframes identifier { from { } to { } } @-o-keyframes identifier { from { } to { } } @-moz-keyframes identifier { from { } to { } } @keyframes identifier { from { } to { } }</pre>
@m, @media	<pre>@media screen { }</pre>	ac	align-content: ;	ac:c	align-content:center;
		ac:fe	align-content:flex-end;	ac:fs	align-content:flex-start;
ac:sb	align-content:space-between;	ac:s	align-content:stretch;	ac:sa	align-content:space-around;
ai:c	align-items:center;	ai	align-items: ;	ai:b	align-items:baseline;
ai:s	align-items:stretch;	ai:fe	align-items:flex-end;	ai:fs	align-items:flex-start;
		anim	animation: ;	anim-	<pre>animation: name duration timing-function delay iteration-count direction fill-mode;</pre>
animdel	animation-delay: time;	animdir	animation-direction: normal;	animdir:a	animation-direction:alternate;
				animdir:ar	animation-direction:alternate-reverse;
animdir:n	animation-direction:normal;	animdur	animation-duration: 0s;		
animfm	animation-fill-mode: both;	animfm:b	animation-fill-mode:backwards;	animfm:bt, animfm:bh	animation-fill-mode:both;
		animfm:f	animation-fill-mode:forwards;	animic	animation-iteration-count: 1;
animic:i	animation-iteration-count:infinite;	animn	animation-name: none;	animps	animation-play-state: running;
animps:p	animation-play-state:paused;	animps:r	animation-play-state:running;	animtf	animation-timing-function: linear;
animtf:cb	animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);	animtf:e	animation-timing-function:ease;	animtf:ei	animation-timing-function:ease-in;
		animtf:eio	animation-timing-function:ease-in-out;	animtf:eo	animation-timing-function:ease-out;
				animtf:l	animation-timing-function:linear;
ap	appearance:\${none};	as	align-self: ;	as:a	align-self:auto;
as:b	align-self:baseline;	as:c	align-self:center;	as:fe	align-self:flex-end;

as:fs	align-self:flex-start;	as:s	align-self:stretch;	bfv	backface-visibility: !;
bfv:h	backface-visibility:hidden;	bfv:v	backface-visibility:visible;	bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');
cm	/* \${child} */	colm	columns: !;	colmc	column-count: !;
colmf	column-fill: !;	colmg	column-gap: !;	colmr	column-rule: !;
colmrc	column-rule-color: !;	colmrs	column-rule-style: !;	colmrw	column-rule-width: !;
colms	column-span: !;	colmw	column-width: !;	d:ib+	display: inline-block; *display: inline; *zoom: 1;
fx	flex: !;	fxb	flex-basis: !;	fxd	flex-direction: !;
fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: !;	fxg	flex-grow: !;
fxsh	flex-shrink: !;	fxw	flex-wrap: !;	fxw:n	flex-wrap:nowrap;
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	justify-content: !;
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	jc:fs	justify-content:flex-start;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: res;
mir	min-resolution: res;	op+	opacity: !; filter: alpha(opacity= !);	op:ie	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
op:ms	-ms- filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';	ord	order: !;	ori	orientation: !;
toe:e	text-overflow:ellipsis;	ori:l	orientation:landscape;	ori:p	orientation:portrait;
trf:rx	transform: rotateX(angle);	toe	text-overflow:\${ellipsis};	toe:c	text-overflow:clip;
trf:sc	transform: scale(x, y);	trf	transform: !;	trf:r	transform: rotate(angle);
trf:scy	transform: scaleY(y);	trf:ry	transform: rotateY(angle);	trf:rz	transform: rotateZ(angle);
trf:sky	transform: skewY(angle);	trf:sc3	transform: scale3d(x, y, z);	trf:scx	transform: scaleX(x);
trf:tx	transform: translateX(x);	trf:scz	transform: scaleZ(z);	trf:skx	transform: skewX(angle);
trfo	transform-origin: !;	trf:t	transform: translate(x, y);	trf:t3	transform: translate3d(tx, ty, tz);
trsde	transition-delay: time;	trf:ty	transform: translateY(y);	trf:tz	transform: translateZ(z);
trstf	transition-timing-function: tfunc;	trfs	transform-style: preserve-3d;	trs	transition: prop time;
wfsm:a	-webkit-font-smoothing:antialiased;	trsdu	transition-duration: time;	trsp	transition-property: prop;
		us	user-select:\${none};	wfsm	-webkit-font-smoothing:\${antialiased};
		wfsm:n	-webkit-font-smoothing:none;	wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-antialiased;

wm writing-mode: `lr-tb`;

wm:rlb writing-mode:rl-bt;

wm:tbr writing-mode:tb-rl;

XSL

tmatch, tm
`<xsl:template match="|" mode="|"></xsl:template>`

ap
`<xsl:apply-templates select="|" mode="|" />`

inc
`<xsl:include href="|" />`

ot
`<xsl:otherwise></xsl:otherwise>`

pare
`<xsl:param name="|" select="|" />`

wp
`<xsl:with-param name="|" select="|" />`

attr
`<xsl:attribute name="|"></xsl:attribute>`

co
`<xsl:copy-of select="|" />`

tex
`<xsl:text></xsl:text>`

fall
`<xsl:fallback></xsl:fallback>`

pres
`<xsl:preserve-space elements="|" />`

sort
`<xsl:sort select="|" order="|" />`

!!!
`<?xml version="1.0" encoding="UTF-8"?>`

wm:bt1 writing-mode:bt-1r;

wm:1rb writing-mode:1r-bt;

wm:rlt writing-mode:rl-tb;

tname, tn
`<xsl:template name="|"></xsl:template>`

api
`<xsl:apply-imports />`

ch
`<xsl:choose></xsl:choose>`

if
`<xsl:if test="|"></xsl:if>`

var
`<xsl:variable name="|"></xsl:variable>`

key
`<xsl:key name="|" match="|" use="|" />`

attrs
`<xsl:attribute-set name="|"></xsl:attribute-set>`

val
`<xsl:value-of select="|" />`

com
`<xsl:comment></xsl:comment>`

num
`<xsl:number value="|" />`

strip
`<xsl:strip-space elements="|" />`

choose+
 Alias of `xsl:choose`
`<xsl:choose>`
`<xsl:when test="|"></xsl:when>`
`<xsl:otherwise></xsl:otherwise>`
`</xsl:choose>`

wm:btr writing-mode:bt-rl;

wm:1rt writing-mode:1r-tb;

wm:tbl writing-mode:tb-1r;

call
`<xsl:call-template name="|" />`

imp
`<xsl:import href="|" />`

xsl:when, wh
`<xsl:when test="|"></xsl:when>`

par
`<xsl:param name="|"></xsl:param>`

vare
`<xsl:variable name="|" select="|" />`

elem
`<xsl:element name="|"></xsl:element>`

cp
`<xsl:copy select="|" />`

each, for
`<xsl:for-each select="|"></xsl:for-each>`

msg
`<xsl:message terminate="no"></xsl:message>`

nam
`<namespace-alias stylesheet-prefix="|" result-prefix="|" />`

proc
`<xsl:processing-instruction name="|"></xsl:processing-instruction>`

xsl
 Alias of `!!!+xsl:stylesheet`
`[version=1.0`
`xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>{`
`|}`
`<?xml version="1.0" encoding="UTF-8"?>`
`<xsl:stylesheet version="1.0"`
`xmlns:xsl="http://www.w3.org/1999/XSL/Transform">`
`</xsl:stylesheet>`