

DCPLO4-5E Cordless Screwdriver

4v

- Features:**
- Double LED lighting
 - Small and compact
 - Type C charge interface



P 3,000.00

32unit/ctn

Battery: 4.0v/2.0Ah
Max. Power Output: 36W
Clamping Capacity: 6.35mm Hex
Max. Screw Diameter: 5mm
No-Load Speed: 300/min
Max. Torque: 3N-m
Torque Setting: 3
Net Weight: 0.29kg

DCSJO401E Cordless Die Grinder

4v

Battery: 4.0v/1.5Ah
Max. Collet Size: φ3.2mm
No-Load Speed: 5000/12000/18000/min
Torque Setting: 3
Net Weight: 0.135kg



- Features:**
- Double LED lighting
 - Small and compact
 - Type C charge interface

P 3,000.00

32unit/ctn

Accessories and Package:
• Type-C Cable

• Plastic Case Packing
• Die Grinder Accs.

DCJZ1202E Cordless Driver Drill

10.8v



- Features:**
- Budget friendly

P 4,700.00

12unit/ctn

Battery: 10.8V/2.0Ah×2
Max. Chucking Capacity: 10mm
No-Load Speed: Low 0-400/min
High 0-1500/min
Max. Drilling Capacity: Steel Ø10mm
Wood Ø22mm
Torque Setting: 18+1
Max. Torque: 35N·m
Net Weight: 1.0kg

Accessories and Package:
• Driver Bit

• Plastic Case Packing

• Battery Charger

DCJZ09-10Z Cordless Driver Drill

bare



- Features:**
- Budget friendly

P 3,000.00

20unit/ctn

Battery: 12v MAX/solo
Max. Chucking Diameter: 10mm
Max. Screw Diameter: 7mm
No-Load Speed: 0-700/min
Max. Torque: 25N·m
Torque Setting : 16:1
Max. Drilling Capacity: Steel Ø10mm
Wood Ø25mm
Net Weight: 1.0kg

Accessories and Package:

• Color Box Packing

--

DCJZ23-10iEK Cordless Brushless Driver Drill

12v



- Features:**
- Brushless motor
 - 2-speed adjustment

P 9,000.00

8unit/ctn

Battery: 12v MAX/2.0Ah×2
Max. Power Output: 230W
Max. Chucking Capacity: 10mm
Max. Screw Diameter: 7mm
Rated Impact Frequency: 0-2400/min
No-Load Speed: 1st Gear 0-460/min
2nd Gear 0-1600/min
Max. Drilling Capacity: Steel Ø10mm
Brick Wall Ø8mm
Wood Ø20mm
Torque Setting: 20-2
Max. Torque: 35N·m
Net Weight: 0.93kg

Accessories and Package:

• Driver Bit

• Plastic Case Packing

• Battery Charger

--

DCPLO2-8EK Cordless Impact Driver

12v



- Features:**
- Adjustable speed
 - Forward and reverse function

P 7,800.00

8unit/ctn

Battery: 12v MAX/2.0Ah×2
Standard Bolt Size: M5-M12
Clamping Capacity: 6.35mm Hex
Coarse Screw Length: 22-90mm
No-Load Speed: 0-2400/min
Rated Impacts: 0-3000/min
Max. Fastening Torque: 100N·m
Net Weight: 1.0kg

Accessories and Package:

• Driver Bit

• Plastic Case Packing

• Battery Charger

DCJZ14-10EK Cordless Angle Driver Drill

12v



- Features:**
- Adjustable speed
 - Forward and reverse function

P 10,000.00

10unit/ctn

Battery: 12v MAX/2.0Ah×2
Max. Power Output: 140W
Max. Chucking Capacity: 10mm
Max. Screw Diameter: 6.5mm
No-Load Speed: 0-800/min
Max. Drilling Capacity: Steel Ø10mm
Wood Ø20mm
Max. Torque: 11N·m
Net Weight: 0.93kg

Accessories and Package:

• 2x 2.0Ah Battery Pack

• Plastic Case Packing

• Driver Bit

DCZC13BK

Cordless Rotary Hammer

12v



Features:

- 3-mode operation
- DRILL, ROTARY HAMMER and DEMOLITION
- SDS-PLUS quick change chuck
- Adjustable speed
- Forward and reverse function

P 10,700.00

8unit/ctn

Battery:	12V Max/2.0Ah×2
Max. Power Output:	230W
Impact Energy:	1.0J
Clamping Capacity:	6.35mm Hex
Rated Impact Frequency:	0-5600/min
Max. Drilling Capacity:	
Steel	Φ8mm
Wood	Φ10mm
Concrete	Φ12mm
No-Load Speed:	0-900/min
Net Weight:	1.3kg

Accessories and Package:

- Drill Chuck
- Battery Charger
- SDS-PLUS Hammer Drill Bit
- Driver Bit
- Color Box Packing
- Twist Drill Bit

DCPM50EK

Cordless Blind Riveting Gun

12v



Features:

- Pulling rivets faster

P 17,000.00

6unit/ctn

Battery:	12V Max/2.0Ah×2
Max. Power Output:	150W
Stroke:	20mm
Max Tension:	1000N
Capacity:	Φ2.4-Φ6.0 for All-purpose Φ2.4-Φ6.0 for Aluminum
Blind Rivet:	
Net Weight:	1.6kg

Accessories and Package:

- Wrench
- 2x 2.0Ah Battery Pack
- Magnetic Ring
- Plastic Case Packing
- Nosepiece
- Battery Charger

DCPJ12AK

Cordless Caulk Gun

12v

Features:

- Adjustable speed



Battery:	12V Max/2.0Ah×2
Max. Power Output:	150W
Max. Pushing Force:	3400N
Feed Speed:	0-12mm/s
Stroke:	213/355mm
Sealant Type:	
Cartridge	300mL
Film Type Pack	600mL
Net Weight:	1.85kg
No-Load Speed:	0-900/min
Net Weight:	1.3kg

P 13,000.00

3unit/ctn

12v

DCPB02-10EK

Cordless Ratchet Wrench

Features:

- Easy to operate
- Adjustable speed



Battery:	12V Max/2.0Ah×2
Max. Power Output:	180W
No-Load Speed:	0-500/min
Max. Torque:	45Nm
Square Drive Size:	9.5mm(3/8")
Standard Bolt Size:	M5-M12
Net Weight:	0.9kg

P 11,800.00

10unit/ctn

12v

DCQE120DK

Cordless Air Pump

12v

Features:

- Easy to operate



Features:

- Easy to operate

P 7,500.00

12unit/ctn

Accessories and Package:

- Adapter
- Plastic Case Packing
- Plastic Gas Nozzle
- Bodkin

DCJF15EK

Cordless Sabre Saw

12v

Features:

- Tool-less blade change system
- Adjustable speed



Battery:	12V Max/2.0Ah×2
Max. Power Output:	150W
Stroke Length:	14.5mm
No-Load Strokes:	0-3000/min
Max. Cutting Length:	
Metal	8mm
Wood	65mm
Pipe	Φ50mm
Net Weight:	1.2kg

P 11,700.00

8unit/ctn

Accessories and Package:	
• 2x 2.0Ah Battery Pack	
• HCS Saw Blade	• Battery Charger
• Plastic Case Packing	• BIM Saw Blade

DCJZ1602iE

Cordless Driver/Hammer Drill

16v

NEW



Features:

- Budget-friendly
- Rubber-covered handle

P 6,000.00

12unit/ctn

Accessories and Package:

- Driver Bit
- Plastic Case Packing
- Battery Charger
- Bodkin

DCJZ05-13Z

Cordless Brushless Driver/Hammer Drill

bare



Features:

- Brushless motor
- Self-locking chuck
- Compact body

P 5,600.00

16unit/ctn

Battery:	20V Max/2.0Ah×2
Max. Power Output:	600W
Max. Chucking Capacity:	13mm
Rated Impact Frequency:	0-36000/min
No-Load Speed:	1st Gear 0-450/min 2nd Gear 0-2000/min
Max. Drilling Diameter:	
Steel	Φ13mm
Brick Wall	Φ13mm
Wood	Φ38mm
Torque Setting:	22+2
Max. Torque:	60N·m
Net Weight:	1.6kg

Accessories and Package:	
• Φ8mm Hammer Drill Bit	• Driver Bit
• Plastic Case Packing	• Belt Hook Assembly

DCJZ05-13AM

Cordless Brushless Driver/Hammer Drill

20V^{Max}



Features:

- Brushless motor
- Self-locking chuck
- Compact body

P 11,600.00

4unit/ctn

Battery:	20V Max/2.0Ah×2
Max. Power Output:	600W
Max. Chucking Capacity:	13mm
Rated Impact Frequency:	0-36000/min
No-Load Speed:	1st Gear 0-450/min 2nd Gear 0-2000/min
Max. Drilling Diameter:	
Steel	Φ13mm
Brick Wall	Φ13mm
Wood	Φ38mm
Torque Setting:	22+2
Max. Torque:	60N·m
Net Weight:	1.6kg

Accessories and Package:	
• Belt Hook Assembly	• 2x 2.0Ah Battery Pack
• Φ8mm Hammer Drill Bit	• Battery Charger
• Plastic Case Packing	• Driver Bit

DCJZ04-13AM

Cordless Brushless Driver/ Drill



20V^{Max}

- Features:
- Brushless motor
 - Self-locking chuck
 - Compact body

P 11,600.00

4unit/ctn

Battery:	20V Max/2.0Ah×2
Max. Power Output:	600W
Max. Chucking Capacity:	13mm
Max. Screw Diameter:	10mm
No-Load Speed:	1st Gear 0-550/min 2nd Gear 0-2000/min
Max. Drilling Diameter:	Steel Ø13mm Wood Ø38mm
Torque Setting:	22+1
Max. Torque:	60N·m
Net Weight:	1.6kg

Accessories and Package:

- 2x 2.0Ah Battery Pack
- Belt Hook Assembly
- Case Packing
- Battery Charger
- Driver Bit

DCJZ03-13EM

Cordless Brushless Driver/Hammer Drill



20V^{Max}

- Features:
- Brushless motor
 - High strength chuck
 - Compact body

P 16,500.00

4unit/ctn

Battery:	20V Max/4.0Ah×2
Max. Chucking Capacity:	13mm
Max. Screw Diameter:	13mm
Rated Impact Frequency:	0-32000/min
No-Load Speed:	1st Gear 0-500/min 2nd Gear 0-2200/min
Max. Drilling Diameter:	Steel Ø13mm Brick Wall Ø13mm Wood Ø45mm
Torque Setting:	24+2
Max. Torque:	120N·m
Net Weight:	2.2kg

Accessories and Package:

- Driver Bit
- Plastic Case Packing
- 2x 4.0Ah Battery Pack
- Battery Charger

DCPL03-14EM

Cordless Brushless Impact Driver



20V^{Max}

- Features:
- Brushless motor
 - All metal keyless chuck
 - Compact body

P 13,000.00

4unit/ctn

Battery:	20V Max/4.0Ah×2
Clamping Capacity:	6.35mm Hex
Max. Screw Diameter:	14mm
Torque Setting:	Smart-Loose
Low	90N·m
High	180N·m
No-Load Speed:	Low 0-1100/min Low 0-1100/min
Rated Impact Frequency:	Low 0-1700/min Low 0-3000/min
Net Weight:	1.7kg

Accessories and Package:

- Suspension Strap
- Plastic Case Packing
- 2x 4.0Ah Battery Pack
- Battery Charger
- Driver Bit

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

- Features:
- Brushless motor
 - Ssmart-loosen function
 - Ergonomic body design

P 13,600.00

6unit/ctn

Battery:	20V Max/4.0Ah×2
Max. Power Output:	600W
Standard Bolt Size:	6.35mm Hex
Square Drive Size:	12.7mm(1/2")
No-Load Speed:	0-2000/min
Rated Impact Frequency:	0-3000/min
Torque Setting:	Smart-Loosen
Step L	210N·m
Step H	298N·m
Nut-Busting Torque:	350N·m
Net Weight:	1.7kg

Accessories and Package:

- Suspension Strap
- Tool Carrying Bag
- Color Box Packing
- 2x 4.0Ah Battery Pack
- Battery Charger
- Socket S22

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

- Features:
- Brushless motor
 - LED light
 - Large ventilation vents

P 38,000.00

3unit/ctn

Battery:	20V Max/5.0Ah×2
Max. Power Output:	900W
Square Drive Size:	19.05mm(3/4")
No-Load Speed:	1st Gear 900/min 2nd Gear 1100/min 3rd Gear 1700/min
Impact Frequency:	1st Gear 1200/min 2nd Gear 1600/min 3rd Gear 2000/min
Torque Setting:	1st Gear 600N·m 2nd Gear 800N·m 3rd Gear 1000N·m
Nut-Busting Torque:	1700N·m
Standard Bolt Size:	M12-M24
Net Weight:	3.4kg

Accessories and Package:

- 2x 5.0Ah Battery Pack
- Plastic Case Packing
- Battery Charger

DCJZ2050iEM

Cordless Brushless Driver/Hammer Drill



20V^{Max}

NEW

DCJZ2060iADM

Cordless Brushless Driver/Hammer Drill



20V^{Max}

NEW

DCPL208EM

Cordless Brushless Impact Driver



20V^{Max}

NEW

DCPB358EM

Cordless Brushless Impact Wrench



20V^{Max}

NEW

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

DCYD25BM

Cordless Brushless Pruner



20V^{Max}

P 14,600.00

8unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,700.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB298BM

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB998FK

Cordless Brushless Impact Wrench



20V^{Max}

P 13,600.00

6unit/ctn

DCPB2

DCZC04-24EM

Cordless Brushless Rotary Hammer

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	500w
Impact Energy:	2.7J
No-Load Speed:	0-1000/min
Rated Impact Frequency:	0-4500/min
Max. Drilling Capacity:	
Concrete	Φ24mm
Steel	Φ13mm
Wood	Φ28mm
Net Weight:	3.2kg

- Features:**
- Brushless motor
 - 3-mode operation
 - DRILL, ROTARY HAMMER and DEMOLITION
 - Electronic constant design
 - Mechanical clutch design

P 18,000.00

4unit/ctn

- Accessories and Package:**
- 2× 4.0Ah Battery Pack
 - Depth Gauge
 - Plastic Case Packing
 - Battery Charger
 - Auxiliary Handle

DCZE125EM

Cordless Brushless Marble Cutter

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	800w
No-Load Speed:	19.05mm(3/4")
Blade Diameter:	Φ125mm
Blade Bore:	Φ22.2mm
Max. Cutting Capacity:	41.5mm
Bevel Cutting Angle:	0-45°
Net Weight:	2.6kg

- Features:**
- Brushless motor
 - Adjustable cutting depth
 - Ultra-compact body

P 19,700.00

6unit/ctn

- Accessories and Package:**
- 2× 4.0Ah Battery Pack
 - Wrench
 - Color Box Packing
 - Battery Charger
 - Socket Wrench

DCSJ25EM

Cordless Brushless Die Grinder

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	630w
Rated Speed:	8000-26000/min
Speed Shifting Gears:	6
Max. Grinding Wheel Diameter:	Φ25mm
Max. Collet Size:	Φ6mm
Net Weight:	1.9kg

- Features:**
- Brushless motor
 - Large ventilation vents w/ dust-proof filter
 - Metal collet
 - 6-speed adjustment

P 21,000.00

6unit/ctn

- Accessories and Package:**
- 2× Wrench
 - Color Box Packing
 - 4× 4.0Ah Battery Pack
 - Battery Charger

DCMY165BM

Cordless Brushless Circular Saw

20V^{Max}



Battery:	20V Max/4.0Ah×2
No-Load Speed:	5000/min
Blade Diameter:	165mm
Max. Cutting Capacity:	0° 59mm
	45° 43mm
	50° 39mm
Max. Cutting Angle:	50°
Net Weight:	3.8kg

- Features:**
- Brushless motor
 - Ultra-slim body

P 19,000.00

4unit/ctn

- Accessories and Package:**
- Fixing Plate
 - Color Box Packing
 - 2× 4.0Ah Battery Pack
 - Battery Charger
 - Hex Wrench

DCJF22DM

Cordless Brushless Reciprocating Saw

20V^{Max}



Battery:	20V Max/4.0Ah×1
Max. Power Output:	450w
Stroke Length:	22mm
Max. Cutting Length:	Metal 15mm
	Wood 180mm
	Pipe Φ100mm
No-Load Strokes:	0-3000/min
Net Weight:	2.4kg

- Features:**
- Tool-less blade change system
 - SVC System
 - Anti-self locking switch
 - Variable speed switch

P 16,000.00

5unit/ctn

- Accessories and Package:**
- HCS Saw Blade
 - Plastic Case Packing
 - 2× 4.0Ah Battery Pack
 - Battery Charger
 - BIM Saw Blade

DCZC22FK

Cordless Brushless Rotary Hammer

20V^{Max}



Battery:	20V Max/5.0Ah×2
Max. Power Output:	420w
Impact Energy:	2.1J
No-Load Speed:	0-1400/min
Rated Impact Frequency:	0-4500/min
Max. Drilling Capacity:	
Concrete	Φ22mm
Steel	Φ13mm
Wood	Φ28mm
Net Weight:	2.6kg

- Features:**
- Brushless motor
 - 3-mode operation
 - DRILL, ROTARY HAMMER and DEMOLITION
 - Electronic constant design
 - Forward & reverse function

P 25,400.00

4unit/ctn

- Accessories and Package:**
- Depth Gauge
 - Tool Carrying
 - Plastic Case Packing
 - Battery Charger
 - Auxiliary Handle

DCSM03-100EM

Cordless Brushless Angle Grinder

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	630w
Rates Speed:	8500/min
Max Wheel Diameter:	Φ100mm
Hole Diameter of Wheel:	Φ16mm
Spindle Thread:	M10mm
Net Weight:	2.2kg

- Features:**

- Brushless motor
- Detachable metal dustproof filter
- Anti-restart function
- Auto-stop function

P 15,000.00

4unit/ctn

- Accessories and Package:**
- Wrench
 - Plastic Case Packing
 - Battery Charger
 - Auxiliary Handle

DCMD20DM

Cordless Multi-Tool

20V^{Max}



Battery:	20V Max/2.0Ah×1
Max. Power Output:	400w
Oscillations Frequency:	6000-18000/min
Oscillations Angle:	3.2°
Net Weight:	1.6kg

- Features:**

- Brushless motor
- Quick change system
- 6-speed adjustment

P 13,500.00

1unit/ctn

- Accessories and Package:**
- Scraper
 - Sanding Plate
 - Abrasive Paper
 - Plastic Case Packing
 - Segment Saw Blade
 - 2× 4.0Ah Battery Pack
 - Battery Charger

DCJF22EM

Cordless Brushless Reciprocating Saw

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	450w
Stroke Length:	22mm
Max. Cutting Length:	Metal 15mm
	Wood 180mm
	Pipe Φ100mm
No-Load Strokes:	0-3000/min
Net Weight:	2.4kg

- Features:**

- Tool-less blade change system
- SVC System
- Anti-self locking switch
- Variable speed switch

P 15,400.00

4unit/ctn

- Accessories and Package:**
- HCS Saw Blade
 - Plastic Case Packing
 - BIM Saw Blade
 - 2× 4.0Ah Battery Pack
 - Battery Charger

DCJF22DM

Cordless Brushless Reciprocating Saw

20V^{Max}



Battery:	20V Max/4.0Ah×1
Max. Power Output:	450w
Stroke Length:	22mm
Max. Cutting Length:	Metal 15mm
	Wood 180mm
	Pipe Φ100mm
No-Load Strokes:	0-3000/min
Net Weight:	2.4kg

- Features:**
- Tool-less blade change system
 - SVC System
 - Anti-self locking switch
 - Variable speed switch

P 16,000.00

5unit/ctn

- Accessories and Package:**
- HCS Saw Blade
 - Plastic Case Packing
 - BIM Saw Blade
 - 2× 4.0Ah Battery Pack
 - Battery Charger

DCMY125BM

Cordless Brushless Circular Saw

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	800w
No-Load Speed:	Low 4200/min
	High 6700/min
Blade Diameter:	Φ125mm
Blade Bore:	Φ20mm
Max. Cutting Capacity:	0° 45mm
	45° 33mm
Max. Cutting Angle:	45°
Net Weight:	2.4kg

- Features:**

- Brushless motor
- Anti-restart function
- Ultra-compact body

P 16,500.00

6unit/ctn

- Accessories and Package:**
- Hex Wrench
 - Color Box Packing
 - Suspension Strap
 - 2× 4.0Ah Battery Pack
 - Battery Charger

DCYH400EM

Cordless Hydraulic Cable Crimping Tool

20V^{Max}



Battery:	20V Max/4.0Ah×2
Max. Power Output:	400w
Max. Crimping Force:	120KN
Stroke:	42mm
Max. Crimping Diameter:	Cu 400mm ² /Al 300mm ²
Oil Capacity:	≈160mL
Hydraulic Oil Suggestion:	Shell Tellus H2V HV15
Crimping Cycle:	5-15s (depends on cable size)
	2nd Gear 1000N·m
Working Temperature:	-10~40°C
Net Weight:	7.3kg

NEW

P 100,000.00

1unit/ctn

DCGG500DM

Cordless Grease Gun

20V^{Max}



Battery:	20V Max/2.0Ah×1
Max. Power Output:	260w
Max. Working Pressure:	10000PSI
Oil Injection Rate:	High Gear 170g/min Low Gear 100g/min
Hose Length:	1000mm
Tank Capacity:	500cc
Net Weight:	3.2kg

Features:

- Oil and pressure control system
- Relief valve design
- 2-speed control

P 21,000.00

3unit/ctn

Accessories and Package:	
• Strap	• 2x 2.0Ah Battery Pack
• Plastic Case Packing	• Battery Charger

DCSP180DM

Cordless Brushless Polisher

20V^{Max}



Battery:	20V Max/4.0Ah×1
Rated Speed:	400-2200/min
Speed Shifting Gears:	6
Wheel Size:	Φ180mm
Net Weight:	2.3kg

Features:

- Brushless motor
- Large ventilation vents with dust-proof filter
- Rubberized handle
- 6-speed adjustment

P 15,800.00

6unit/ctn

Accessories and Package:	
• Auxiliary Handle	• 1x 4.0Ah Battery Pack
• Wrench	• Battery Charger
• Color Box Packing	• Polishing Disc • Wool Bonnet

DCQF32DM

Cordless Brushless Blower

20V^{Max}



Battery:	20V Max/4.0Ah×1
Max. Power Output:	380w
Speed:	Low 11000/min Middle 15000/min High 18000/min
Air Volume:	Low 67CFM(1.9m ³ /min) Middle 92CFM(2.6m ³ /min) High 110CFM(3.1m ³ /min)
Net Weight:	1.9kg

Features:

- Brushless motor
- Blowing and suction function
- 3 variable speed
- Compact and lightweight structure

P 12,000.00

8unit/ctn

Accessories and Package:	
• Dust Bag	• 1x 4.0Ah Battery Pack
• Dust Extraction Connector	• Battery Charger
• Color Box Packing	• Blowpipe

DDFO5-60

Laser Distance Meter

NEW



Measuring Range:	0.1-60m
Measurement Accuracy:	±(2+5×10-5D)m
Laser Diode:	630-670nm,<1mW
Laser Class:	2
Min. Display Unit:	1mm
Auto-Off (w/o operation for):	180s
Battery Life (Individual measurement):	5000+
Battery Specification:	2-1.2V HR03
Working Temperature:	-10°C~40°C
Storage Temperature:	-10°C~60°C
Product Size:	115 × 50 × 28mm
Net Weight :	92g

Features:

- 8 measurement mode
- 30 measurement storage capability
- HD backlit LCD screen
- English voice broadcast
- USB cable charging interface

P 4,400.00

28unit/ctn

Accessories and Package:	
• Lanyard	• 2x Rechargeable Battery
• Color Box Packing	• Cloth Carry Bag

DCYH630EM

Cordless Hydraulic Cable Crimping Tool

20V^{Max}

NEW



Battery:	20V Max/4.0Ah×2
Max. Power Output:	400w
Max. Crimping Force:	180KN
Stroke:	27.5mm
Max. Crimping Diameter:	Cu 630mm ² /Al 500mm ²
Oil Capacity:	≈260mL
Hydraulic Oil Suggestion:	Shell Tellus S2V HV15
Crimping Cycle:	5-15s (depends on cable size)
Working Temperature:	-10~40°C
Net Weight:	6.9kg

P 120,000.00

1unit/ctn

Accessories and Package:	
• Safety Valve Ring Set	• 2x 4.0Ah Battery Pack
• 12x Crimping Dies	• Battery Charger
• Plastic Case Packing	• Cylinder Sealing Ring Set

DCQB550Z

Cordless Heat Gun

bare



Battery:	20V Max/solo
Max. Power Output:	20w
Temperature:	Low temperature 350°C High temperature 550°C
Air Flow:	Low temperature 120L/min High temperature 200L/min
Net Weight:	0.6kg

P 7,200.00

32unit/ctn

Accessories and Package:	
• Color Box Packing	

DCVC800DM

Cordless Brushless Vacuum Cleaner

20V^{Max}



Battery:	20V Max/4.0Ah×1
Max. Power Output:	200w
Capacity:	8L(water: 3L)
Max Vacuum Pressure:	16kPa
Net Weight:	3.2kg

P 15,000.00

2unit/ctn

Accessories and Package:	
• Wide Suction Nozzle	• 1x 4.0Ah Battery Pack
• Flat Suction Nozzle	• Battery Charger
• Color Box Packing	• Flexible Pipe
	• Shoulder Strap

DCQF20091EM

Cordless Brushless Blower

20V^{Max}



Battery:	20V Max/4.0Ah×2
No-Load Speed:	5000-16000 (Turbo Gear 32600)/min
Air Volume:	High 1.9-6.5 (Turbo Gear 8.4) m ³ /min
Net Weight:	1.9kg

P 20,000.00

4unit/ctn

Accessories and Package:	
• Blowpipe Assembly	• 2x 4.0Ah Battery Pack
• Color Box Packing	• Battery Charger

DDF05-60

Laser Distance Meter

NEW



Measuring Range:	0.1-60m
Measurement Accuracy:	±(2+5×10-5D)m
Laser Diode:	630-670nm,<1mW
Laser Class:	2
Min. Display Unit:	1mm
Auto-Off (w/o operation for):	180s
Battery Life (Individual measurement):	5000+
Battery Specification:	2-1.2V HR03
Working Temperature:	-10°C~40°C
Storage Temperature:	-10°C~60°C
Product Size:	115 × 50 × 28mm
Net Weight :	92g

Features:

- 8 measurement mode
- 30 measurement storage capability
- HD backlit LCD screen
- English voice broadcast
- USB cable charging interface

P 4,400.00

28unit/ctn

Accessories and Package:	
• Lanyard	• 2x Rechargeable Battery
• Color Box Packing	• Cloth Carry Bag

DDF05-80

Laser Distance Meter

NEW



Measuring Range:	0.1-80m

<tbl_r cells="2" ix="1" maxcspan="1" maxrspan

DC Charger



FFCL12-4

P 3,400.00 50unit/ctn

Voltage Output: 12V Power Input: 45W
Current Output: 3.0A Current Frequency: 50-60Hz
Voltage Input: 110-240V Full Charging Time: 2.0A=40mins



FFCL20-02

P 2,600.00 50unit/ctn

Voltage Output: 20V Current Frequency: 50-60Hz
Current Output: 2.0A Full Charging Time: 2.0A=60mins
Voltage Input: 110-240V Power Input: 50W
4.0A=120mins

DC Battery



LB1220-3

P 1,400.00 50unit/ctn

Voltage Output: 10.8V Power Input: 25W
Current Output: 1.5A Current Frequency: 50-60Hz
Voltage Input: 110-240V Full Charging Time: 2.0A=95mins

LB1220-1

P 2,600.00 100unit/ctn

Voltage Output: 12V Power Input: 25W
Current Output: 2.0Ah Current Frequency: 50-60Hz
Voltage Input: 110-240V Full Charging Time: 3.0A=40mins

DC Battery



FFBL2020

P 4,200.00 70unit/ctn

Voltage Output: 20V Power Input: 45W
Current Output: 2.0Ah Current Frequency: 50-60Hz
Voltage Input: 110-240V Full Charging Time: 2.0A=60mins



FFBL2040

P 6,800.00 30unit/ctn

Voltage Output: 20V Power Input: 45W
Current Output: 4.0Ah Current Frequency: 50-60Hz
Voltage Input: 110-240V Full Charging Time: 2.0A=120mins

DSM100B (4") Angle Grinder



P 3,000.00

10unit/ctn

Rated Power Input: 750W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Spindle Thread: M10
Net Weight: 1.6kg

Features:
• Spindle lock
• Top switch

Accessories and Package:
• Wrench
• Color Box Packing
• Carbon Brush

DSM03-100A (4") Angle Grinder



P 2,900.00

10unit/ctn

Rated Power Input: 710W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Spindle Thread: M10
Net Weight: 1.6kg

Features:
• Spindle lock
• Labyrinth dustproof structure
• Side switch

Accessories and Package:
• Carbon Brush
• Auxiliary Handle
• Color Box Packing
• Wrench

DSM04-100B (4") Angle Grinder



P 3,100.00

10unit/ctn

Rated Power Input: 710W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Spindle Thread: M10
Net Weight: 1.6kg

Features:
• Spindle lock
• Rear toggle switch

Accessories and Package:
• Wrench
• Color Box Packing
• Carbon Brush

DSM05-100B (4") Angle Grinder



P 3,200.00

10unit/ctn

Rated Power Input: 850W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Net Weight: 1.7kg

Features:
• Labyrinth dustproof structure
• Slide switch

Accessories and Package:
• Carbon Brush
• Auxiliary Handle
• Color Box Packing
• Wrench

DSM09-100S (4") Angle Grinder



P 3,400.00

12unit/ctn

Rated Power Input: 800W
Rated Speed: 12000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Net Weight: 1.6kg

Features:
• Detachable labyrinth dustproof filter
• Auto-stop carbon brush
• Side switch
• Ultra-slim body design

Accessories and Package:
• Wrench
• Color Box Packing
• Carbon Brush

DSM08-100 (4") Angle Grinder



P 3,400.00

10unit/ctn

Rated Power Input: 800W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Net Weight: 1.6kg

Features:
• Spindle lock
• Rear toggle switch

Accessories and Package:
• Color Box Packing
• Wrench
• Carbon Brush

DSM10-100 (4") Angle Grinder



P 4,600.00

10unit/ctn

Rated Power Input: 1020W
Rated Speed: 4200/13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Net Weight: 2.1kg

Features:
• Variable speed
• Spindle lock
• Slide switch

Accessories and Package:
• Carbon Brush
• Auxiliary Handle
• Color Box Packing
• Wrench

DSM17-100B (4") Angle Grinder



Rated Power Input: 1100W
Rated Speed: 13000r/min
Max. Wheel Diameter: Ø100mm
Hole Diameter of Wheel: Ø16mm
Net Weight: 1.8kg

Features:
 • Energy-gathering motor
 • Auto-stop carbon brush
 • Detachable dustproof filter
 • Ultra-slim body

P 5,000.00

10unit/ctn

DSM03-125S (5") Angle Grinder



Rated Power Input: 950W
Rated Speed: 11800/min
Max. Wheel Diameter: Ø125mm
Hole Diameter of Wheel: Ø22mm
Spindle Thread: M14
Net Weight: 1.8kg

Features:
 • Energy-gathering motor
 • Spindle lock
 • Slide switch
 • Compact gear housing
 • Ultra-slim body

P 3,800.00

16unit/ctn

DSM230A (9") Angle Grinder (Soft Start)



Rated Power Input: 2200W
Rated Speed: 6600/min
Max. Wheel Diameter: Ø230mm
Hole Diameter of Wheel: Ø22mm
Spindle Thread: M14
Net Weight: 5.0kg

Features:
 • Labyrinth dustproof structure
 • Spindle lock
 • Large trigger switch

P 9,900.00

2unit/ctn

DSP180 Polisher



Rated Power Input: 750W
Rated Speed: 1900-3200/min
Wheel Size: Ø180mm
Net Weight: 3.6kg

Features:
 • Adjustable speed

P 7,300.00

4unit/ctn

DSPO4-180 Polisher



Rated Power Input: 1400W
No-Load Speed: 690-3800/min
Wheel Size: Ø180mm
Net Weight: 3.4kg

Features:
 • Electronic constant speed
 • Adjustable speed
 • D-shaped auxiliary handle

P 9,000.00

4unit/ctn

DSM125A (5") Angle Grinder



Rated Power Input: 850W
Rated Speed: 11800/min
Max. Wheel Diameter: Ø125mm
Hole Diameter of Wheel: Ø22mm
Spindle Thread: M14
Net Weight: 1.8kg

Features:
 • Spindle lock
 • Slide switch

P 3,800.00

10unit/ctn

Accessories and Package:
 • Carbon Brush • Auxiliary Handle
 • Color Box Packing • Wrench

DSM180A (7") Angle Grinder



Rated Power Input: 2200W
Rated Speed: 8300/min
Max. Wheel Diameter: Ø180mm
Hole Diameter of Wheel: Ø22mm
Spindle Thread: M14
Net Weight: 5.0kg

Features:
 • Labyrinth dustproof structure
 • Spindle lock
 • Large trigger switch

P 9,800.00

2unit/ctn

Accessories and Package:
 • Carbon Brush • Auxiliary Handle
 • Color Box Packing • Wrench

DSP02-180 Polisher



Rated Power Input: 570W
No-Load Speed: 1000-2400/min
Wheel Size: Ø180mm
Spindle Thread: M14
Net Weight: 3.3kg

Features:
 • Adjustable speed
 • Vertical structure

P 6,500.00

4unit/ctn

Accessories and Package:
 • Wool Bonnet • Wrench
 • Color Box Packing • Auxiliary Hand

DSPO4-180B Polisher



Rated Power Input: 1150W
No-Load Speed: 600-3400/min
Wheel Size: Ø180mm
Net Weight: 3.4kg

Features:
 • Budget-friendly
 • Adjustable speed
 • D-shaped auxiliary handle

P 8,000.00

4unit/ctn

Accessories and Package:
 • Carbon Brush • Wool Bonnet
 • Color Box Packing • Hex Wrench

DSJ02-10 Die Grinder



Rated Power Input: 105W
No-Load Speed: 30000/min
Max. Grinding Wheel Diameter: Ø10mm
Max. Collet Size: 3mm
Net Weight: 0.8kg

Features:
 • Half-structure
 • Small and compact

P 2,200.00

12unit/ctn

Accessories and Package:
 • Wrench
 • Color Box Packing • Carbon Brush

DSJ25B Die Grinder



DSJ25B
Die Grinder



Rated Power Input: 240W
No-Load Speed: 26000/min
Max. Grinding Wheel Diameter: Ø25mm
Max. Collet Size: 6mm
Net Weight: 1.2kg

Features:
 • External carbon brush structure
 • Rear toggle switch
 • Compact and flexible

P 2,600.00

8unit/ctn

Accessories and Package:

- Carbon Brush
- Large Wrench
- Color Box Packing
- Small Wrench

DSJ02-25 Die Grinder

DSJ02-25 Die Grinder



DSJ02-25
Die Grinder



Rated Power Input: 400W
No-Load Speed: 27000/min
Max. Grinding Wheel Diameter: Ø25mm
Max. Collet Size: 6mm
Net Weight: 1.8kg

Features:
 • Aluminum gear housing
 • External carbon brush structure

P 3,300.00

8unit/ctn

Accessories and Package:

- Barrel Guard
- Large Wrench
- Carbon Brush
- Small Wrench
- Color Box Packing
- Collet

DSJ08-25 Die Grinder

NEW



Rated Power Input: 710W
No-Load Speed: 33000/min
Max. Grinding Wheel Diameter: Ø25mm
Max. Collet Size: 6mm
Net Weight: 1.7kg

Features:
 • Energy-gathering motor
 • Metal gear box
 • Detachable dustproof filter

P 4,000.00

10unit/ctn

Accessories and Package:

- Color Box Packing
- Wrench
- Carbon Brush

DSJ08-25L Die Grinder

NEW



Rated Power Input: 710W
No-Load Speed: 33000/min
Max. Grinding Wheel Diameter: Ø25mm
Max. Collet Size: 6mm
Net Weight: 2.0kg

Features:
 • Energy-gathering motor
 • Metal gear box
 • Extended output shaft
 • Detachable dustproof filter

P 4,500.00

9unit/ctn

Accessories and Package:

- Color Box Packing
- Wrench
- Carbon Brush

DSN100 Grinding Polisher



Rated Power Input: 1400W
No-Load Speed: 690-3800/min
Wheel Size: Ø120 x 100mm
Net Size: 4.7kg

Features:
 • Adjustable speed
 • Electronic constant speed control

P 11,000.00

2unit/ctn

Accessories and Package:

- Carbon Brush
- Auxiliary Handle
- Color Box Packing
- Wrench

DSS125B Straight Grinder



Rated Power Input: 710W
No-Load Speed: 5300/min
Max. Wheel Diameter: Ø120mm
Hole Diameter of Wheel: Ø20mm
Net Weight: 4.3kg

Features:
 • Safety Guard Design
 • Steady operation

P 6,500.00

4unit/ctn

Accessories and Package:

- Carbon Brush
- Wrench
- Color Box Packing
- Sleeve

DSA150 Disk Sander



Rated Power Input: 405W
Orbits Frequency: 4700/min
Grinding Disc Diameter: Ø150mm
Net Weight: 1.6kg

Features:
 • Vertical type

P 3,200.00

10unit/ctn

Accessories and Package:

- Abrasive Disc
- Auxiliary Handle
- Carbon Brush
- Hex Wrench
- Color Box Packing
- Abrasive Disc P24

DSA125 Random Orbit Sander



Rated Power Input: 300W
Orbits Frequency: 4700-12000/min
Pad Size: Ø125mm
Net Weight: 1.4kg

Features:
 • Ultra low vibration structure design
 • Adjustable speed

P 4,600.00

16unit/ctn

Accessories and Package:

- Color Box Packing
- Dust Bag
- Carbon Brush

DSB03-100 Orbital Sander



Rated Power Input: 240W
Orbits Frequency: 14000/min
Pad Size: 100 x 110mm
Net Weight: 1.2kg

Features:
 • Rubber-covered body

P 3,500.00

16unit/ctn

Accessories and Package:

- Color Box Packing
- Carbon Brush

DSB03-100S Orbital Sander



Rated Power Input: 240W
Orbits Frequency: 14000/min
Pad Size: 100 x 110mm
Net Weight: 1.2kg

Features:
 • Upgraded parts improvement
 • Low vibration design
 • Rubberized grip

P 3,400.00

10unit/ctn

Accessories and Package:

- Color Box Packing
- Carbon Brush

DSB100 Orbital Sander



Rated Power Input: 150W
Orbits Frequency: 12000/min
Pad Size: 100 x 110mm
Net Weight: 1.3kg

- Features:**
- Budget friendly

P 2,900.00

16unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DSB185B Orbital Sander



Rated Power Input: 200W
Orbits Frequency: 11000/min
Pad Size: 93 x 185mm
Net Weight: 1.6kg

- Features:**
- Trigger switch w/ lock-on button
 - Upgraded version of DSB185

P 3,000.00

10unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DST610 Belt Sander



Rated Power Input: 1200W
Belt Speed: 5000m/min
Belt Size: 100 x 610mm
Net Weight: 5.8kg

- Features:**
- Dust bag design

P 11,000.00

3unit/ctn

Accessories and Package:
• Carbon Brush
• Abrasive Belt (AP60)
• Color Box Packing
• Dust Bag Assembly

DZE06-110 Marble Cutter



Rated Power Input: 1800W
No-Load Speed: 13500/min
Blade Diameter: Ø110mm
Blade Bore: Ø20mm
Max. Cutting Capacity: 30mm
Bevel Cutting Capacity: 0-45°
Net Weight: 3.3kg

- Features:**
- Adjustable cutting depth
 - Anti-splash board design
 - Trigger switch w/ lock-on button

P 5,700.00

3unit/ctn

Accessories and Package:
• Carbon Brush
• Color Box Packing
• Socket Wrench
• Wrench

DZC13 Electric Rotary Hammer



Rated Power Input: 400W
Impact Energy: 1.0J
No-Load Speed: 0-900/min
Rated Impact Frequency: 0-5600/min
Max. Drilling Capacity: Concrete Ø12mm
Net Weight: 1.2kg

- Features:**
- SDS-PLUS
 - 2-mode operation: DRILL and ROTARY HAMMER
 - Adjustable speed
 - Lightweight

P 6,300.00

8unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DSB185 Orbital Sander



Rated Power Input: 180W
Orbits Frequency: 10000/min
Pad Size: 93 x 185mm
Net Weight: 1.7kg

- Features:**
- Trigger switch w/ lock-on button

P 3,000.00

10unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DSB234 Orbital Sander



Rated Power Input: 520W
Orbits Frequency: 10000/min
Pad Size: 114 x 234mm
Net Weight: 2.9kg

- Features:**
- Multiple ergonomic grip positions
 - External carbon brush structure
 - Trigger switch w/ lock-on button

P 6,600.00

8unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DZC05-26B Hammer Drill



Rated Power Input: 1200W
No-Load Speed: 13000min
Blade Diameter: Ø10mm
Max. Cutting Capacity: 30mm
Net Weight: 1.6kg

- Features:**
- Trigger switch w/ lock-on button

P 5,700.00

4unit/ctn

Accessories and Package:
• Wrench
• Carbon Brush
• Color Box Packing
• Pipe Connector
• Socket Wrench

DZE03-125 Marble Cutter



Rated Power Input: 1800W
No-Load Speed: 13500/min
Blade Diameter: Ø125mm
Blade Bore: Ø22.2mm
Max. Cutting Capacity: 38.5mm
Bevel Cutting Angle: 0-45°
Net Weight: 3.3kg

- Features:**
- Adjustable cutting depth
 - Anti-splash board design
 - Trigger switch w/ lock-on button

P 5,700.00

3unit/ctn

Accessories and Package:
• Carbon Brush
• Color Box Packing
• Socket Wrench
• Wrench

DZE03-125 Marble Cutter



Rated Power Input: 1800W
No-Load Speed: 13500/min
Blade Diameter: Ø125mm
Blade Bore: Ø22.2mm
Max. Cutting Capacity: 38.5mm
Bevel Cutting Angle: 0-45°
Net Weight: 3.3kg

- Features:**
- Anti-splash board design
 - Toggle switch w/ lock-on button

P 5,800.00

6unit/ctn

Accessories and Package:
• Carbon Brush
• Color Box Packing
• Wrench

DZC13 Electric Rotary Hammer



Rated Power Input: 400W
Impact Energy: 1.0J
No-Load Speed: 0-900/min
Rated Impact Frequency: 0-5600/min
Max. Drilling Capacity: Concrete Ø12mm
Net Weight: 1.2kg

- Features:**
- SDS-PLUS
 - 2-mode operation: DRILL and ROTARY HAMMER
 - Adjustable speed
 - Lightweight

P 6,300.00

8unit/ctn

Accessories and Package:
• Color Box Packing
• Carbon Brush

DZC05-26B Hammer Drill



Rated Power Input: 750W
Impact Energy: 3.0J
No-Load Speed: 0-1200/min
Rated Impact Frequency: 0-4000/min
Max. Drilling Capacity: Concrete Ø26mm
Net Weight: 2.9kg

- Features:**
- SDS-PLUS
 - 3-mode operation: DRILL, ROTARY HAMMER & DEMOLITION
 - Forward & reverse function
 - Adjustable speed

P 8,000.00

4unit/ctn

Accessories and Package:
• Carbon Brush
• Auxiliary Handle
• Color Box Packing
• Depth Gauge

DZC03-26B

Electric Rotary Hammer



Rated Power Input: 750W
Impact Energy: 3.0J
No-Load Speed: 500/min
Rated Impact Frequency: 3200/min
Max. Drilling Capacity: Concrete Ø26mm
Net Weight: 5.0kg

- Features:**
- SDS-PLUS
 - 2-mode operation: ROTARY HAMMER & DEMOLITION

P 8,800.00

3unit/ctn

Accessories and Package:

- Depth Gauge
- Wrench
- Carbon Brush
- Plastic Case Packing
- Oiler
- Dust Cap
- 2x O Ring
- Auxiliary Handle

DZC03-28

Electric Rotary Hammer



Rated Power Input: 1100W
Impact Energy: 3.6J
No-Load Speed: 1300/min
Rated Impact Frequency: 5000/min
Max. Drilling Capacity: Concrete Ø28mm
Net Weight: 5.2kg

- Features:**
- SDS-PLUS
 - 2-mode operation: ROTARY HAMMER & DEMOLITION
 - Safety release clutch
 - Multiple vibration absorbing system
 - Large trigger switch

P 9,000.00

3unit/ctn

Accessories and Package:

- Depth Gauge
- Carbon Brush
- Plastic Case Packing
- Oiler
- Dust Cap
- 2x O Ring
- Auxiliary Handle

DZC03-38

Electric Rotary Hammer



Rated Power Input: 1100W
Impact Energy: 7.9J
No-Load Speed: 320/min
Rated Impact Frequency: 2900/min
Max. Drilling Capacity: Concrete Ø38mm
Net Weight: 6.2kg

- Features:**
- SDS-MAX
 - 2-mode operation: ROTARY HAMMER & DEMOLITION
 - Safety release clutch

P 19,000.00

3unit/ctn

Accessories and Package:

- Plastic Case Packing
- Auxiliary Handle
- Carbon Brush

DZG6S

Percussion Hammer



Rated Power Input: 1050W
Impact Energy: 11.0J
Rated Impact Frequency: 2900/min
Net Weight: 6.8kg

- Features:**
- High quality piston ring
 - Hex 17mm

P 10,500.00

2unit/ctn

Accessories and Package:

- Piston Ring
- Carbon Brush
- Plastic Case Packing
- Grease
- Auxiliary Handle
- Special Wrench

DZG07-6

Percussion Hammer



Rated Power Input: 1600W
Impact Energy: 22.0J
Rated Impact Frequency: 2900/min
Net Weight: 7.3kg

- Features:**
- 40mm cylinder diameter

P 14,000.00

2unit/ctn

Accessories and Package:

- Piston Ring
- Carbon Brush
- Plastic Case Packing
- Grease
- Auxiliary Handle
- Special Wrench

DZC03-26SH

Electric Rotary Hammer



Rated Power Input: 750W
Impact Energy: 3.0J
No-Load Speed: 700/min
Rated Impact Frequency: 3200/min
Max. Drilling Capacity: Concrete Ø26mm
Net Weight: 5.0kg

Accessories and Package:

- Depth Gauge
- Wrench
- Carbon Brush
- Plastic Case Packing
- Oiler
- Dust Cap
- 2x O Ring
- Auxiliary Handle

P 9,000.00

4unit/ctn

Accessories and Package:

- Depth Gauge
- Wrench
- Carbon Brush
- Plastic Case Packing
- Oiler
- Dust Cap
- 2x O Ring
- Auxiliary Handle

DZC05-28B

Electric Rotary Hammer



Rated Power Input: 1150W
Impact Energy: 4.7J
No-Load Speed: 1100/min
Rated Impact Frequency: 5400/min
Max. Drilling Capacity: Concrete Ø28mm
Net Weight: 5.1kg

- Features:**
- SDS-PLUS
 - 2-mode operation: ROTARY HAMMER & DEMOLITION
 - Safety release clutch
 - Multiple vibration absorbing system
 - Large trigger switch

P 9,400.00

3unit/ctn

Accessories and Package:

- Depth Gauge
- Carbon Brush
- Plastic Case Packing
- Oiler
- Dust Cap
- 2x O Ring
- Auxiliary Handle

DZC45

Electric Rotary Hammer



Rated Power Input: 1500W
Impact Energy: 15.0J
No-Load Speed: 0-305/min
Rated Impact Frequency: 1370-2700/min
Max. Drilling Capacity: Concrete Ø45mm
Net Weight: 8.2kg

- Features:**
- SDS-MAX
 - 2-mode operation: ROTARY HAMMER & DEMOLITION
 - Soft start
 - Electronic constant speed control
 - Safety release clutch

P 32,000.00

2unit/ctn

Accessories and Package:

- Carbon Brush
- Plastic Case Packing
- Auxiliary Handle
- Chuck Oil

DZG06-6S

Percussion Hammer



Rated Power Input: 1400W
Impact Energy: 16.8J
Rated Impact Frequency: 3900/min
Net Weight: 6.8kg

- Features:**
- Upgraded vibration absorbing system
 - Robust structure design
 - 35mm cylinder diameter
 - Hex 17mm

P 12,500.00

2unit/ctn

Accessories and Package:

- Piston Ring
- Carbon Brush
- Plastic Case Packing
- Grease
- Auxiliary Handle
- Special Wrench

DZG10

Percussion Hammer



Rated Power Input: 1500W
Impact Energy: 16.0J
Rated Impact Frequency: 900-1890/min
Net Weight: 10.4kg

- Features:**
- 40mm cylinder diameter
 - Electronic constant speed control

P 27,000.00

1unit/ctn

Accessories and Package:

- Piston Ring
- Carbon Brush
- Plastic Case Packing
- Grease
- Auxiliary Handle
- Special Wrench

DZG03-15 Percussion Hammer



Rated Power Input: 1240W
Impact Energy: 41.8J
Rated Impact Frequency: 1400/min
Net Weight: 16kg

- Features:**
- Hex 30mm
 - Larger trigger switch

P 25,000.00

1unit/ctn

Accessories and Package:

- Carbon Brush
- Iron Carrying Case
- Oiler
- Wrench
- Hex Wrench

DZG16 Percussion Hammer



Rated Power Input: 1700W
Impact Energy: 44.5J
Rated Impact Frequency: 1300/min
Net Weight: 18.8kg

- Features:**
- Hex 30mm
 - Vibration control system
 - Robust structure design

P 50,000.00

1unit/ctn

Accessories and Package:

- Carbon Brush
- Plastic Case Packing
- Grease
- Auxiliary Handle
- Hex Wrench

DJZ10A Electric Drill



Rated Power Input: 300W
No-Load Speed: 0-3000/min
Max. Drilling Capacity: Steel Ø10mm
Wood Ø18mm
Net Weight: 1.5kg

- Features:**
- Adjustable speed
 - Forward & reverse function

P 2,700.00

10unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- 2x Twist Drill Bit
- Chuck Wrench

DJZ06-13 Electric Drill



Rated Power Input: 710W
No-Load Speed: 0-2800/min
Max. Drilling Capacity: Steel Ø13mm
Wood Ø20mm
Net Weight: 1.7kg

- Features:**
- Stepless speed control
 - Forward & reverse function
 - Ergonomic body design

P 3,700.00

8unit/ctn

Accessories and Package:

- Color Box Packing
- Chuck Wrench
- Carbon Brush

DJZ07-13 Electric Drill



Rated Power Input: 710W
No-Load Speed: 0-900/min
Max. Drilling Capacity: Steel Ø13mm
Wood Ø38mm
Net Weight: 2.4kg

- Features:**
- Double-gear drive
 - Adjustable speed
 - Forward & reverse function

P 5,800.00

8unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Auxiliary Handle
- Chuck Wrench

DZG04-15S Percussion Hammer



Rated Power Input: 1700W
Impact Energy: 40J
Rated Impact Frequency: 1450/min
Net Weight: 15kg

- Features:**
- Hex 30mm
 - Vibration control system

P 28,000.00

1unit/ctn

Accessories and Package:

- Carbon Brush
- Plastic Case Packing
- Auxiliary Handle
- Specail Wrench

DJZ02-6A Electric Drill



Rated Power Input: 230W
No-Load Speed: 0-3800/min
Max. Drilling Capacity: Steel Ø6.5mm
Wood Ø9mm
Net Weight: 1.2kg

- Features:**
- Stepless speed control
 - Forward & reverse function

P 2,700.00

10unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Depth Gauge Assembly
- Chuck Wrench

DJZ06-10 Angle Drill



Rated Power Input: 380W
No-Load Speed: 0-1400/min
Max. Drilling Capacity: Steel Ø10mm
Wood Ø15mm
Net Weight: 1.9kg

- Features:**
- Angular structure design
 - Large paddle switch

P 6,400.00

10unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Auxiliary Handle
- Chuck Wrench

DJZ02-13 Electric Drill



Rated Power Input: 500W
No-Load Speed: 0-1450/min
Max. Drilling Capacity: Steel Ø16mm
Wood Ø20mm
Net Weight: 2.4kg

- Features:**
- Adjustable speed
 - Forward & reverse function

P 4,300.00

8unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Auxiliary Handle
- Depth Gauge
- Chuck Wrench

DJZ07-13 Electric Drill



Rated Power Input: 710W
No-Load Speed: 0-900/min
Max. Drilling Capacity: Steel Ø13mm
Wood Ø38mm
Net Weight: 2.4kg

- Features:**
- Double-gear drive
 - Adjustable speed
 - Forward & reverse function

P 5,800.00

8unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Auxiliary Handle
- Chuck Wrench

DJZ16A Electric Drill



Rated Power Input: 800W
No-Load Speed: 680/min
Max. Drilling Capacity: Steel Ø16mm
Wood Ø36mm
Net Weight: 3.2kg

- Features:**
- Fixed speed
 - 360° rotatable
 - D-shaped handle

P 5,000.00

6unit/ctn

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Auxiliary Handle
- Chuck Wrench

DZJ02-13 Electric Impact Drill



P 3,300.00

8unit/ctn

Rated Power Input:	500W
No-Load Speed:	0-2600/min
Rated Impact Frequency:	0-41600/min
Max. Drilling Capacity:	
Steel	Ø10mm
Brick Wall	Ø13mm
Wood	Ø25mm
Net Weight:	2.0kg

- Features:**
- 2 functions:
DRILL & IMPACT DRILL
 - Adjustable speed
 - Forward & reverse function
 - Half-structure

Accessories and Package:	
• Auxiliary Handle	
• Carbon Brush	• Depth Gauge
• Color Box Packing	• Chuck Wrench

DZJ16 Electric Impact Drill



P 4,000.00

8unit/ctn

Rated Power Input:	710W
No-Load Speed:	0-3000/min
Rated Impact Frequency:	0-45000/min
Max. Drilling Capacity:	
Steel	Ø13mm
Brick Wall	Ø16mm
Wood	Ø30mm
Net Weight:	2.0kg

- Features:**
- 2 functions:
DRILL & IMPACT DRILL
 - Adjustable speed
 - Forward & reverse function
 - Durable plastic gearbox
 - Rubberized handle

Accessories and Package:	
• Auxiliary Handle	
• Carbon Brush	• Depth Gauge
• Color Box Packing	• Chuck Wrench

DZJ03-13 Electric Impact Drill



P 5,000.00

8unit/ctn

Rated Power Input:	500W
No-Load Speed:	0-1450/min
Rated Impact Frequency:	0-18850/min
Max. Drilling Capacity:	
Steel	Ø13mm
Brick Wall	Ø13mm
Wood	Ø20mm
Net Weight:	2.5kg

- Features:**
- Adjustable speed
 - Forward & reverse function

Accessories and Package:	
• Carbon Brush	• Depth Gauge
• Color Box Packing	• Chuck Wrench

DZJ04-13 Electric Impact Drill (Tool Kit)



P 7,500.00

4unit/ctn

Rated Power Input:	500W
No-Load Speed:	0-2600/min
Rated Impact Frequency:	0-41600/min
Max. Drilling Capacity:	
Steel	Ø10mm
Brick Wall	Ø13mm
Wood	Ø25mm

- Features:**
- Match different hand tools and accessories

Accessories and Package:	
• Hammer Drill Bit Set	
• Screw Socket Set	• Twist Drill Bit Set
• Utility Knife	• Woodworking Drill Bit Set
• 3m Tape Measure	• Level Ruler
• Auxiliary Handle	• Screwdriver Bit Set
• Depth Gauge	• Vice
• Chuck Wrench	• Adjustable Wrench
• Carbon Brush	• Claw Hammer
• Plastic Case Packing	• Screwdriver

DZZ90 Diamond Drill with Water Source



P 10,500.00

3unit/ctn

Rated Power Input:	1350W
No-Load Speed:	0-2300/min
Max. Drilling Capacity:	Ø90mm
Net Weight:	4.5kg

- Features:**
- Adjustable speed
 - Lightweight

Accessories and Package:	
• Water Pipe	
• Shoulder Support Assy.	• Pipe Connector
• Carbon Brush	• Open-End Wrench
• Plastic Case Packing	• Auxiliary Handle

DZZ02-160 Diamond Drill with Water Source



P 12,600.00

3unit/ctn

Rated Power Input:	1800W
No-Load Speed:	0-1900/min
Max. Drilling Capacity:	Ø160mm
Net Weight:	5.2kg

- Features:**
- Lightweight

Accessories and Package:	
• Shoulder Support Assy.	• Pipe Connector
• Carbon Brush	• Open-End Wrench
• Plastic Case Packing	• Auxiliary Handle

DZJ16 Electric Impact Drill



P 4,000.00

8unit/ctn

Rated Power Input:	710W
No-Load Speed:	0-3000/min
Rated Impact Frequency:	0-45000/min
Max. Drilling Capacity:	
Steel	Ø13mm
Brick Wall	Ø16mm
Wood	Ø30mm
Net Weight:	2.0kg

- Features:**
- 2 functions:
DRILL & IMPACT DRILL
 - Adjustable speed
 - Forward & reverse function
 - Durable plastic gearbox
 - Rubberized handle

Accessories and Package:	
• Auxiliary Handle	
• Carbon Brush	• Depth Gauge
• Color Box Packing	• Chuck Wrench

DZJ20 Electric Impact Drill



P 8,000.00

4unit/ctn

Rated Power Input:	750W
No-Load Speed:	1st Gear 0-1150/min 2nd Gear 0-2800/min
Rated Impact Frequency:	
1st Gear	0-23000/min
2nd Gear	0-56000/min

Max. Drilling Capacity:	
1st Gear	Ø13mm
2nd Gear	Ø8mm
Steel	Ø13mm
Brick Wall	Ø20mm
Wood	Ø40mm
Net Weight:	2.4kg

- Features:**
- 2-speed mechanical speed control
 - Adjustable speed
 - Forward & reverse function
 - Rubber-covered handle

Accessories and Package:	
• Carbon Brush	• Depth Gauge
• Color Box Packing	• Chuck Wrench

DZJ16T Electric Impact Drill (Tool Kit)



P 9,000.00

4unit/ctn

Rated Power Input:	710W
No-Load Speed:	0-3000/min
Rated Impact Frequency:	0-45000/min
Max. Drilling Capacity:	
Steel	Ø13mm
Brick Wall	Ø16mm
Wood	Ø30mm

Accessories and Package:	
• Screwdriver Bit Set	• Manual Screwdriver
• Socket Set	• 25mm Screwdriver Bit Set
• Expansion Screw Set	• Bits Holder
• 3m Tape Measure	• Utility Knife
• Auxiliary Handle	• Wire Cutter
• Depth Gauge	• Claw Hammer
• Chuck Wrench	• Adjustable Wrench
• Carbon Brush	• Hammer Drill Bit Set
• Plastic Case Packing	• Twist Drill Bit

DZZ02-130 Diamond Drill with Water Source



P 23,000.00

1unit/ctn

Rated Power Input:	1800W
No-Load Speed:	0-1200/min
Max. Drilling Capacity:	Ø130mm
Net Weight:	11.6kg

- Features:**
- Earth leakage protection

Accessories and Package:	
• Hex Wrench	• Water Pipe
• Carbon Brush	• Pipe Connector
• Carton Packing	• Open-End Wrench

DZZ190 Diamond Drill with Water Source



P 18,000.00

2unit/ctn

Rated Power Input:	1800W

DZZ200S

Diamond Drill with Water Source



Rated Power Input: 750W
No-Load Speed: 500/min
Max. Drilling Capacity: Ø200mm
Net Weight: Ø16mm
Net Weight: 1.6kg

Features:
• Earth leakage protection

P 35,000.00

1unit/ctn

DJC23

Magnetic Drill



Rated Power Input: 620W
Max. Drilling Capacity:
 Twist Drill Bit Ø23mm
 Core Drill Bit Ø50mm
Magnetism: 1500N
No-Load Speed: 390/min
Max. Stroke: 220mm
Connector: MT2 Shank
Net Weight: 21.0kg

Features:
• 2 functions: TWIST
& CORE DRILL
• Fuse overload protection

Accessories and Package:
• Extension Rod • 22mm Core Drill Bit
for Morse Taper • Core Drill Bit Joint Assy.
Bush w/ Tang • Wedge Iron
• Fuse • Safety Belt
• Oiler Assembly • 2x Hex Wrench
• Carbon Brush • Drill Chuck Wrench
• Iron Carrying Case • Drill Chuck

P 48,000.00

1unit/ctn

DJB02-3

Weld Joint Beveler



Rated Power Input: 800W
No-Load Speed: 9000/min
Blade Size: Ø9.5 x 3.5 x Ø4.2mm
Net Weight: 2.3kg

Features:
• for Champering outside joint
• Rear toggle switch

P 6,800.00

8unit/ctn

Accessories and Package:
• Carbon Brush • Auxiliary Handle
• Color Box Packing • Hex Wrench

DJF30

Reciprocating Saw



Rated Power Input: 590W
No-Load Strokes: 0-2300/min
Length of Strokes: 30mm
Max. Cutting Capacity: Steel Pipe Ø90mm
 Steel Pipe Ø90mm
 Wood Ø90mm
Net Weight: 3.2kg

Features:
• Adjustable speed
• Rubberized front

P 8,800.00

3unit/ctn

Accessories and Package:
• Hex Wrench • Saw Blade 21
• Carbon Brush • Saw Blade 22
• Plastic Case Packing • Saw Blade 23

DJG04-355S

Electric Cut-Off Machine



Rated Power Input: 2200W
No-Load Speed: 3800/min
Wheel Size: 355 x 3 x 25.4mm
Max. Cutting Angle: 0-45°
Max. Cutting Capacity:
 Pipe Ø115mm
 Profiled Bar 115-130mm
Net Weight: 15.6kg

Features:
• Aluminum housing
• D-shaped handle

P 13,800.00

1unit/ctn

Accessories and Package:
• Color Box Packing • Wrench
• Carbon Brush

DJC30

Magnetic Drill (Core Drill)



Rated Power Input: 900W
Max Drilling Capacity: Ø30mm
Max. Drilling Depth: 35mm
Magnetism: 1150N
No-Load Speed: 450/min
Max. Stroke: 140mm
Connector: Straight Shank Ø19mm
Net Weight: 11.5kg

Features:
• Fuse overload protection

P 25,000.00

1unit/ctn

Accessories and Package:
• 22mm Core Drill Bit
• Carbon Brush • Open-End Wrench
• Plastic Case Packing • 2x Hex Wrench

DJB3

Weld Joint Beveler



Rated Power Input: 800W
No-Load Speed: 9000/min
Blade Size: Ø9.5 x 3.5 x Ø4.2mm
Net Weight: 2.5kg

Features:
• for Champering outside joint
• Rear toggle switch

P 8,500.00

8unit/ctn

Accessories and Package:
• Carbon Brush • Auxiliary Handle
• Color Box Packing • 3x Hex Wrench

DJJ32

Electric Shear



Rated Power Input: 710W
No-Load Strokes: 1600/min
Max. Cutting Capacities:
 Steel 400N/mm² 3.2mm
 Steel 600N/mm² 2.5mm
 Steel 800N/mm² 1.0mm
 Aluminum 250N/mm² 3.5mm
Max. Cutting Radius: 50mm
Net Weight: 3.8kg

Features:
• D-shaped handle

P 9,600.00

6unit/ctn

Accessories and Package:
• Carbon Brush • Hex Wrench
• Color Box Packing • Gauge

DJG02-355

Electric Cut-Off Machine



Rated Power Input: 2000W
No-Load Speed: 3800/min
Wheel Size: 355 x 3 x 25.4mm
Max. Cutting Angle: 0-45°
Max. Cutting Capacity:
 Round Bar Ø65mm
 Pipe Ø120mm
 Profiled Bar 120-130mm
Net Weight: 16.0kg

Features:
• Aluminum housing
• Thickened & reinforced base design

P 13,000.00

1unit/ctn

Accessories and Package:
• Color Box Packing • Wrench
• Carbon Brush

DJX07-255

Electric Mitre Saw



Rated Power Input: 1200W
No-Load Speed: 6000/min
Hole Diameter of Blade: Ø25.4mm
Blade Diameter: 255mm
Max. Cutting Capacity
 0° 56-45mm
 45° (left & right) 56-100mm
Net Weight: 11.0kg

Features:
• Budget friendly
• High-precision base design
• Belt-drive structure

P 16,000.00

1unit/ctn

Accessories and Package:
• Carton Packing • Socket Wrench
• Dust Bag Assembly

DJX255 Electric Mitre Saw



P 23,000.00

1unit/ctn

Rated Power Input:	1650W
No-Load Speed:	4600/min
Hole Diameter of Blade:	Φ25.4mm
Blade Diameter:	255mm
Max. Cutting Capacity (H-W)	0° Left and Right
0°	93 × 95mm 93 × 67mm
45° Left	69 × 135mm 69 × 95mm
	53 × 95mm 49 × 67mm
	35 × 135mm 35 × 49mm

Net Weight: 12.0kg

Features:

- Precision machine aluminum base
- Gear drive structure

Accessories and Package:

- Triangle Ruler
- Carbon Brush
- Color Box Packing
- Vertical Vise
- 2x Holder Assembly
- Dust Bag Assembly
- Socket Wrench

DMB04-82 Electric Planer



P 4,800.00

3unit/ctn

Rated Power Input:	500W
No-Load Speed:	16000/min
Max. Planing Width:	82mm
Max. Planing Depth:	1mm
Net Weight:	2.4kg

Features:

- Extra large chip discharge design
- Front foot with chamfered grooves
- Belt drive
- Rubber covered handle

Accessories and Package:

- Sharpening Holder Assembly
- Guide Plate Assembly
- Color Box Packing
- Blade Gauge
- Socket Wrench

DMD320 Multi-Tool



P 6,600.00

12unit/ctn

Rated Power Input:	320W
Speed Shifting Gears:	6 (1-2-3-4-5-6)
Oscillating Angle:	3°
Oscillation Frequency:	11000-20000/ml
Net Weight:	1.3kg

Features:

- Electronic constant speed control
- Rubberized body

Accessories and Package:

- Tool Holder Adapter
- HCS Plunge Cut Saw Blade
- BIM Plunge Cut Saw Blade
- Hex Wrench
- File Holder Assembly
- Color Box Packing
- Segment Saw Blade
- Scrapers
- Sanding Plate
- 12x Abrasive Paper (P60, P80, P230, P240)

DMR8 Wood Router



P 7,000.00

4unit/ctn

Rated Power Input:	900W
No-Load Speed:	26000/min
Max. Milling Cutter Diameter:	Φ8mm
Net Weight:	2.9kg

Features:

- Powerful motor delivers smooth routing

Accessories and Package:

- Carbon Brush
- Color Box Packing
- 2x Wrench
- Straight Guide Assembly
- Collet Cone

DMR03-12 Wood Router



P 8,500.00

2unit/ctn

Rated Power Input:	1050W
No-Load Speed:	23000/min
Max. Milling Cutter Diameter:	Φ12.7mm
Net Weight:	4.1kg

Features:

- Robust base w/ rotation ring depth adjustment

Accessories and Package:

- 6.3mm Collet
- 9.52mm Collet
- Carbon Brush
- Color Box Packing
- 2x Wrench
- Straight Guide Assembly
- Templet Guide
- Trimmer Guide Assy.

DJX06-255 Slide Compound Mitre Saw



P 47,000.00

1unit/ctn

Rated Power Input:	1650W
Rated Speed:	4600/min
Hole Diameter of Blade:	Φ25.4mm
Blade Diameter:	255mm
Max. Cutting Capacity (H-W)	0° Left and Right
0°	94 × 315mm 94 × 223mm
45° Left	49 × 315mm 49 × 223mm

Net Weight: 18.5kg

Accessories and Package:

- Triangle Ruler
- Carbon Brush
- Color Box Packing
- Vertical Vise
- 2x Holder Assembly
- Dust Bag Assembly
- Socket Wrench

DMB110 Electric Planer



P 8,000.00

4unit/ctn

Rated Power Input:	840W
No-Load Speed:	16500/min
Max. Planing Width:	110mm
Max. Planing Depth:	2mm

Net Weight: 4.2kg

Features:

- Planing smoothly

Accessories and Package:

- Sharpening Holder Assembly
- Guide Plate Assembly
- Color Box Packing
- Blade Gauge
- Socket Wrench

DMP02-6 Trimmer



P 3,300.00

9unit/ctn

Rated Power Input:	350W
No-Load Speed:	300000/min
Max. Milling Cutter Diameter:	Φ6.35mm

Net Weight: 1.8kg

Features:

- Transparent acrylic base

Accessories and Package:

- Trimmer Guide Assembly
- Carbon Brush
- Color Box Packing
- 2x Wrench
- Straight Guide
- Templet Guide

DMR8S Wood Router



P 7,000.00

4unit/ctn

Rated Power Input:	900W
No-Load Speed:	26000/min
Max. Milling Cutter Diameter:	Φ8mm

Net Weight: 2.9kg

Features:

- Upgraded version of DMR8

Accessories and Package:

- Carbon Brush
- Color Box Packing
- 2x Wrench
- Straight Guide Assembly
- Collet Cone

DMR05-12 Wood Router



P 8,800.00

2unit/ctn

Rated Power Input:	1240W
No-Load Speed:	24000/min
Max. Milling Cutter Diameter:	Φ12.7mm

Net Weight: 4.6kg

Features:

- Robust base w/ rotation ring depth adjustment

Accessories and Package:

- 6.3mm Collet
- 9.52mm Collet
- Carbon Brush
- Color Box Packing
- 2x Wrench
- Straight Guide Assembly
- Templet Guide
- Trimmer Guide Assy.

DMR04-12 Wood Router



P 9,400.00

2unit/ctn

Rated Power Input: 1850W
No-Load Speed: 22000/min
Max. Milling Cutter Diameter: Ø12.7mm
Net Weight: 6.0kg

- Features:**
- Depth pre-conditioning precise control
 - Thickened base

Accessories and Package:
 • 6.3mm Collet • 2x Wrench
 • 9.52mm Collet • Straight Guide Assembly
 • Carbon Brush • Templet Guide
 • Color Box Packing • Trimmer Guide Assy.

DMR06-12B Wood Router



P 9,600.00

2unit/ctn

Rated Power Input: 2000W
No-Load Speed: 22000/min
Max. Milling Cutter Diameter: Ø12.7mm
Net Weight: 5.6kg

- Features:**
- Built-in fan of labyrinth structure

Accessories and Package:
 • 6.3mm Collet • 2x Wrench
 • 9.52mm Collet • Straight Guide
 • Carbon Brush • Retainer Base Assembly
 • Color Box Packing • Templet Guide
 • Trim Router Guide Assy.

DMQ65 Jig Saw



P 8,000.00

6unit/ctn

Rated Power Input: 600W
No-Load Speed: 500-3000/min
Bevel Cutting Angle: 0-45° Left/Right
Max. Cutting Capacity:
 Steel 10mm
 Wood 65mm
Net Weight: 2.5kg

- Features:**
- Straight cutting + 3 orbital settings
 - 6-speed

Accessories and Package:
 • Anti-Cracking Baseplate • Protective Guard
 • Plastic Liner Panel • 3x Saw Blade
 • Carbon Brush • (T144D, B-10, T118A)
 • Color Box Packing • Hex Wrench

DMQ85 Jig Saw



P 7,800.00

6unit/ctn

Rated Power Input: 580W
No-Load Speed: 500-3100/min
Bevel Cutting Angle: 0-45° Left/Right
Max. Cutting Capacity:
 Steel 10mm
 Wood 85mm
Net Weight: 2.7kg

- Features:**
- Aluminum gear box
 - Straight cutting + 3 orbital settings
 - 6-speed

Accessories and Package:
 • Blade Gauge • 3x Saw Blade
 • Plastic Base • (T144D, B-10, T118A)
 • Carbon Brush • Screwdriver
 • Color Box Packing • Hex Wrench

DMY02-185 Electric Circular Saw



P 6,200.00

2unit/ctn

Rated Power Input: 1100W
No-Load Speed: 5600/min
Blade Diameter: Ø185mm
Blade Bore: Ø25.4mm
Max. Cutting Capacity: 64mm
Max. Cutting Angle: 45°
Net Weight: 3.6kg

- Features:**
- Lightweight

Accessories and Package:
 • Hex Wrench • Fixing Plate
 • Handle Connecting Plate • Auxiliary Handle
 • Carbon Brush • Color Box Packing
 • Hex Socket Head Screw

DMY07-185 Electric Circular Saw



P 7,500.00

4unit/ctn

Rated Power Input: 1500W
No-Load Speed: 5300/min
Blade Diameter: Ø185mm
Blade Bore: Ø25.4mm
Max. Cutting Capacity: 64mm
Max. Cutting Angle: 45°
Net Weight: 4.1kg

- Features:**
- Lightweight

Accessories and Package:
 • Carbon Brush • Saw Chain
 • Color Box Packing • Fixing Plate

DMY235 Electric Circular Saw



P 11,000.00

2unit/ctn

Rated Power Input: 1520W
No-Load Speed: 4100/min
Blade Diameter: 235mm
Max. Cutting Capacity: 84mm
Max. Cutting Angle: 45°
Net Weight: 7.5kg

- Features:**
- Adjustable bevel cutting

Accessories and Package:
 • Wrench • Fixing Plate
 • Carbon Brush • Auxiliary Handle
 • Color Box Packing

DML03-405 Electric Chain Saw



P 14,000.00

1unit/ctn

Rated Power Input: 1300W
No-Load Speed: 400/min
Max. Length of Guide Bar: 405mm
Net Weight: 5.6kg

- Features:**
- Budget friendly
 - Manual oil pumping

Accessories and Package:
 • Oiler • Saw Chain
 • Carbon Brush • Guide Bar
 • Color Box Packing • Cross Screwdriver

DPB16 Electric Wrench



P 6,600.00

6unit/ctn

Rated Power Input: 450W
No-Load Speed: 1800/min
Rated Impact Frequency: 2000/min
Bolt Size Capacities: M10-M16mm
Square Drive: 12.7 x 12.7mm
Fastening Torque Range: 300-350N·m
Net Weight: 3.1kg

- Features:**
- Metal gear box
 - Rubber-covered front
 - Rocker type reversing switch

Accessories and Package:
 • Socket 24x12.5L • O Ring
 • Carbon Brush • Socket Pin
 • Color Box Packing

DPB22C Electric Wrench



P 11,000.00

3unit/ctn

Rated Power Input: 620W
No-Load Speed: 1700/min
Rated Impact Frequency: 1600/min
Bolt Size Capacities: M16-M22mm
Square Drive: 19 x 19mm
Fastening Torque Range: 588N·m
Net Weight: 5.0kg

- Features:**
- Metal gear box
 - Rubber-covered front
 - Rocker type reversing switch

Accessories and Package:
 • Socket 24x12.5L • O Ring
 • Carbon Brush • Socket Pin
 • Color Box Packing

DPB30 Electric Wrench



P 19,000.00

2unit/ctn



Rated Power Input: 1050W
No-Load Speed: 1400/min
Rated Impact Frequency: 1500/min
Bolt Size Capacities: M24-M30
Square Drive: 25.4 x 25.4 (1")mm
Fastening Torque Range: 400-900N·m
Net Weight: 10.0kg

Features:

- Metal gear box
- Rocker type reversing switch
- Rubberized front

Accessories and Package:

- Auxiliary Handle Assembly
- Carbon Brush
- Plastic Case Packing
- 36mm Socket
- Socket Pin
- O Ring

DQF32 Blower Vacuum



P 3,600.00

6unit/ctn



Rated Power Input: 680W
No-Load Speed: 8300-16300/min
Air Volume: 56-113cfm (1.6-3.2m³/min)
Net Weight: 1.8kg

Features:

- Adjustable speed

Accessories and Package:

- Carbon Brush
- Color Box Packing
- Blowpipe Assembly
- Dust Bag Assembly

DVC30 Vacuum Cleaner



P 13,800.00

1unit/ctn



Rated Power Input: 1200W
Capacity: 30L
Cooling System: Recycle
Net Weight: 8.8kg

Features:

- Wet/Dry Filter

Accessories and Package:

- Vacuum Hose
- Long Joint for Steel Pipe
- Hose Connection Assy
- Carton Packing
- Dust Cleaning Brush
- Water Cleaning Brush
- Flat Suction Nozzle
- Round Brush
- 2x Curved Steel Pipe

DQU160 Electric Mixer



P 5,600.00

6unit/ctn



Rated Power Input: 800W
No-Load Speed: 680/min
Max. Stirring Paddle Diameter: 160mm
Stirring Paddle Thread Diameter: M12
Net Weight: 2.4kg

Accessories and Package:

- Φ120mm Stirring Paddle Assembly
- Color Box Packing
- Auxiliary Handle
- Carbon Brush

DO2-1022J Air Stapler



P 2,200.00

16unit/ctn



Operate Pressure: 4-7Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 100pcs
Nail Type: Stapler
Nail Size: Φ0.6 x 10 x 22mm (max)
Net Weight: 1.1kg

Features:

- Narrow nose design
- Tool-less depth adjustment
- Integrates rubber soft grip

Accessories and Package:

- Color Box Packing
- Lubricating Oil
- 2x Wrench

DQB2000 Heat Gun



P 2,400.00

10unit/ctn



Rated Power Input: 2000W
Temperature:

- Low Temperature 50°C
- Middle Temperature 50-480°C
- High Temperature 50-600°C

Air Flow:

- Low temperature 210-250L/min
- High temperature 340-380L/min

Net Weight: 0.8kg

Features:

- 3-adjustable temperature

Accessories and Package:

- Flat Wind Tube
- Color Box Packing
- Round Wind Tube

DVC15 Vacuum Cleaner



P 11,800.00

1unit/ctn



Rated Power Input: 1200W
Capacity: 15L
Cooling System: Recycle
Net Weight: 7.6kg

Features:

- Wet/Dry Filter

Accessories and Package:

- Telescopic Steel Pipe
- Long Joint for Steel Pipe
- Hose Connection Assy
- Carton Packing
- Dust Cleaning Brush
- Water Cleaning Brush
- Sofa Cleaning Piece
- Flat Suction Nozzle
- Round Brush

DVC60 Vacuum Cleaner



P 32,000.00

1unit/ctn



Rated Power Input: 2300W
Capacity: 60L
Cooling System: Recycle
Net Weight: 24.0kg

Features:

- Wet/Dry Filter

Accessories and Package:

- Vacuum Hose
- Long Joint for Steel Pipe
- Hose Connection Assy
- Carton Packing
- Dust Cleaning Brush
- Water Cleaning Brush
- Flat Suction Nozzle
- Round Brush
- 2x Curved Steel Pipe

DO2-P625 Air Pin Nailer



P 2,000.00

24unit/ctn



Operate Pressure: 4-7Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 100pcs
Nail Type: Pin Nail
Nail Size: Φ0.63 x 25mm (max)
Net Weight: 0.85kg

Features:

- Narrow nose design
- Tool-less depth adjustment
- Integrates rubber soft grip

Accessories and Package:

- Color Box Packing
- Lubricating Oil
- 2x Wrench

DO2-F30 Air Brad Nailer



P 2,200.00

16unit/ctn



Operate Pressure: 4-7Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 100pcs
Nail Type: Brad Nailer
Nail Size: Φ1.05 x 30mm (max)
Net Weight: 1.1kg

Features:

- Narrow nose design
- Tool-less depth adjustment
- Integrates rubber soft grip

Accessories and Package:

- Color Box Packing
- Lubricating Oil
- 2x Wrench

DO2-T50DC Air Brad Nailer



Operate Pressure: 5-8Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 100pcs
Nail Type: Brad Nailer
Nail Size: Ø1.6 x 1.4 x 50mm (max)
Net Weight: 2.1kg

Features:
• Narrow nose design
• Tool-less depth adjustment
• Integrates rubber soft grip

P 4,200.00

10unit/ctn

Accessories and Package:
• Color Box Packing
• Lubricating Oil
• 2x Wrench

DO2-ST64C Air Concrete Nailer



Operate Pressure: 5-8Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 75pcs
Nail Type: Steel Nail
Nail Size: Ø2.2(8-64)mm
Net Weight: 3.0kg

Features:
• Narrow nose design
• Tool-less depth adjustment
• Integrates rubber soft grip
• Integrates rubber soft grip

P 5,000.00

6unit/ctn

Accessories and Package:
• Color Box Packing
• Lubricating Oil
• 2x Wrench

DQE02-1824L Oil-Free Air Compressor



Rated Power Input: 750W
Working Pressure: 8bar
Rated Speed: 1400/min
Capacity: 24L
Displacement: ≥45L/min
Net Weight: 20kg

Features:
• Oil-free and gas-free
• Wheeled design

P 14,500.00

1unit/ctn

Accessories and Package:
• 2x Wheel Assembly
• Carton Packing
• Foot Pad Assembly
• Muffler

CUT-OFF WHEEL



Model	Specification	Material	QTY/CTN	SRP
EN12413	105 x 1.2 x 16	A46T-BF	800pcs	P 30.00

NEW

LOCKING PLIER



Features:

- Chrome vanadium steel
- Surface plating nickel iron treatment
- Max. jaw opening: 50mm
- Curved jaw for gripping and torquing multiple shapes
- Adjustment screw provides ideal holding pressure.

Model	Specification	QTY/CTN	SRP
DCLP250	10"/250mm	40pcs	P 1,000.00

DO2-ST38 Air Concrete Nailer



Operate Pressure: 5-8Bar
Inner Air Pipe Diameter: 5mm
Magazine Capacity: 80pcs
Nail Type: Steel Nail
Nail Size: Ø2.2(8-38)mm
Net Weight: 2.1kg

Features:
• Narrow nose design
• Tool-less depth adjustment
• Integrates rubber soft grip

P 5,000.00

10unit/ctn

Accessories and Package:
• Color Box Packing
• Lubricating Oil
• 2x Wrench

DQE1608L Oil-Free Air Compressor



Rated Power Input: 550W
Working Pressure: 8bar
Rated Speed: 1400/min
Capacity: 8L
Displacement: ≥32L/min
Net Weight: 14.2kg

Features:
• Oil-free and gas-free
• Lightweight

P 12,000.00

1unit/ctn

Accessories and Package:
• Nut
• Carton Packing
• Foot Pad Assembly
• Muffler
• Bolt

DQE02-2850L Oil-Free Air Compressor



Rated Power Input: 750W+2
Working Pressure: 8bar
Rated Speed: 1400/min
Capacity: 50L
Displacement: ≥95L/min
Net Weight: 36.8kg

Features:
• Dual head design
• Oil-free and gas-free
• Wheeled design

P 29,600.00

1unit/ctn

Accessories and Package:
• Carton Packing
• 2x Wheel Assembly
• Muffler

LONG NOSE PLIER




Model	Specification	QTY/CTN	SRP
DCLMP150	6"/150mm	60pcs	P 560.00
DCLMP200	8"/200mm	60pcs	P 700.00

3PCS PLIER SET



Model	Contents	QTY/CTN	SRP
DCPS3	1x 200mm combination plier, 1x 150 long nose plier, and 1x 150mm cutting plier	24sets	P 2,100.00

BOLT CUTTER



Features:

- Tool bit chrome vanadium steel
- Hardened cutting edges

Model	Specification	QTY/CTN	SRP
DCBC300	14"/300mm	30pcs	P 1,240.00
DCBC450	18"/450mm	10pcs	P 1,720.00
DCBC600	24"/600 mm	10pcs	P 2,300.00
DCBC750	30"/750mm	5pcs	P 3,300.00
DCBC900	36"/900mm	5pcs	P 4,200.00
DCBC1050	42"/1050mm	3pcs	P 5,960.00
DCBC1200	48"/1200mm	3pcs	P 6,300.00

PIPE WRENCH



Features:

- Drop forged carbon steel
- Hardened and tempered
- Heavy duty die-cast body

Model	Specification	QTY/CTN	SRP
DCPW300	12"/300mm	36pcs	P 1,050.00
DCPW350	14"/350 mm	24pcs	P 1,300.00
DCPW450	18"/450mm	16pcs	P 1,700.00
DCPW600	24"/600mm	10pcs	P 2,600.00
DCPW900	36"/900mm	4pcs	P 4,900.00
DCPW1200	48"/1200mm	2pcs	P 7,000.00

32mm PVC PIPE CUTTER



Features:

- Ideal to cut PVC water pipes, CPVC pipes, poly pipes and PE pipes and so on
- Main body of alloy aluminum
- High and new technology
- Comfortable to handle
- Logical design and convenient to use

Model	Specification	QTY/CTN	SRP
DCPPC32	32mm	72pcs	P 680.00

42mm PVC PIPE CUTTER



Maximum opening can be changed when shift pin is installed in different hole position.

Features:

- Ideal to cut PVC water pipes, CPVC pipes, poly pipes and PE pipes and so on
- Main body of alloy aluminum
- High and new technology
- Comfortable to handle
- Logical design and convenient to use

Model	Specification	QTY/CTN	SRP
DCPPC42	42mm	54pcs	P 1,190.00

63mm PVC PIPE CUTTER



Features:

- Ideal to cut PVC water pipes, CPVC pipes, poly pipes and PE pipes and so on
- Main body of alloy aluminum
- High and new technology
- Comfortable to handle
- Logical design and convenient to use

Model	Specification	QTY/CTN	SRP
DCPPC63	63mm	54pcs	P 1,700.00

TILE CUTTER



Features:

- Adjustable slide scale
- High rigidity slide rails
- Tungsten carbide wheel
- Laser infrared positioning

Model	Specification	QTY/CTN	SRP
DCBC800	DY-FF03-800	2pcs	P 14,500.00
DCBC1000	DY-FF03-1000	2pcs	P 16,200.00

T-SERIES PHILLIPS SCREWDRIVER



Features:

- Magnetic tip
- Durable chrome vanadium steel
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DCTS100	PH1x100	240pcs	P 136.00
DCTS150	PH2x150	180pcs	P 170.00

T-SERIES SLOTTED SCREWDRIVER



Features:

- Magnetic tip
- Durable chrome vanadium steel
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DCTS100	5x100	240pcs	P 136.00
DCTS150	6x150	180pcs	P 172.00

8PCS SCREWDRIVER SET



Features:

- Magnetic tip
- Durable chrome vanadium steel
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DCSS8	SL: 3x75, 5x100, 6x150, 6x38 PH: PH0x75, PH1x100, PH2x150, PH2x38	24sets	P 1,700.00

9PCS BALL POINT EXTRA LONG ARM HEX KEY SET



Features:

- Durable chrome vanadium steel
- Hardened shafts for maximum strength
- Supplied in a folding case

Model	Specification	QTY/CTN	SRP
DCBS9	1.5-2.5-3-4-5 6-8-10mm	24sets	P 840.00

ADJUSTABLE WRENCH



Features:

- Drop forged C45 carbon steel
- Chrome plated
- Hardened and tempered

Model	Specification	QTY/CTN	SRP
DCAW250	10"/250mm	60pcs	P 760.00

12PCS. 3/8" SOCKET SET



Features:

- Hardened chrome-vanadium steel
- Mirror finish chrome plating
- High quality 72 teeth ratchet
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DC38SS	1x 3/8" Dr. ratchet handle, 10x 3/8" sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm 3/8" dr. extension bar: 75mm	12pcs	P 2,400.00

8PCS DOUBLE OPEN END SPANNER SET



Features:

- Drop forged C45 carbon steel
- Satin chrome plate
- Hardened and tempered

Model	Specification	QTY/CTN	SRP
DCDOES8	5.5-7mm, 8-10mm, 9-11mm, 12-14mm, 13-16mm, 14-17mm 17-19mm, 22-24mm	20set	P 1,740.00

8PCS COMBINATION RATCHET SPANNER SET



Features:

- Drop forged C45 carbon steel
- With ratchet gear
- Satin chrome plate

Model	Specification	QTY/CTN	SRP
DCRS8	8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm	20set	P 4,200.00

DCGGD600CC Grease Gun (Dual Pump)



Features:

- Precision fits prevent lubricant leakage
- Ergonomically designed handle with rubberized soft grip makes operation comfortable and labor-saving
- Double air bleeder valves quickly eliminate air pockets

P 2,600.00

12unit/ctn

Specification: TPHYQ600-2

Capacity: 600cc

Grease Output: 2.5/40(oz/times)

Working Pressure: 3600PSI

Burst Pressure: 10000PSI

Accessories:
• 1x Flat Nozzle
• 1x Pointed Nozzle
• 1x Short Hose
• 1x Hard Pipe

12PCS. 1/4" SOCKET SET



Features:

- Hardened chrome-vanadium steel
- Mirror finish chrome plating
- High quality 72 teeth ratchet
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DC14SS	1x 1/4" Dr. ratchet handle, 10x 1/4" sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm 1/4" dr. extension bar: 50mm	16pcs	P 1,620.00

12PCS. 1/2" SOCKET SET



Features:

- Hardened chrome-vanadium steel
- Mirror finish chrome plating
- High quality 72 teeth ratchet
- Non-slip bi-material handle

Model	Specification	QTY/CTN	SRP
DC12SS	1x 1/2" Dr. ratchet handle, 10x 1/2" sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm 1/2" dr. extension bar: 125mm	10pcs	P 3,400.00

8PCS DOUBLE OFFSET RING SPANNER SET

8PCS DOUBLE OPEN END SPANNER SET



Features:

- Drop forged C45 carbon steel
- Satin chrome plate

Model	Specification	QTY/CTN	SRP
DCDORS8	5.5-7mm, 8-10mm, 10-12mm, 12-14mm, 14-17mm, 17-19mm, 19-22mm, 22-24mm	20set	P 2,120.00

8PCS COMBINATION SPANNER SET

8PCS COMBINATION SPANNER SET



Features:

- Drop forged C45 carbon steel
- Satin chrome plate

Model	Specification	QTY/CTN	SRP
DCS8	8mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm	20set	P 2,100.00

DCGGT600CC Grease Gun (Transparent Single Pump)



Specification: TMHYQ600-2

Capacity: 600cc

Grease Output: 2.5/40(oz/times)

Working Pressure: 3600PSI

Burst Pressure: 6000PSI

Accessories:
• 1x Flat Nozzle
• 1x Pointed Nozzle
• 1x Short Hose
• 1x Hard Pipe

P 3,100.00

12unit/ctn

SNAP-OFF KNIFE



Features:

- w/ 3pcs sk4 blade
- Auto-lock
- Removable blade snapper for removal of a worn segment

Model	Specification	QTY/CTN	SRP
DCSOK18100	18x100mm	192pcs	P 196.00

WIRE STRIPPER



Features:

- Drop forged carbon steel
- Ergonomic comfort-grip handle

Model	Specification	QTY/CTN	SRP
DCWS180	7.5"/180MM	120pcs	P 340.00

BALL PEIN HAMMER



Features:

- Full polished drop forged carbon steel head
- Fiberglass shaft with ergonomic soft-grip handle

Model	Specification	QTY/CTN	SRP
DCBPH320	32oz/2LB	18pcs	P 940.00

CLAW HAMMER



Features:

- Full polished drop forged carbon steel head
- Fiberglass shaft with ergonomic soft-grip handle

Model	Specification	QTY/CTN	SRP
DCCH240	24oz/0.75LB	24pcs	P 840.00

MACHINIST HAMMER



Features:

- Drop forged carbon steel head
- Fiberglass shaft with ergonomic soft-grip handle

Model	Specification	QTY/CTN	SRP
DCMH300	300g	36pcs	P 540.00

LABOR SAVING SINGLE HAND RIVETER



Features:

- 4 interchange nosepiece: 2.4/3.2/4.0/4.8
- High-strength alloy guide mouth
- Guide mouth knurling design
- High-strength steel structure
- PVC handle sleeve for labor-saving and comfortable to use

Model	QTY/CTN	SRP
DCFF-DP01-200	30pcs	P 1,720.00

LABOR-SAVING HAND RIVETER



Features:

- 5 interchange nosepiece: 2.4/3.2/4.0/4.8/6.4
- High-strength alloy guide mouth
- Guide mouth knurling design
- High-strength steel structure
- PVC handle sleeve for labor-saving and comfortable to use

Model	QTY/CTN	SRP
DCFF-SP01-260	20pcs	P 2,150.00

LABOR-SAVING HAND RIVETER



Features:

- 5 interchange nosepiece: 2.4/3.2/4.0/4.8/6.4
- High-strength alloy guide mouth
- Guide mouth knurling design
- High-strength steel structure
- PVC handle sleeve for labor-saving and comfortable to use
- Built-in rivet collector provides automatic recycling for safety and environment protection purposes.

Model	QTY/CTN	SRP
DCFF-SH01-320	20pcs	P 2,500.00

SEMI-AUTOMATIC NUT RIVETER



Features:

- Interchangeable spare parts: M3/M4/M5/M6/M8/M10/M10
- Interchangeable mandrels for wide riveting applications
- Innovative connecting-arm design with the handle to realize auto-fall of the part

Model	QTY/CTN	SRP
DCFF-MZ01-400	6sets	P 8,800.00

SANDY NITRILE COATED CUT RESISTANT GLOVES



Features:

- Made of high strength HPPE and glass fiber through new knitting process, ensuring conformity with grade D requirements of cutting resistance specifies in EN388
- Made of nitrile glue dipping process with excellent oil and abrasion resistance.
- Ultra-fine frosting process, providing better grip
- Allow repeated washing, helping reduce the use cost

Model	Specification	QTY/CTN	SRP
NXC3150	200mm	120sets	P 940.00