

ESMAD | TSIW | POO
Exercise Sheet n°1
Variables, Data Types and Operators

Use Visual Studio Code to solve the following exercises:

1. Create an instruction that displays the message "Hello JavaScript!".

2. Variables

- a. Working with variables
 - i. Declare two variables: admin and name.
 - ii. Assign the value "John" to the variable name.
 - iii. Copy the value from name to admin.
 - iv. Show the value of admin using an alert box ("John" should be displayed).
- b. Variable naming:
 - i. Create a variable with the name of our planet. How would you call this variable?
 - ii. Create a variable to store the name of a current visitor to a website. How would you name this variable?

3. Constants:

- a. Examine the following code which includes a constant birthday and age is calculated from the birthday with the help of some code (not provided for the sake of focus):
const birthday = '18 .04.1982 ';
const age = someCode (birthday);
- b. Would it be correct to use capital letters for the birthday variable? And to age? Or even for both?
const BIRTHDAY = '18 .04.1982 '; **// capitalized?**
const AGE = someCode (BIRTHDAY); **// capitalized?**

4. Data types:

- a. What is the output of the following script:
let name = "Ilya";
console.log(`hello \${1}`); // ?
console.log(`hello \${"name"}`); // ?
console.log(`hello \${name}`); // ?

5. Type conversion:

- a. What are the results of these expressions:
"" + 1 + 0
"" - 1 + 0
true + false
6 / "3"
"2" * "3"
4 + 5 + "px"
"\$" + 4 + 5

```

"4" - 2
"4px" - 2
7 / 0
" -9 " + 5
" -9 " - 5
null + 1
undefined + 1

```

6. Operators:

- a. What are the final values of all variables **a**, **b**, **c** and **c** after the code below?
- ```
let a = 1, b = 1;
```

```

let c = ++a; // ?
let d = b++; // ?

```

- b. What are the values of **a** and **x** after the code below?
- ```

let a = 2;
let x = 1 + (a *= 2);

```

7. Interaction:

- a. Create an instruction that prompts for a name and prints the name by adding asterisks before and after the name.

8. Comparing:

- a. What will be the result of these expressions?

```

5 > 4
"apple" > "pineapple"
"2" > "12"
undefined == null
undefined === null
null == "\n0\n"
null === +"\n0\n"

```

TIP: To practice more, go to the [learnJS playground](#) and solve the Exercise Sheets on these topics!