EXPERIMENT 5

AIM: Creating a simple ReactJS Application.

SOLUTION:

Procedure
Step 1: Create React Application
npx create-react-app simple-react

Step 2: Move into project folder:
cd simple-react
simple-react application Folder Structure:



public/index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
      <title>Simple React App</title>
  </head>
  <body>
    <div id="root"></div>
  </body>
</html>
```

src/index.js

```
import React from 'react';
import ReactDOM from 'react-dom/client';
```

```
import App from './App';
const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <React.StrictMode>
    <App />
  </React.StrictMode>
);
```

src/student.js

```
function Student() {
    let RollNo=1;
    let Name="Ram";
    let MobileNo=9876543210;
  return (
    <div>
      <div className="student-box">
      <h1>RollNo:{RollNo}</h1>
      <h1>Name:{Name}</h1>
      <h1>MobileNo:{MobileNo}</h1>
    </div>
    </div>
  )
}
export default Student
```

src/app.js

```
import './App.css';
import Student from './Student';

function App() {
 return (
    <div>
      <Student />
    </div>
  );
}
```

```
export default App;
```

src/app.css

```
.student-box {
  border: 3px solid red;
  padding: 15px;
  text-align: center;
}
```

Step 3: Start Application

```
npm start
```

Output: