HW-hyper-tuning

EE3 KUAN-YU-LIN b04901110

May 2018

1 Introduction

Below are the plots of different hyper-parameters and their corresponding accuracy including

- 1. learning-rate accuracy
- 2. transfer function accuracy
- 3. .batch size accuracy
- 4. epochs accuracy
- 5. optimizer accuracy
- 6. weight initialization accuracy

The fixed parameters (if not specified) are

- 1. learning-rate = 0.0001
- 2. transfer function = relu
- 3. batch size = 512
- 4. epochs = 40
- 5. optimizer = Adam
- 6. weight initialization = random uniform

2 Conclusion

the best resultant hyper parameters are respectively:

- 1. learning-rate = 0.0001
- 2. transfer function = relu
- 3. batch size = 100

- 4. epochs = 400
- 5. optimizer = Adam
- 6. weight initialization = random uniform

3 Best result

combine the best hyper parameters we can get 0.978 accuracy, and the plot of training history of the best hyper-parameters are provided




Figure 1: learning rate-accuracy




Figure 2: transfer function - accuracy




Figure 3: batch size - accuracy




Figure 4: epochs - accuracy




Figure 5: optimizer - accuracy




Figure 6: weight initialization - accuracy




Figure 7: training history of the best hyper parameters