

09

ERGO-CONTOUR

Palm swell, four finger flutes and a thumb rest for hand conformance.

47.0 g

PLA · 100 % infill · solid

✓ UNDER 50 G IN ALL 4 MATERIALS



AT A GLANCE

Overall height	132.82 mm
Max footprint (foot)	42.63 × 36.61 mm
Bore	32.06 × 26.04 mm, 127.8 deep
Textured band	z 21.5 – 116.0 mm (94.5 tall)
Outer size in band (max)	36.9 × 30.9 mm
Peak texture height	2.77 mm above bore
Base wall / min rim	1.2 mm / 0.8 mm
Volume / surface area	37.89 cm³ / 303 cm²

WEIGHT · 100 % INFILL

PLA	1.24 g/cm³		47.0 g
PETG	1.27 g/cm³		48.1 g
TPU	1.21 g/cm³		45.8 g
ABS	1.04 g/cm³		39.4 g

50 g limit

COLOURWAY



#424248

3MF print palette

PRINT PROFILE

Infill / layer height	100 % / 0.20 mm
Layers	665
Orientation	upright, butt end down
Supports	none required
Filament, 1.75 mm	≈ 15.8 m (100 % flow)

DESIGN INTENT

A smooth grip shaped for the hand rather than textured: an hourglass swell, a raised palm pad on the back, four finger flutes and a thumb dish on the front. There are no sharp edges anywhere on the surface.

The smoothest surface in the set; it prints with the least visible layer texture.

VERIFIED AGAINST THE REFERENCE

Bore vs reference	identical
Outer envelope vs reference	+0.001 mm at most
Rim vs reference	+0.40 mm (deliberate, ≥ 0.8 mm wall)
Bodies / enclosed voids	1 / none
Material under 0.4 mm wide	0.000 % of volume
Longest bridge	none

KEY FEATURES

- Four finger flutes at z = 44, 58, 72, 86 mm
- Thumb dish at z about 97 mm, palm pad at z about 62 mm
- Hourglass swell 1.73 – 2.33 mm, peaking at about 2.8 mm on the palm pad

FILES


stl/09_ergo_contour.stl	3.4 MB · 68,820 triangles
3mf/09_ergo_contour.3mf	0.8 MB · colour

✓ FITMENT VERIFIED


✓ SOLID · ONE CLOSED BODY

✓ PRINT-READY · 0.20 MM LAYERS



✓ 3MF VALIDATED



TOP VIEW (from +Z)




FRONT VIEW (from -Y)



KEY DIMENSIONS

Overall height	132.82
Overall width × depth (foot)	42.63 × 36.61
Bore width × depth	32.06 × 26.04
Bore depth (floor at z 5.0)	127.82
Outer W × D, textured band (max)	36.93 × 30.94
Foot top (z 20)	39.16 × 33.13
Butt face (z 0)	40.56 × 34.54
Peak texture height above bore	2.77
Base wall / minimum rim wall	1.20 / 0.80

All values in mm. Dashed lines: bore (hidden edges). Renders are the actual STL surface.



RIGHT VIEW (from +X)

A, B, C: see sheet 3

SCALE 1 : 1



PART

ERGO-CONTOUR

Pickleball paddle grip sleeve, closed butt, open throat

GENERAL NOTES

- Views are true size: print this sheet at 100 %, do not fit to page.
- Dimensions are measured from the STL, not nominal.
- Bore, floor and outer envelope match the reference PickleballGrip_1.3mf.
- Rim is held at a minimum of 0.8 mm (reference tapers to 0.36 mm).

SCALE

1 : 1

MATERIAL

PLA / PETG / TPU

REVISION

2

UNITS

millimetres

INFILL

100 %

VOLUME

37.89 cm³

DATE

2026-09-30

PROJECTION



LAYER HEIGHT

0.20 mm

SURFACE AREA



303 cm²

SHEET

2 of 4

Sections & profiles

True-size cross-sections, how the outer surface and material change with height, and the dimension tables.



OVERALL & BORE	
Overall length (Z)	132.82 mm
Overall width (X)	42.63 mm
Overall depth (Y)	36.61 mm
Bore width × depth	32.06 × 26.04 mm
Bore area / perimeter	751.0 mm ² / 100.5 mm
Bore depth (floor at z 5.0)	127.82 mm
Butt face (z 0)	40.56 × 34.54 mm
Outer W × D in band (max)	36.93 × 30.94 mm
Circumference in band	111.9 – 115.6 mm
Volume / surface area	37.89 cm ³ / 303.2 cm ²

OUTER DIMENSIONS BY HEIGHT


ZONES BY HEIGHT

Z (MM)	OUTER W	OUTER D	PERIMETER	AREA MM ²	WALL MIN	PEAK OFFSET
5.0	42.08	36.06	132.0	958	5.00	5.01
10.0	41.10	35.08	128.9	518	4.51	4.52
20.0	39.11	33.09	122.6	393	3.52	3.52
30.0	36.93	30.94	115.6	261	2.28	2.62
45.0	36.60	30.16	113.3	218	1.30	2.74
60.0	36.35	30.07	112.6	207	1.29	2.74
75.0	36.18	29.90	112.2	199	1.29	2.56
90.0	36.27	30.01	112.5	206	1.40	2.41
105.0	36.66	30.68	114.6	243	1.88	2.39
116.0	36.21	30.19	113.5	222	2.07	2.08
125.0	33.77	27.75	105.8	88	0.85	0.85
132.0	33.66	27.64	105.5	82	0.79	0.80




ZONE	Z FROM	Z TO	HEIGHT
Solid floor (butt)	0.0	5.0	5.0
Flared foot	0.0	20.0	20.0
Smooth collar	20.0	21.5	1.5
Textured band	21.5	116.0	94.5
Smooth neck (taper)	116.0	125.6	9.6
Rim (0.8 mm wall)	125.6	132.82	7.3
Base wall (design / measured min)			1.20 / 1.29 mm
Rim wall (design / measured min)			0.80 / 0.80 mm
Peak texture height above bore			2.77 mm

Views & surface

Four-way turntable, close-ups of the surface, and the unrolled height map with the design parameters.



Four views, 90° apart · rendered from the STL, colours are preview only



DESIGN PARAMETERS	
Finger flutes	4, at z 44 / 58 / 72 / 86
Flute width / depth	about 9 mm / 0.8 mm
Thumb dish	z 97 mm, depth 0.6 mm
Palm pad	back face, z 62 mm, +1.0 mm
Hourglass swell	1.73 – 2.33 mm above bore
Peak height	about 2.8 mm above bore
Surface	smooth, no sharp edges

PRINT & VERIFICATION	
Result: fitment / print-ready	PASS / PASS
Bodies · genus	1 · 0
Bore vs reference	identical
Envelope over reference	+0.001 mm
Material under 0.4 mm wide	0.000 %
Longest bridge	none