

A PDF is created with:

```
Pdf pdf = new Pdf();
```

A PDF is written with:

```
pdf.write(outputStream);
```

A page is created with:

```
Page page1 = pdf.createPage(pageWidth, pageHeight);
```

A text with font times-roman (default font) is added with:

```
page1.addText(positionX, positionY, fontSize, "The text to display");
```

A text width can be calculated with:

```
Font.TIMES_ROMAN.getWidth(FontVariant.PLAIN, fontSize, "The text to search width for.");
```

A text with another font and font variant is added with:

```
page1.addText(20, 700, 12, Font.COURIER.getVariant(FontStyle.BOLD), "The text to display");
```

Below are texts with different fonts, colors, sizes and underlines:

Times-Roman

**Times-Roman Bold**

*Times-Roman Italic*

*Times-Roman Bold Italic*

Courier

**Courier Bold**

*Courier Italic*

*Courier Bold Italic*

Helvetica

**Helvetica Bold**

*Helvetica Italic*

*Helvetica Bold Italic*

Σψμβολ



An image is created with:

```
Image image = pdf.createImage(this.getClass().getResourceAsStream("/logo.png"));
```

An image is sized and positioned with:

```
image.setX(20);
```

```
image.setY(70);
```

```
image.setWidth(60);
```

```
image.setHeight(30);
```

An image is added with:

```
page1.addImage(image);
```



When an image is used multiple times, no need to re-create its data.

Just save space in PDF by cloning it's references using:

```
Image image2 = image.cloneReference();
```

Change its size, position, etc and draw it again.



A straight line can be added with:

```
page2.addPath(new StraightPath(new Point(20, 640), new Point(150, 650)));
```



A line can be added with more points using:

```
StraightPath straightPath = new StraightPath(new Point(20, 510), new Point(20, 500), new Point(150, 500));
straightPath.setClosed(true);
page2.addPath(straightPath);
```



A Bezier line can be added with:

```
page2.addPath(new BezierPath(new Point(20, 440), new BezierPoint(50, 440, 30, 432, 40, 432))
```



Straight and Bezier lines can be filled/stroked/closed with:

```
BezierPath bezierPath2 = new BezierPath(new Point(20, 400), new BezierPoint(50, 440, 30, 432, 40, 432));
bezierPath2.setFill(new Color(80, 128, 128));
bezierPath2.setFilled(true);
bezierPath2.setStroke(new Color(128, 80, 128));
bezierPath2.setLineWidth(4.0f);
bezierPath2.setClosed(true);
page2.addPath(bezierPath2);
```



click on this text to see internal link in action.

```
Text linkedText = new Text(20, 200, 12, "click on this text to see internal link in action.");
linkedText.setLink(image);
```

<sup>Super</sup> and <sub>sub</sub> -scriptedtext

```
text.setScript(TextScript.SUPER);
text.setScript(TextScript.SUB);
```

A character not supported (like this one: à•) does not compute width correctly and logs a warning.

Color is computed not when text is added (or this text should be black) but when pdf is written.

So be sure to control your object references.

Document meta-data can be added with setter on document (like `document.setAuthor("author")`).

Or specific meta-data can be added with `document.addMetaData(name, value)`.

Key words are added with `pdf.addKeyword(keyword)`