

```

Started by user admin
Obtained jenkins/Jenkinsfile from git https://github.com/rrbiz662/ecommerce.git
Running in Durability level: MAX_SURVIVABILITY
[Pipeline] Start of Pipeline
[Pipeline] stage
[Pipeline] { (Compile)
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/ecommerce-pipeline
[Pipeline] {
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential 515e6a46-bed8-4bbd-9bce-3a009e8d58ab
> git rev-parse --is-inside-work-tree # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/rrbiz662/ecommerce.git # timeout=10
Fetching upstream changes from https://github.com/rrbiz662/ecommerce.git
> git --version # timeout=10
> git --version # 'git version 2.26.2'
using GIT_SSH to set credentials
> git fetch --tags --force --progress -- https://github.com/rrbiz662/ecommerce.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 8bc7f837e07c58201802395bb669d1e8e5d8e62e (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 8bc7f837e07c58201802395bb669d1e8e5d8e62e # timeout=10
Commit message: "Revert "Update Jenkinsfile creat root agent""
> git rev-list --no-walk 4ae5f2d5a80aca202c5cea9885224666fd3c024c # timeout=10
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
+ docker inspect -f . maven
.
[Pipeline] withDockerContainer
Jenkins seems to be running inside container
3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886
$ docker run -t -d -u 0:0 --volume /root/.m2:/root/.m2 -w /var/jenkins_home/workspace/ecommerce-
pipeline --volumes-from 3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886 -e *****
-e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** maven cat
$ docker top 0cb59d09b532e42349e23eb3b0d76cb453f557467ae0505cd14a1c33697b36b7 -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ mvn compile
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:auth-course >-----
[INFO] Building auth-course 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 2 resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.218 s

```

```

[INFO] Finished at: 2020-12-17T20:47:09Z
[INFO] -----
[Pipeline] }
$ docker stop --time=1 0cb59d09b532e42349e23eb3b0d76cb453f557467ae0505cd14a1c33697b36b7
$ docker rm -f 0cb59d09b532e42349e23eb3b0d76cb453f557467ae0505cd14a1c33697b36b7
[Pipeline] // withDockerContainer
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/ecommerce-pipeline
[Pipeline] {
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential 515e6a46-bed8-4bbd-9bce-3a009e8d58ab
> git rev-parse --is-inside-work-tree # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/rrbiz662/ecommerce.git # timeout=10
Fetching upstream changes from https://github.com/rrbiz662/ecommerce.git
> git --version # timeout=10
> git --version # 'git version 2.26.2'
using GIT_SSH to set credentials
> git fetch --tags --force --progress -- https://github.com/rrbiz662/ecommerce.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 8bc7f837e07c58201802395bb669d1e8e5d8e62e (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 8bc7f837e07c58201802395bb669d1e8e5d8e62e # timeout=10
Commit message: "Revert "Update Jenkinsfile creat root agent""
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
+ docker inspect -f . maven
.
[Pipeline] withDockerContainer
Jenkins seems to be running inside container
3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886
$ docker run -t -d -u 0:0 --volume /root/.m2:/root/.m2 -w /var/jenkins_home/workspace/ecommerce-
pipeline --volumes-from 3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886 -e *****
-e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** maven cat
$ docker top 829f7a7aa87e69253c44bcbb0e3b8240672170071c35b0de16b664a3160aea4c -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ mvn test
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:auth-course >-----
[INFO] Building auth-course 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 2 resources
[INFO]

```

```
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/jenkins_home/workspace/ecommerce-pipeline/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ auth-course ---
[INFO]
[INFO] -----
[INFO]  T E S T S
[INFO] -----
[INFO] Running com.example.demo.controllers.CartControllerTest
2020-12-17T20:47:17 INFO Removing items from cart...
2020-12-17T20:47:17 ERROR User null does not exist.
2020-12-17T20:47:17 INFO Adding items to cart...
2020-12-17T20:47:17 INFO Items added to cart successfully.
2020-12-17T20:47:17 INFO Adding items to cart...
2020-12-17T20:47:17 ERROR User null does not exist.
2020-12-17T20:47:17 INFO Removing items from cart...
2020-12-17T20:47:17 ERROR User null does not exist.
2020-12-17T20:47:17 INFO Adding items to cart...
2020-12-17T20:47:17 ERROR User null does not exist.
2020-12-17T20:47:17 INFO Adding items to cart...
2020-12-17T20:47:17 INFO Items added to cart successfully.
2020-12-17T20:47:17 INFO Removing items from cart...
2020-12-17T20:47:17 INFO Items removed from cart successfully.
[INFO] Tests run: 6, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 1.152 s - in
com.example.demo.controllers.CartControllerTest
[INFO] Running com.example.demo.controllers.OrderControllerTest
2020-12-17T20:47:17 INFO Retrieving order history...
2020-12-17T20:47:17 INFO Order history retrieved successfully.
2020-12-17T20:47:17 INFO Retrieving order history...
2020-12-17T20:47:17 ERROR User testuser does not exist.
2020-12-17T20:47:17 INFO Submitting order...
2020-12-17T20:47:17 INFO Order submitted successfully.
2020-12-17T20:47:17 INFO Submitting order...
2020-12-17T20:47:17 ERROR User testuser does not exist.
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.006 s - in
com.example.demo.controllers.OrderControllerTest
[INFO] Running com.example.demo.controllers.ItemControllerTest
2020-12-17T20:47:17 INFO Retrieving items by name...
2020-12-17T20:47:17 INFO Items retrieved by name successfully.
2020-12-17T20:47:17 ERROR Item testitem does not exist.
2020-12-17T20:47:17 INFO Retrieving items by name...
2020-12-17T20:47:17 INFO Items retrieved by name successfully.
2020-12-17T20:47:17 INFO Retrieving items...
2020-12-17T20:47:17 INFO Items retrieved successfully.
2020-12-17T20:47:17 INFO Retrieving item by ID...
2020-12-17T20:47:17 INFO Item retrieved by ID successfully.
[INFO] Tests run: 4, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.003 s - in
com.example.demo.controllers.ItemControllerTest
[INFO] Running com.example.demo.controllers.UserControllerTest
2020-12-17T20:47:17 INFO Retrieving user by username...
2020-12-17T20:47:17 INFO User retrieved by username successfully.
2020-12-17T20:47:17 INFO Creating user...
2020-12-17T20:47:17 INFO User created successfully.
2020-12-17T20:47:17 INFO Retrieving user by ID...
2020-12-17T20:47:17 INFO User retrieved by ID successfully.
2020-12-17T20:47:17 INFO Retrieving user by username...
2020-12-17T20:47:17 INFO User retrieved by username successfully.
```



```

> git fetch --tags --force --progress -- https://github.com/rrbiz662/ecommerce.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 8bc7f837e07c58201802395bb669d1e8e5d8e62e (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 8bc7f837e07c58201802395bb669d1e8e5d8e62e # timeout=10
Commit message: "Revert "Update Jenkinsfile creat root agent""
[Pipeline] withEnv
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
+ docker inspect -f . maven
.
[Pipeline] withDockerContainer
Jenkins seems to be running inside container
3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886
$ docker run -t -d -u 0:0 --volume /root/.m2:/root/.m2 -w /var/jenkins_home/workspace/ecommerce-
pipeline --volumes-from 3b01f7cb8a9988628ba85e7958e202d197f9b77926392009f2fd1cc979fbc886 -e *****
-e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** maven cat
$ docker top 3e70cac567090c3ee290b84d91b05c151c451d1a290bf55b31c03cecc364209a -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ mvn package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:auth-course >-----
[INFO] Building auth-course 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 2 resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ auth-course ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/jenkins_home/workspace/ecommerce-
pipeline/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ auth-course ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ auth-course ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.demo.controllers.CartControllerTest
2020-12-17T20:47:30 INFO Removing items from cart...
2020-12-17T20:47:30 ERROR User null does not exist.
2020-12-17T20:47:30 INFO Adding items to cart...
2020-12-17T20:47:30 INFO Items added to cart successfully.
2020-12-17T20:47:30 INFO Adding items to cart...
2020-12-17T20:47:30 ERROR User null does not exist.
2020-12-17T20:47:30 INFO Removing items from cart...
2020-12-17T20:47:30 ERROR User null does not exist.
2020-12-17T20:47:30 INFO Adding items to cart...
2020-12-17T20:47:30 ERROR User null does not exist.
2020-12-17T20:47:30 INFO Adding items to cart...

```



```

[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.1.1:jar (default-jar) @ auth-course ---
[INFO] Building jar: /var/jenkins_home/workspace/ecommerce-pipeline/target/auth-course-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot-maven-plugin:2.1.5.RELEASE:repackage (repackage) @ auth-course ---
[INFO] Replacing main artifact with repackaged archive
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 9.393 s
[INFO] Finished at: 2020-12-17T20:47:36Z
[INFO] -----
[Pipeline] }
$ docker stop --time=1 3e70cac567090c3ee290b84d91b05c151c451d1a290bf55b31c03cecc364209a
$ docker rm -f 3e70cac567090c3ee290b84d91b05c151c451d1a290bf55b31c03cecc364209a
[Pipeline] // withDockerContainer
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/ecommerce-pipeline
[Pipeline] {
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential 515e6a46-bed8-4bbd-9bce-3a009e8d58ab
> git rev-parse --is-inside-work-tree # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/rrbiz662/ecommerce.git # timeout=10
Fetching upstream changes from https://github.com/rrbiz662/ecommerce.git
> git --version # timeout=10
> git --version # 'git version 2.26.2'
using GIT_SSH to set credentials
> git fetch --tags --force --progress -- https://github.com/rrbiz662/ecommerce.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 8bc7f837e07c58201802395bb669d1e8e5d8e62e (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 8bc7f837e07c58201802395bb669d1e8e5d8e62e # timeout=10
Commit message: "Revert "Update Jenkinsfile creat root agent""
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker build --tag my-app .
Sending build context to Docker daemon 40.04MB

Step 1/5 : FROM openjdk:11-jdk
----> 27adf3d41a0d
Step 2/5 : ARG JAR_FILE=target/*.jar
----> Using cache
----> 8c35e04ac06c
Step 3/5 : COPY ${JAR_FILE} app.jar
----> c53080cc35c1
Step 4/5 : ENTRYPOINT ["java", "-jar", "app.jar"]
----> Running in 5d840890974e
Removing intermediate container 5d840890974e
----> bad188dc7979
Step 5/5 : CMD ["java", "-jar", "--help"]

```

```
---> Running in 3b39b828b31b
Removing intermediate container 3b39b828b31b
---> 8015d8baabeb
Successfully built 8015d8baabeb
Successfully tagged my-app:latest
[Pipeline] sh
+ docker run --detach --rm --publish 8080:8080 my-app
98bcffa885115f12e8fbc67c22389a2fc6da7c1f2f7a279a484ef4614cb6587f
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] }
[Pipeline] // stage
[Pipeline] End of Pipeline
Finished: SUCCESS
```