

Final Tickets App - Complete API Documentation

Base URL

/api/tickets/

Authentication

All endpoints require JWT authentication.

Endpoints

GET /api/tickets/

List all tickets (filtered by user role)

Allowed Roles: Regular User (own tickets) OR Company Owner (company tickets)

Response (200 OK):

json

```
[
  {
    "id": 98,
    "booking_id": 55,
    "passenger": {
      "first_name": "Ali",
      "last_name": "Ahmadi",
      "national_code": "1234567890"
    },
    "trip": {
      "id": 12,
      "origin_city": "Tehran",
      "destination_city": "Shiraz",
      "departure": "2026-06-15T08:00:00Z",
```

```
    "arrival": "2026-06-15T12:00:00Z"
  },
  "seat_number": 1,
  "ticket_code": "aB3dE5fG7hJ9kL1mN2pQ4rS6tU8vW0xYz...",
  "issued_at": "2026-05-30T10:15:32Z"
}
]
```

GET /api/tickets/{id}/

Get single ticket by ID

Response (200 OK): Same structure as above

Error Responses:

- **401 Unauthorized:** Missing/invalid JWT token
- **403 Forbidden:** User doesn't own this ticket
- **404 Not Found:** Ticket doesn't exist

URL Structure:

text

/api/tickets/ → List all tickets (GET)

/api/tickets/98/ → Get ticket #98 (GET)

All other HTTP methods (POST, PUT, PATCH, DELETE) are **NOT available**.