CPSC 304 Project Cover Page

Milestone #: 4

Date: 04/05/2023

Group Number: 55

Name	Student Number	CS Alias (Userid)	Preferred E-mail Address
Richard Han	50188283	s5v7k	rrhan2002@gmail.com
Clive Yong	34877712	z0e0f	clive.yong.747@gmail.com
Mana Longhenry	43629526	v5w1g	arlonghenry@gmail.com

By typing our names and student numbers in the above table, we certify that the work in the attached assignment was performed solely by those whose names and student IDs are included above. (In the case of Project Milestone 0, the main purpose of this page is for you to let us know your e-mail address, and then let us assign you to a TA for your project supervisor.)

In addition, we indicate that we are fully aware of the rules and consequences of plagiarism, as set forth by the Department of Computer Science and the University of British Columbia

SQL Script

Located in GitHub repository folder src/sql/init.sql

A: Project Summary:

This application will model a zoo management system to include care of animals, maintenance of habitats, logistics of its workers and also the zoo's shops and their associated merchandise. This application aims to aid a zoo in the management of its workers, property and animals. The application will organize animals, habitats, workers and vendors.

This project was implemented using Java/JDBC for the backend, Oracle for the database, and Java Swing for the GUI.

Accomplishments

The features that have actually been accomplished include:


- User can view all tables as if unnormalised, can select columns to view for all tables
- Insert veterinarians into the database
- Delete animals from the database, which also delete their associated relations
- Search the Computers table by manufacturer
- Update the fields of a worker
- Get the names of food for a species
- Find the total weight of all food orders in each of the storage units
- Find the storage units with total order weight less than a certain threshold so that users can find storages with enough space
- Find veterinarians that are paid less than or equal to the average pay for their specialization to keep track of who is underpaid
- Find the amazing zookeepers that feed all the animals in the zoo

B: Changes to Schema

- Removed the "Have" relation and put the foreign key w_id in Computers1. This reduces
 the number of tables.
- Added on delete cascade to all references to Animals1 so that deleting it will not violate foreign key constraints.

C: Copy of Schema with Screenshots:

Computers1(<u>c-id</u>: string, **model**: string)



Computers2(model: string, manufacturer: string, type: string)




model, manufacture, type is not null

Workers(<u>w-id</u>: string, name: string, pay_rate: float, email: string, phone: string, address: string) name, pay_rate, email, phone, address is not null email, phone is unique email is a CK

phone is a CK




Zookeepers(w-id: string)



Vendors(w-id: string)



Veterinarians(w-id: string, specialization: string)



Habitats1(p-id: string, name: string, biome: string, area: integer)

		■ NAME	‡	I ∰ BIOME	‡	■■ AREA ÷
1	001	Tiger Habitat		Asian Taiga		37
2	002	Lion Habitat		African Savanna		27
3	003	Penguin Habitat		Antarctic Tundra		20
4	004	Giraffe Habitat		African Grasslands		40
5	005	Grizzly Bear Habitat		North American Woodlands		40

Habitats2(biome: string, temperature: integer, humidity: integer)

	. BIOME	■ TEMPERATURE ‡	■ HUMIDITY ÷
1	Asian Taiga	32	70
2	African Savanna	30	20
3	Antarctic Tundra	-20	1
4	African Grasslands	28	25
5	North American Woodlands	25	70

biome, area is not null

Shops(<u>p-id</u>: string, name: string, type: string)

type is not null

		III NAME ≑	III TYPE
1	101	Clothing Store	Clothing
2	102	Drinks Store	Drinks
3	103	Plushy Store	Stuffed Animals
4	104	Balloon Store	Balloons
5	105	Food Store	Food

Storage_Units(<u>p-id</u>: string, name: string, temperature: integer) temperature is not null

	₽_ID	÷	■ NAME	‡	耳 TEMPERATURE ÷
1	201		Unit 1		2
2	202		Unit 2		-20
3	203		Unit 3		15
4	204		Unit 4		15
5	205		Unit 5		5

Items(<u>i-id</u>: string, **p-id**: string, name: string, stock: integer, price: float) name, stock, price, p-id not null

		₽ P_ID ÷	国 NAME	₽ STOCK ‡	₽ PRICE ÷
1	0001	101	T-Shirt	50	24.99
2	0002	102	Soda Bottle	20	3.5
3	0003	103	Penguin Stuffie	10	14.99
4	0004	104	Bear Balloon	30	4.99
5	0005	105	Hamburger	40	6.99

Animals1(a-id: string, p-id: string, name: string, species: string)

		₽ A_ID ÷	I P_ID	■■ NAME ÷	SPECIES	‡
1	1	1001	001	Stripe	Tiger	
2		1002	002	Fluffy	Lion	
3	3	1003	003	Slippy	Emperor Penguin	
4		1004	004	Spots	Northern Giraffe	
Ę		1005	003	Cuddles	Grizzly Bear	

Animals2(species:string, genus: string)

species is not null, genus is not null, p-id is not null



Prepped_Food(<u>a-id</u>: string, <u>name</u>: string, weight: float)

		·—	0,	
	₽ A_ID ÷	₽ NAME	‡	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
Sel	ect All	Deer meat		20.1
2	1002	Raw beef		10
	1003	Mashed sardines		15.7
	1004	Prepared hay		25
	1005	Cooked moose		30.2
	1001	Raw beef		20.1
	1002	Deer meat		10
	1003	Tuna		15.7
	1004	Vegetables		25
10	1005	Cooked elk		30.2

Raw_Food_Orders(o-id: string, contents: string, weight: integer, date_recieved: date, expiry_date: date)

contents, weight, date_received, expiry_date is not null

	. 0_ID	■ CONTENTS ÷	. ■ WEIGHT ÷	■ DATE_RECEIVED ÷	■ EXPIRY_DATE ÷
1	1	Deer and Moose meat	50	2023-01-27	2023-02-05
2	2 2	Sardines	30	2023-01-15	2023-02-01
3	3	Hay and fruits	32	2023-01-15	2023-02-10
4	4	Raw beef and chicken	10	2023-02-25	2023-03-09
Ę	5 5	Pellet food for Giraffes	100	2023-01-08	2023-06-08
6	6	Deer and Moose meat	12	2023-01-27	2023-02-05
7	7 7	Sardines	8	2023-01-15	2023-02-01
8	8	Hay and fruits	10	2023-01-15	2023-02-10
ç	9	Raw beef and chicken	10	2023-02-25	2023-03-09
1	0 10	Pellet food for Giraffes	100	2023-01-08	2023-06-08
					·

Works_at(<u>w-id</u>: string, <u>p-id</u>: string)

		₽ P_ID	
1	1	101	
2	2	102	
3	3	103	
4	4	104	
5	5	105	

Assigned_to(w-id: string, p-id: string)

		•		_
			₽_ID	
1	1		001	
2	2		002	
3	3		003	
	4		004	
5	5		005	

Feeds(<u>w-id</u>: string, <u>a-id</u>: string)

	₽ W_ID	‡	₽ A_ID	‡
1	1		1001	
2	2		1002	
3	3		1003	
4			1004	
5	5		1005	
6			1001	
7			1002	
8			1003	
9	6		1004	
10	6		1005	

Maintains_Health_of(<u>w-id</u>: string, <u>a-id</u>: string)

		‡	₽ A_ID	‡
1	1		1001	
2	2		1002	
3	3		1003	
4	4		1004	
5	5		1005	

Cohabitates_with(<u>a-id1</u>: string, <u>a-id2</u>: string)

	₽ A_ID1	‡	₽ A_ID2	‡
1	1001		1002	
2	1001		1003	
3	1001		1004	
4	1001		1005	
5	1003		1004	

Made_from(<u>a-id</u>: string, <u>name</u>: string, <u>o-id</u>: string)

	₽ A_ID	₽ NAME	₽ 0_ID	
1	1001	Deer meat	1	
2	1002	Raw beef		
3	1003	Mashed sardines	2	
4	1004	Prepared hay	3	
5	1005	Cooked moose	1	

Stored_at(a-id: string, name: string, p-id: string)

	₽ A_ID ÷	⋾ ₮ NAME	‡	₽ P_ID	‡
1	1001	Deer meat		201	
2	1002	Raw beef		201	
3	1003	Mashed sardines		201	
4	1004	Prepared hay		201	
5	1005	Cooked moose		201	

Located_at(o-id: string, p-id: string)

		J, — J,
	• 0_ID ÷	₽ P_ID
Sel	lect All	201
2	10	204
3	2	205
4	3	203
5	4	201
6	5	204
7	6	201
8	7	205
9	8	203
10	9	201

D: SQL Query Locations

Projection

src/database/DatabaseConectionHandler
Line 220, in getTableInfo(), helper function for projection queries
src/UI/JWindow
Line 2499, in projectVet(), calls getTableInfo() with query parameters

Insert

src/database/DatabaseConectionHandler Line 162, in insertVeterinarian(), inserts veterinarian, changes veterinarian and worker table

Delete

src/database/DatabaseConectionHandler Line 125, in deleteAnimal(), deletes an animal and cascades over prepped food, and others

Update

src/database/DatabaseConectionHandler Line 1092, in updateWorker(), updates worker

Selection

src/database/DatabaseConectionHandler
Line 56, in selectManufacturer(), Searches computers by manufacturer

Join

src/database/DatabaseConectionHandler
Line 96, in getSpeciesPreppedFood(), Get the names of the prepped food for a chosen species

Aggregation with GROUP BY

src/database/DatabaseConectionHandler Line 1056, in getSumWeights(), Get the total weight inside a storage unit

Aggregation with HAVING

src/database/DatabaseConectionHandler Line 1016, in getFreeStorage(), Get the storage units that aren't filled to a high weight (weight < 50)

Nested aggregation with GROUP BY

src/database/DatabaseConectionHandler

Line 962, in getCheapVeterinarians(), Get veterinarians that are paid less than or equal to average compared to other veterinarians in their same specialization

Division

src/database/DatabaseConectionHandler Line 902, in getSuperZookeepers(), Get zookeepers who feed every animal in the zoo


E: Screenshots Demonstrating Query Functionality:

Insert Veterinarian

Before

ID	Name	Pay Rate	Address	Email	Phone	Specialization
1	Clive Yong	15.4	1234 noname	cliveyong@do.	6041231234	large felines
2	Mana Longhenry	16.0	4321 thisthing	. manalong@do	6042468100	small felines
3	Skye Joe	12.34	2468 somewh	SkyeJoe@dom	5852111212	birds
4	Bob Way	15.4	1234 noname	bobway@dom	6041231233	reptiles
5	Richard Han	15.4	3579 somewh	richardh@don	n 6043215678	bears
7	Daniel Yuan	18.0	3579 somewh	daniel@doma	i 6049876543	large felines
8	Mia Park	17.5	2468 new street		n 6042345678	small felines
9	Lisa Kim	14.0	2468 Elm St	lisa.kim@dom	5551234567	birds
10	Daniel Park	14.5	blah St	danielpark@d	6043216543	reptiles
11	Alex Kim	15.0	789 3rd Ave	alex.kim@do.	6047891234	bears
Worker ID	Name	Pay Rate	Addres		mail	Phone
1	Clive Yong	15.4			iveyong@domai	
	Mana Longhe	nry 16.0			nanalong@doma	
2						
3	Skye Joe	12.34			kyeJoe@domain	
3 4	Skye Joe Bob Way	15.4	1234 i	noname str b	obway@domain	6041231233
3 4 5	Skye Joe Bob Way Richard Han	15.4 15.4	1234 i 3579 s	noname str b somewher ri	obway@domain chardh@domain	6041231233 6043215678
3 4 5 6	Skye Joe Bob Way Richard Han Steve Irwin	15.4 15.4 30.51	1234 i 3579 s Austral	noname str b somewher ri lia st	obway@domain chardh@domain ceve@domain.com	6041231233 6043215678 9999999999
3 4 5 6 7	Skye Joe Bob Way Richard Han Steve Irwin Daniel Yuan	15.4 15.4 30.51 18.0	1234 r 3579 s Austral 3579 s	noname str b somewher ri lia st somewher d	obway@domain chardh@domain teve@domain.com aniel@domain.c	6041231233 6043215678 999999999 6049876543
3 4 5 6 7 8	Skye Joe Bob Way Richard Han Steve Irwin Daniel Yuan Mia Park	15.4 15.4 30.51 18.0 17.5	1234 r 3579 s Austral 3579 s 2468 r	noname str b somewher ri lia st somewher d new street m	obway@domain chardh@domain ceve@domain.com aniel@domain.c niapark@domain	6041231233 6043215678 999999999 6049876543 6042345678
3 4 5 6 7 8 9	Skye Joe Bob Way Richard Han Steve Irwin Daniel Yuan Mia Park Lisa Kim	15.4 15.4 30.51 18.0 17.5 14.0	1234 i 3579 s Austral 3579 s 2468 i 2468 l	noname str b somewher ri lia si somewher d new street m Elm St lis	obway@domain chardh@domain ceve@domain.com aniel@domain.c niapark@domain sa.kim@domain	6041231233 6043215678 9999999999 6049876543 6042345678 5551234567
3 4 5 6 7 8	Skye Joe Bob Way Richard Han Steve Irwin Daniel Yuan Mia Park	15.4 15.4 30.51 18.0 17.5	1234 r 3579 s Austral 3579 s 2468 r	noname str b somewher ri lia si somewher d new street m Elm St lis	obway@domain chardh@domain ceve@domain.com aniel@domain.c niapark@domain	6041231233 6043215678 999999999 6049876543 6042345678 5551234567 6043216543

During





Worker ID	Name	Pay Rate	Address	Email	Phone
1	Clive Yong	15.4	1234 noname str	cliveyong@domai	6041231234
2	Mana Longhenry	16.0	4321 thisthing st	manalong@doma	6042468100
3	Skye Joe	12.34	2468 somewher	SkyeJoe@domain	5852111212
4	Bob Way	15.4	1234 noname str	bobway@domain	6041231233
5	Richard Han	15.4	3579 somewher	richardh@domain	6043215678
6	Steve Irwin	30.51	Australia	steve@domain.com	999999999
7	Daniel Yuan	18.0	3579 somewher	daniel@domain.c	6049876543
8	Mia Park	17.5	2468 new street	miapark@domain	6042345678
9	Lisa Kim	14.0	2468 Elm St	lisa.kim@domain	5551234567
10	Daniel Park	14.5	blah St	danielpark@dom	6043216543
11	Alex Kim	15.0	789 3rd Ave	alex.kim@domai	6047891234
12	Jayme Clark	15.0	9786 Crescent A	iavmeClark@gma	5859112323

Delete Animal

Animal ID

1001

1002

1003

1005

Animal ID					
1001	Habitat I	D Animal Name	Species	Genu	IS
1001	001	Stripe	Tiger	panthera	
1002	002	Fluffy	Lion	panthera	
1003	003	Slippy	Emperor Penguir		
1004	004	Spots	Northern Giraffe	Giraffa	
1005	003	Cuddles	Grizzly Bear	Ursus	
Prepped Food Table				_	
An	imal ID	Food Name		Food Weight	
1001		Deer meat	20.1		
1002		Raw beef	10.0		
1003		Mashed sardines	15.7		
1004		Prepared hay	25.0		
1005		Cooked moose	30.2		
Delete Existing A	nimal - Cascades o	nto — 🗆	×		
Delete Existing A	nimal - Cascades o	Apply Delete	×		
Success!	nimal - Cascades o	Apply Delete	×		
Success!		Apply Delete	×	_	
Success! r Animals Table Animal ID	— □	X Apply Delete Animal Name	X Species		
Success! r Animals Table Animal ID 1001	Habitat II	Apply Delete X Animal Name Stripe		— Genu panthera	
Success! r Animals Table Animal ID 1001 1002	Habitat II	Apply Delete X Animal Name Stripe Fluffy	Species Tiger Lion	panthera panthera	
Success! r Animals Table Animal ID 1001 1002 1003	Habitat II 001 002 003	Apply Delete X Animal Name Stripe Fluffy Slippy	Species Tiger Lion Emperor Penguir	panthera panthera n Pinguinus	
Success! Animals Table Animal ID 1001 1002	Habitat II	Apply Delete X Animal Name Stripe Fluffy	Species Tiger Lion	panthera panthera	

Food Name

Deer meat

Raw beef

Mashed sardines

Cooked moose

Food Weight

20.1

10.0

15.7


30.2

Update Worker

Before




During






Selection: Computers From Specified Manufacturer

Before




During



5

After




Macbook Air 2016

Apple


Laptop

Projection For Any Entity/Relationship (ex. is on Animals)Before



Join Animal(s) With Their Prepped Food

Before



Aggregation By Group By: Find Total Weight of All Food Orders In Each Of The Storage Units

SELECT p_id, name, SUM(weight)
FROM Raw_Food_Orders o, StorageUnit s
GROUP BY p_id, name

Before

		Raw Food Orde	rs Table	
Order ID	Contents	Weight	Date Received	Expiry Date
1	Deer and Moose meat	50	Fri Jan 27 00:00:00	Sun Feb 05 00:00:0
2	Sardines	30	Sun Jan 15 00:00:00	. Wed Feb 01 00:00:0
3	Hay and fruits	32	Sun Jan 15 00:00:00	. Fri Feb 10 00:00:00
4	Raw beef and chicken	10	Sat Feb 25 00:00:00	. Thu Mar 09 00:00:0
5	Pellet food for Giraffes	100	Sun Jan 08 00:00:00.	. Thu Jun 08 00:00:00
6	Deer and Moose meat	12	Fri Jan 27 00:00:00	Sun Feb 05 00:00:0
7	Sardines	8	Sun Jan 15 00:00:00	. Wed Feb 01 00:00:0
8	Hay and fruits	10	Sun Jan 15 00:00:00.	. Fri Feb 10 00:00:00
9	Raw beef and chicken	10	Sat Feb 25 00:00:00	. Thu Mar 09 00:00:0
10	Pellet food for Giraffes	100	Sun Jan 08 00:00:00	. Thu Jun 08 00:00:00
		Storage Tak	ole	
Place ID	Name		Temperature	
201	Unit 1		2	
202	Unit 2		-20	
202				
202	Unit 3		15	
	Unit 3 Unit 4		15 15	

During

AGGREGATE WITH GROUP BY

	Aggregation Wit	th Group By				
Sum the weights of raw food orders grouped by their storage unit.						
Place ID	Name	Weight Sum				
204	Unit 4	200				
203	Unit 3	42				
201	Unit 1	82				
205	Unit 5	38				

Aggregation By Having: Find The Storage Units With Total Order Weight Less Than A Certain Threshold (<50):

SELECT p_id, name, SUM(weight)
FROM Raw_Food_Orders o, StorageUnit s
GROUP BY p_id, name
HAVING SUM(weight) < 50

Before

Order ID	Contents	Weight	Date Received	Expiry Date
1	Deer and Moose meat		Fri Jan 27 00:00:00	
2	Sardines	30	Sun Jan 15 00:00:00	
3	Hay and fruits	32	Sun Jan 15 00:00:00	
4	Raw beef and chicken	10	Sat Feb 25 00:00:00	
5	Pellet food for Giraffes	100	Sun Jan 08 00:00:00	
6	Deer and Moose meat	12	Fri Jan 27 00:00:00	-
7	Sardines	8	Sun Jan 15 00:00:00	
8	Hay and fruits	10	Sun Jan 15 00:00:00	Fri Feb 10 00:00:00 .
9	Raw beef and chicken	10	Sat Feb 25 00:00:00	Thu Mar 09 00:00:0
10	Pellet food for Giraffes	100	Sun Jan 08 00:00:00	Thu Jun 08 00:00:00.
•		Storage Tab	е	
	Name		Temperature	
Place ID			2	
Place ID 201	Unit 1			
	Unit 1 Unit 2		-20	
201			-20 15	
201 202	Unit 2			

During

AGGREGATING WITH HAVING

	Aggregation With Having				
Storage units found that meets restriction of weight < 50.					
Place ID	Name	Weight Sum			
203	Unit 3	42			
205	Unit 5	38			

Nested Aggregation: Find Veterinarians That Are Paid Less Than Or Equal To The Average Pay For Their Specialization

SELECT w_id, pay_rate
FROM Workers w, Veterinarian v
WHERE w.w_id = v.w_id AND
pay_rate <= (SELECT AVG(w2.pay_rate) FROM Workers w2, Veterinarian v2
WHERE w2.w_id = v2.w_id
GROUP BY w2.specialization)

Before

Workers Table	_	\times

Worker ID	Name	Pay Rate	Address	Email	Phone
1	Clive Yong	15.4	1234 noname street	cliveyong@domain	6041231234
2	Mana Longhenry	16.0	4321 thisthing street	manalong@domai	6042468100
3	Skye Joe	12.34	2468 somewhere	SkyeJoe@domain	5852111212
4	Bob Way	15.4	1234 noname street	bobway@domain.c	6041231233
5	Richard Han	15.4	3579 somewhere	richardh@domain	6043215678
6	Steve Irwin	30.51	Australia	steve@domain.com	9999999999
7	Daniel Yuan	18.0	3579 somewhere	daniel@domain.co	6049876543
8	Mia Park	17.5	2468 new street	miapark@domain	6042345678
9	Lisa Kim	14.0	2468 Elm St	lisa.kim@domain	5551234567
10	Daniel Park	14.5	blah St	danielpark@domai	6043216543
11	Alex Kim	15.0	789 3rd Ave	alex.kim@domain	6047891234

X

×

ID	Name	Pay Rate	Address	Email	Phone	Specialization
1	Clive Yong	15.4	1234 noname s	cliveyong@dom	6041231234	large felines
2	Mana Longhenry	16.0	4321 thisthing s	manalong@do	6042468100	small felines
3	Skye Joe	12.34	2468 somewhe	SkyeJoe@dom	5852111212	birds
4	Bob Way	15.4	1234 noname s	bobway@doma	6041231233	reptiles
5	Richard Han	15.4	3579 somewhe	richardh@dom	6043215678	bears
7	Daniel Yuan	18.0	3579 somewhe	daniel@domai	6049876543	large felines
8	Mia Park	17.5	2468 new street	miapark@dom	6042345678	small felines
9	Lisa Kim	14.0	2468 Elm St	lisa.kim@doma	5551234567	birds
10	Daniel Park	14.5	blah St	danielpark@do	6043216543	reptiles
11	Alex Kim	15.0	789 3rd Ave	alex.kim@dom	6047891234	bears

NESTED AGGREGATION

After

Get Veterinarians With Lower Than Average Pay

Find all Veterinarians That Have Lower Than Average Worker Pay									
Worker ID) Name	Pay Rate	Address	Email	Phone	Specialization			
1	Clive Yong	15.4	1234 noname s	cliveyong@dom	6041231234	large felines			
2	Mana Longhenry	16.0	4321 thisthing s	manalong@do	6042468100	small felines			
3	Skye Joe	12.34	2468 somewhe	SkyeJoe@dom	5852111212	birds			
10	Daniel Park	14.5	blah St	danielpark@do	6043216543	reptiles			
11	Alex Kim	15.0	789 3rd Ave	alex.kim@dom	6047891234	bears			

Division: All Zookeepers That Feed All Animals

Before Sookeepers Table

Worker ID	Name	Pay Rate	Address	Email	Phone
1	Clive Yong	15.4	1234 noname street	cliveyong@domain	6041231234
2	Mana Longhenry	16.0	4321 thisthing street	manalong@domai	6042468100
3	Skye Joe	12.34	2468 somewhere	SkyeJoe@domain	5852111212
4	Bob Way	15.4	1234 noname street	bobway@domain.c	6041231233
5	Richard Han	15.4	3579 somewhere	richardh@domain	6043215678
6	Steve Irwin	30.51	Australia	steve@domain.com	9999999999

×

Worker ID	Animal IE)	
1	1001		
2	1002		
3	1003		
4	1004		
5	1005		
6	1001		
6	1002		
6	1003		
6	1004		
6	1005		

During



Get Zookeeper That Feeds All The Animals								>
		Find su	per zookeepers that	feed every animal in	the zoo.			
ID Name Pay Rate Address Email				Email	Phone			
6		Steve Irwin	30.51	Australia	steve@domain.com	9999999999		