





google compute instance.ldap-client (remote-exec): Verifying : nss-pam-ldapd-0.8. 2/7 google compute instance.ldap-client (remote-exec): Verifying : nscd-2.17-323.el7 3/7 google compute instance.ldap-client (remote-exec): Verifying: authconfig-6.2.8-3 4/7 google compute instance.ldap-client (remote-exec): Verifying: 1:make-3.82-24.el7 5/7 google compute instance.ldap-client (remote-exec): Verifying : newt-python-0.52.1 6/7 google compute instance.ldap-client (remote-exec): Verifying: 1:openssl-1.0.2k-2 7/7 google compute instance.ldap-client (remote-exec): Installed: google compute instance.ldap-client (remote-exec): authconfig.x86 64 0:6.2.8-30.el7 google compute instance.ldap-client (remote-exec): nss-pam-ldapd.x86 64 0:0.8.13-25.el7 google compute instance.ldap-client (remote-exec): openldap-clients.x86 64 0:2.4.44-22.el7 google compute instance.ldap-client (remote-exec): Dependency Installed: google compute instance.ldap-client (remote-exec): make.x86 64 1:3.82-24.el7 google compute instance.ldap-client (remote-exec): newt-python.x86 64 0:0.52.15-4.el7 google compute instance.ldap-client (remote-exec): nscd.x86 64 0:2.17-323.el7 9 google compute instance.ldap-client (remote-exec): openssl.x86 64 1:1.0.2k-21.el7 9 google compute instance.ldap-client (remote-exec): Complete! google_compute_instance.ldap-client (remote-exec): root:x:0:0:root:/root:/bin/bash google compute instance.ldap-client (remote-exec): bin:x:1:1:bin:/bin:/sbin/nologin google compute instance.ldap-client (remote-exec): daemon:x:2:2:daemon:/sbin:/sbin/nologin google compute instance.ldap-client (remote-exec): adm:x:3:4:adm:/var/adm:/sbin/nologin google compute instance.ldap-client (remote-exec): lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin google_compute_instance.ldap-client (remote-exec): sync:x:5:0:sync:/sbin:/bin/sync google_compute_instance.ldap-client (remote-exec): shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown google_compute_instance.ldap-client (remote-exec): halt:x:7:0:halt:/sbin:/sbin/halt qoogle compute instance.ldap-client (remote-exec): mail:x:8:12:mail:/var/spool/mail:/sbin/nologin google compute instance.ldap-client (remote-exec): operator:x:11:0:operator:/root:/sbin/nologin google_compute_instance.ldap-client (remote-exec): games:x:12:100:games:/usr/games:/sbin/nologin google_compute_instance.ldap-client (remote-exec): ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin google_compute_instance.ldap-client (remote-exec): nobody:x:99:99:Nobody:/:/sbin/nologin google_compute_instance.ldap-client (remote-exec): systemd-network:x:192:192:systemd Network Management:/:/sbin/nologin google compute instance.ldap-client (remote-exec): dbus:x:81:81:System message bus:/:/sbin/nologin google compute instance.ldap-client (remote-exec): polkitd:x:999:998:User for polkitd:/:/sbin/nologin google compute instance.ldap-client (remote-exec): sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin google compute instance.ldap-client (remote-exec): postfix:x:89:89::/var/spool/postfix:/sbin/nologin google compute instance.ldap-client (remote-exec): chrony:x:998:996::/var/lib/chrony:/sbin/nologin google_compute_instance.ldap-client (remote-exec): redhawkby:x:1000:1001::/home/redhawkby:/bin/bash google_compute_instance.ldap-client (remote-exec): gke-5e540f8a63d144ec8ee5:x:1001:1002::/home/gke-5e540f8a63d144ec8ee5:/bin/bash google compute instance.ldap-client (remote-exec): nscd:x:28:28:NSCD Daemon:/:/sbin/nologin google_compute_instance.ldap-client (remote-exec): nslcd:x:65:55:LDAP Client User:/:/sbin/nologin google compute instance.ldap-client (remote-exec): my user:x:1005:1005:my user:/home/my user:/bin/bash google_compute_instance.ldap-client: Creation complete after 55s [id=projects/my-12345-project/zones/us-central1-c/instances/ldap-client]

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.
user@us-vb:-/ldap\$