

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0000-005b	0000-0003	4	accu	pas	top of stack element	module-specific	
0000-005b	0004-0007	4	e	pas	flp scratch register	module-specific	
0000-005b	0008-0009	2	sp	pas	current stack 128	module-specific	
0000-005b	000a-000b	2	pc	pas	program counter	module-specific	
0000-005b	000c	1	runerr	pas	runtime error code	module-specific	
0000-005b	000d	1	device	pas	io device code	module-specific	
0000-005b	000e-000f	2	endstk	pas	end of stack 128	module-specific	
0000-005b	0010	1	sign	pas	temporary sign	module-specific	
0000-005b	0011-0012	2	stprog	pas	start of user program	module-specific	
0000-005b	0013-0014	2	eoprogram	pas	end of user program	module-specific	
0000-005b	0015	1	buffpn	pas	input buffer pointer	module-specific	

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0000-005b	0016	1	endbuf	pas	end of input buffer	module-specific	
0000-005b	0017-0018	2	base	pas	current base 128	module-specific	
0000-005b	0019-001a	2	abase	pas	alternate base 128	module-specific	
0000-005b	001b-001c	2	arg1	pas	temporary argument	module-specific	
0000-005b	001d-0020	4	arg3	pas	temporary registers	module-specific	
0000-005b	0021-0022	2	arg2	pas		module-specific	
0000-005b	0023	1	iocheck	pas	io error checking flag	module-specific	
0000-005b	0024-005b	56	linbuf	pas	input line buffer	module-specific	
00c0-00ff	00c0-00c1	2	lstlin	pas	last source line	module-specific	
00c0-00ff	00c2-00c3	2	brkpnt	pas	break point line number	module-specific	
00c0-00ff	00c4-00c5	2	devpnt	pas	device cpnt pointer	module-specific	

zone	address	byte s	name(s)	module(s)	meaning	status	remarks
00c0-00ff	00c6-00d7	18	free		apparently unused	free	
00c0-00ff	00d8-00d9	2	copybn	exdos	pointer for copy seqf	module-specific	
00c0-00ff	00da	1	filflg	disk,exdos,mon,pas	file entry flags	shared	pas uses equ aliases
00c0-00ff	00db	1	filerr	disk,exdos,mon,pas	file handling error	shared	pas uses equ aliases
00c0-00ff	00dc	1	fildrv	disk,exdos,mon,pas	tape or disk drive	shared	pas uses equ aliases
00c0-00ff	00dd	1	dform/track/trecid	disk,exdos,ioc,mon,pas	current track format record id of first record	conflict	disk:track, exdos:track, ioc:trecid, mon:dform; pas uses equ aliases
00c0-00ff	00de	1	lenght/sector/trecid	disk,exdos,ioc,mon,pas	current sector operand length record id of first record	conflict	disk:sector, exdos:sector, ioc:trecid, mon:lenght; pas uses equ aliases

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
00c0-00ff	00df	1	lmnem/ressav/ trecno	disk,exdos ,ioc,mon	current fdc result mnemonic record number	conflict	disk:ressav, exdos:ressav , ioc:trecno, mon:lmnem
00c0-00ff	00e0	1	data/rmnem/ trecst	disk,exdos ,ioc,mon,p as	data pointer start address pointer	conflict	disk:data, exdos:data, ioc:trecst, mon:rmnem; pas uses equ aliases
00c0-00ff	00e1	1	data/dispc/ trecst	disk,exdos ,ioc,mon	data pointer pc start address pointer	conflict	disk:data, exdos:data, ioc:trecst, mon:dispc
00c0-00ff	00e2	1	dispc/dospnt/ trecsi	disk,exdos ,ioc,mon	pc record size second pointer	conflict	disk:dospnt, exdos:dospnt , ioc:trecsi, mon:dispc
00c0-00ff	00e3	1	discnt/dospnt/ tcount	disk,exdos ,ioc,mon	counter second pointer temporary counter	conflict	disk:dospnt, exdos:dospnt , ioc:tcount, mon:discnt
00c0-00ff	00e4	1	filcnt/ttrib	disk,exdos ,ioc	disk file pointer	conflict	disk:filcnt, exdos:filcnt , ioc:ttrib

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
00c0-00ff	00e5	1	filcn1/tgang	disk,exdos, ioc		conflict	disk:filcn1, exdos:filcn1 , ioc:tgang
00c0-00ff	00e6	1	tcnt1	ioc		module-specific	
00c0-00ff	00e7-00e8	2	fetch	crt,ioc,mon	data subroutine reg register for data rout	shared	
00c0-00ff	00e9-00ea	2	vidpnt	crt,exdos, ioc,mon,pas	video pointer video pointer rea	shared	pas uses equ aliases
00c0-00ff	00eb-00ec	2	vipnt2	crt,ioc,mon	second video pntr second video pointer	shared	
00c0-00ff	00ed	1	curlin	crt,ioc,mon	current line of cursor cursor line	shared	
00c0-00ff	00ee	1	curpos	crt,ioc,mon	current position cursor cursor position	shared	
00c0-00ff	00ef	1	savpc	crt,ioc,mon	processor pc save save pc	conflict	crt:savpc, ioc:savpc, mon:savpc
00c0-00ff	00f0	1	savpc	ioc,mon	processor pc save	shared	

zone	address	byte s	name(s)	module(s)	meaning	status	remarks
00c0-00ff	00f1	1	savst	ioc,mon	processor status save	shared	
00c0-00ff	00f2	1	savsp	ioc,mon	processor stack pn save	shared	
00c0-00ff	00f3	1	savacc	ioc,mon	processor a save	shared	
00c0-00ff	00f4	1	savyrq	ioc,mon	processor y save	shared	
00c0-00ff	00f5	1	savxrg	ioc,mon	processor x save	shared	
00c0-00ff	00f6	1	chkhi	ioc,mon		shared	
00c0-00ff	00f7	1	chksum	ioc,mon		shared	
00c0-00ff	00f8-00f9	2	inl	ioc,mon	monitor input pointer	shared	
00c0-00ff	00fa-00fb	2	point	disk,exdos ,ioc,mon,p as	open cell pointer	shared	pas uses equ aliases
00c0-00ff	00fc	1	temp	ioc,mon		shared	
00c0-00ff	00fd	1	tempx	ioc,mon		shared	
00c0-00ff	00fe	1	kchar	disk,exdos ,ioc,mon,p as		shared	pas uses equ aliases
00c0-00ff	00ff	1	mode	ioc,mon		shared	
0100-01ff	0100-01ff	256	cpu stack	cpu	6502 hardware stack	reserved	

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	0200-02ff	256	reserved io area/rsbuff	ioc,mon	reserved for io contr	conflict	ioc:rsbuff, mon:reserved io area
0200-03bb	0300	1	filtyp	disk,exdos, ioc,mon,pas	type of active file	shared	pas uses equ aliases
0200-03bb	0301-0310	16	filnam	disk,exdos, ioc,mon,pas	file name	shared	pas uses equ aliases
0200-03bb	0311	1	filcyc	disk,exdos, ioc,mon,pas	cyclus number	shared	pas uses equ aliases
0200-03bb	0312	1	filstp	disk,exdos, ioc,mon,pas	file subtype	shared	pas uses equ aliases
0200-03bb	0313-0314	2	filloc	disk,exdos, ioc,mon,pas	location or sector	shared	pas uses equ aliases
0200-03bb	0315-0316	2	filmsiz	disk,exdos, ioc,mon,pas	file size	shared	pas uses equ aliases
0200-03bb	0317-0319	3	fildat	disk,exdos, ioc,mon	file generation date	shared	
0200-03bb	031a-031b	2	filsa	disk,exdos, ioc,mon,pas	start address	shared	pas uses equ aliases
0200-03bb	031c-031d	2	filea	disk,exdos, ioc,mon,pas	end address	shared	pas uses equ aliases

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	031e-031f	2	fillnk	disk,exdos, ioc,mon	file link	shared	
0200-03bb	0320-032f	16	filnm1	disk,exdos, ioc,mon,pas		shared	pas uses equ aliases
0200-03bb	0330	1	filcy1	disk,exdos, ioc,mon,pas		shared	pas uses equ aliases
0200-03bb	0331-0332	2	filsa1	disk,exdos, ioc,mon,pas		shared	pas uses equ aliases
0200-03bb	0333-0334	2	savrst	disk,exdos, ioc,pas		shared	pas uses equ aliases
0200-03bb	0335	1	curseq	disk,exdos, pas	current sequential file	shared	pas uses equ aliases
0200-03bb	0336	1	maxseq	disk,exdos, pas	max no of seq file	shared	pas uses equ aliases
0200-03bb	0337	1	maxsiz	disk,exdos, pas	max size	shared	pas uses equ aliases
0200-03bh	0338	1	filbu1	disk,exdos	start of buffers	shared	
0200-03bb	0339-0340	8	fidrtb	disk,exdos, pas	bit 7 1write 0read	shared	pas uses equ aliases
0200-03bb	0341-0348	8	fidvtb	disk,exdos, pas	drive number	shared	pas uses equ aliases

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	0349-0350	8	fibptb	disk,exdos, pas	buffer pointer low byte	shared	pas uses equ aliases
0200-03bb	0351-0358	8	firctb	disk,exdos, pas	no of last record	shared	pas uses equ aliases
0200-03bb	0359-0360	8	fimaxt	disk,exdos	maximal no of records	shared	
0200-03hh	0361-0378	24	free		apparently unused	free	
0200-03bb	0379	1	exitpn	disk,exdos	disk stack pointer save	shared	
0200-03hh	037a	1	bufsec	disk,exdos	current sector	shared	
0200-03hh	037b	1	scy	disk,exdos	found cyclus	shared	
0200-03hh	037c	1	scyfc	disk,exdos	file entry of cy	shared	
0200-03bb	037d	1	slast	disk,exdos	end of directory mark	shared	
0200-03bb	037e	1	disflg	disk,exdos	disk flag register	shared	
0200-03bb	037f	1	discnt	disk,exdos	special disk counter	shared	
0200-03hh	0380-0387	8	free		apparently unused	free	
0200-03bb	0388	1	oldent	exdos		module-specific	

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	0389-038a	2	oldrec	exdos		module-specific	
0200-03bb	038b	1	newent	exdos		module-specific	
0200-03bb	038c-038d	2	newrec	exdos		module-specific	
0200-03bb	038e	1	counter	exdos		module-specific	
0200-03bb	038f	1	count2	exdos		module-specific	
0200-03bb	0390	1	pfileno	exdos		module-specific	
0200-03bb	0391	1	paging	exdos		module-specific	
0200-03bb	0392	1	line	exdos		module-specific	
0200-03bb	0393	1	olddrv	exdos		module-specific	
0200-03bb	0394	1	newdrv	exdos		module-specific	
0200-03bb	0395	1	oldfil	exdos		module-specific	

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	0396	1	newfil	exdos		module-specific	
0200-03bb	0397	1	fullflg	exdos		module-specific	
0200-03bb	0398	1	nameflg	exdos		module-specific	
0200-03bb	0399	1	dircnt	exdos		module-specific	
0200-03bb	039a-039b	2	delcnt	exdos		module-specific	
0200-03bb	039c-03ac	17	filnm2	exdos		module-specific	
0200-03bb	03ad	1	success	exdos	count success copydelete	module-specific	
0200-03bb	03ae	1	grx	exdos,pas	x for grahicc	shared	pas uses equ aliases
0200-03bb	03af	1	gry	exdos,pas	y for graphics	shared	pas uses equ aliases
0200-03bb	03b0	1	grc	exdos,pas	draw mode for graphics	shared	pas uses equ aliases
0200-03bb	03b1	1	grn	exdos	number of points to draw	module-specific	

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
0200-03bb	03b2	1	grindex	exdos	plot temporary	module-specific	
0200-03bb	03b3	1	grcnt	exdos	plot temporary	module-specific	
0200-03bb	03b4	1	grmask	exdos	plot temporary	module-specific	
0200-03bb	03b5	1	grycnt	exdos	plot temporary	module-specific	
0200-03bb	03b6-03b7	2	grmap	exdos	plot map or x increment	module-specific	
0200-03bb	03b8	1	grxlow	exdos		module-specific	
0200-03bb	03b9	1	grylow	exdos		module-specific	
0200-03bb	03ba-03bb	2	gryinc	exdos	plot y increment	module-specific	
1780-17d6	1780	1	vflag	crt,disk,exdos,ioc,monitor	video flag register	shared	
1780-17d6	1781	1	sflag	crt,disk,exdos,ioc,monitor,pas	system flag register	shared	pas uses equ aliases

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
1780-17d6	1782	1	offset/reserved crt area	crt,ioc,module	crtcontroller data area reserved for crt contr roll memory offset	conflict	crt:offset, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1783	1	lmarg/reserved crt area	crt,ioc,module	crtcontroller data area current left margin reserved for crt contr	conflict	crt:lmarg, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1784	1	reserved crt area/vidkey	crt,ioc,module	crtcontroller data area reserved for crt contr video irq save key	conflict	crt:vidkey, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1785	1	char/reserved crt area	crt,ioc,module	char save register crtcontroller data area reserved for crt contr	conflict	crt:char, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1786-1788	3	full/reserved crt area	crt,ioc,module	crtcontroller data area line save routine reserved for crt contr	conflict	crt:full, ioc:reserved crt area, mon:reserved crt area

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
1780-17d6	1789	1	numlin/reserved crt area	crt,ioc,mon	crtcontroller data area number of lines in vidmem reserved for crt contr	conflict	crt:numlin, ioc:reserved crt area, mon:reserved crt area
1780-17d6	178a	1	numchr/reserved crt area	crt,ioc,mon,pas	crtcontroller data area number of chars per line reserved for crt contr	conflict	crt:numchr, ioc:reserved crt area, mon:reserved crt area; pas uses equ aliases
1780-17d6	178b	1	reserved crt area/umarg	crt,ioc,mon	crtcontroller data area current upper margin reserved for crt contr	conflict	crt:umarg, ioc:reserved crt area, mon:reserved crt area
1780-17d6	178c-178d	2	reserved crt area/vautop	crt,ioc,mon	autoprint vector crtcontroller data area reserved for crt contr	conflict	crt:vautop, ioc:reserved crt area, mon:reserved crt area
1780-17d6	178e-178f	2	reserved crt area/vfunc	crt,ioc,mon	crtcontroller data area function vector reserved for crt contr	conflict	crt:vfunc, ioc:reserved crt area, mon:reserved crt area

zone	address	byte s	name(s)	module(s)	meaning	status	remarks
1780-17d6	1790-1797	8	reserved crt area/tabtb	crt,ioc,mon	crtcontroller data area reserved for crt contr tabulator table	conflict	crt:tabtb, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1798	1	dsplin/reserved crt area	crt,ioc,mon	crtcontroller data area number of displayed lines reserved for crt contr	conflict	crt:dsplin, ioc:reserved crt area, mon:reserved crt area
1780-17d6	1799	1	irqacc/reserved io area	ioc,mon	irq accu save reserved for io contr	conflict	ioc:irqacc, mon:reserved io area
1780-17d6	179a-179b	2	nmi/reserved io area	ioc,mon	nmi vector reserved for io contr	conflict	ioc:nmi, mon:reserved io area
1780-17d6	179c-17ab	16	priotb/reserved io area	ioc,mon	priority irq vectors reserved for io contr	conflict	ioc:priotb, mon:reserved io area
1780-17d6	17ac-17ad	2	break/reserved io area	ioc,mon	break vector reserved for io contr	conflict	ioc:break, mon:reserved io area
1780-17d6	17ae-17af	2	reserved io area/savvec	ioc,mon	reserved for io contr vector save for ibm	conflict	ioc:savvec, mon:reserved io area

zone	address	bytes	name(s)	module(s)	meaning	status	remarks
1780-17d6	17b0	1	ibmct/reserved io area	ioc,mon	ibm timer counter reserved for io contr	conflict	ioc:ibmct, mon:reserved io area
1780-17d6	17b1	1	ibcase/reserved io area	ioc,mon	ibm upperlower case reserved for io contr	conflict	ioc:ibcase, mon:reserved io area
1780-17d6	17b2	1	ibmflg/reserved io area	ioc,mon	from original version reserved for io contr	conflict	ioc:ibmflg, mon:reserved io area
1780-17d6	17b3	1	reserved io area/rsfifo1	ioc,mon	fifo input pointer reserved for io contr	conflict	ioc:rsfifo1, mon:reserved io area
1780-17d6	17b4	1	reserved io area/rsfifo2	ioc,mon	fifo output pointer reserved for io contr	conflict	ioc:rsfifo2, mon:reserved io area
1780-17d6	17b5-17b8	4	time	ioc,mon	120 secsecminhour 120secsecminhour	shared	
1780-17d6	17b9-17bb	3	date	ioc,mon	daymonthyear	shared	
1780-17d6	17bc	1	tracfl	mon	trace flagcounter	module-specific	
1780-17d6	17bd-17d4	24	breakt	mon	break table 8	module-specific	

zone	address	byte s	name(s)	module(s)	meaning	status	remarks
1780-17d6	17d5-17d6	2	vmon	exdos,mon, pas	vector for monitor	shared	pas uses equ aliases
d600- deff	d600-d6ff	256	dirbuf	disk,exdos	disk directory buffer	shared	
d600- deff	d700-deff	2048	filbuf	disk,exdos	file buffer 8 file buffer max 8	shared	