

DDL, DML, DCL, TCL commands:

```
mysql> SELECT *
-> FROM bank_transactions
-> ORDER BY amount DESC;
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14
104	Anil	Vizag	Deposit	8000.00	2024-01-10
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11
109	Sneha	Vizag	Withdrawal	4000.00	2024-01-15
102	Sita	Hyderabad	Withdrawal	2000.00	2024-01-06
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13

```
10 rows in set (0.00 sec)
```

```
mysql> UPDATE bank_transactions
-> SET amount = 5000
-> WHERE txn_id = 105;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> DELETE FROM bank_transactions
-> WHERE txn_id = 111;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT *
-> FROM bank_transactions;
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
102	Sita	Hyderabad	Withdrawal	2000.00	2024-01-06
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
104	Anil	Vizag	Deposit	8000.00	2024-01-10
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14
109	Sneha	Vizag	Withdrawal	4000.00	2024-01-15
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16

```
10 rows in set (0.00 sec)
```

```
mysql>
mysql> SELECT *
-> FROM bank_transactions
-> WHERE transaction_type='Deposit';
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
104	Anil	Vizag	Deposit	8000.00	2024-01-10
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16

DDL, DML, DCL, TCL commands:

```
mysql> CREATE TABLE bank_transactions (
->     txn_id INT PRIMARY KEY,
->     customer_name VARCHAR(50),
->     branch_name VARCHAR(50),
->     transaction_type VARCHAR(20),
->     amount DECIMAL(10,2),
->     transaction_date DATE
-> );
Query OK, 0 rows affected (0.07 sec)

mysql> SHOW TABLES;
+-----+
| Tables_in_bank_02 |
+-----+
| bank_transactions |
+-----+
1 row in set (0.00 sec)

mysql> INSERT INTO bank_transactions VALUES
-> (101, 'Ravi', 'Hyderabad', 'Deposit', 5000, '2024-01-05'),
-> (102, 'Sita', 'Hyderabad', 'Withdrawal', 2000, '2024-01-06'),
-> (103, 'Kiran', 'Vijayawada', 'Deposit', 12000, '2024-01-08'),
-> (104, 'Anil', 'Vizag', 'Deposit', 8000, '2024-01-10'),
-> (105, 'Priya', 'Hyderabad', 'Withdrawal', 3500, '2024-01-11'),
-> (106, 'Ramesh', 'Vizag', 'Deposit', 15000, '2024-01-12'),
-> (107, 'Keerthi', 'Vijayawada', 'Withdrawal', 1000, '2024-01-13'),
-> (108, 'Rahul', 'Hyderabad', 'Deposit', 9000, '2024-01-14'),
-> (109, 'Sneha', 'Vizag', 'Withdrawal', 4000, '2024-01-15'),
-> (110, 'Madhu', 'Vijayawada', 'Deposit', 11000, '2024-01-16');
Query OK, 10 rows affected (0.02 sec)
Records: 10  Duplicates: 0  Warnings: 0

mysql> INSERT INTO bank_transactions
-> VALUES
-> (111, 'Venu', 'Vizag', 'Deposit', 7000, '2024-01-18');
Query OK, 1 row affected (0.01 sec)
```

DDL, DML, DCL, TCL commands:

```
mysql> desc customer_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(50)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_no	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> DROP TABLE bank_backup;
```

```
ERROR 1051 (42S02): Unknown table 'bank_02.bank_backup'
```

```
mysql> DROP TABLE bank_backup;
```

```
ERROR 1051 (42S02): Unknown table 'bank_02.bank_backup'
```

```
mysql> SHOW TABLES;
```

Tables_in_bank_02
customer_transactions

```
1 row in set (0.00 sec)
```

```
mysql> ALTER TABLE customer_transactions
```

```
    -> RENAME TO bank_transactions;
```

```
Query OK, 0 rows affected (0.04 sec)
```

```
ERROR 1051 (42S02): Unknown table 'bank_02.customer_transactions'
```

```
mysql> drop table bank_transactions;
```

```
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> INSERT INTO bank_transactions VALUES
```

```
    -> (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),  
    -> (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),  
    -> (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),  
    -> (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),  
    -> (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),  
    -> (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),  
    -> (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),  
    -> (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),  
    -> (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),  
    -> (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
```

```
ERROR 1146 (42S02): Table 'bank_02.bank_transactions' doesn't exist  
mysql> |
```

```
mysql>
```

```
mysql> desc coustomer_transactions;
```

```
ERROR 1146 (42S02): Table 'ddl_02.coustomer_transactions' doesn't exist
```

```
mysql> desc customer_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(100)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_type	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

DDL, DML, DCL, TCL commands:

```
MySQL 8.0 Command Line Cli x + v

mysql> create database DDL_02;
ERROR 1007 (HY000): Can't create database 'ddl_02'; database exists
mysql> use DDL_02
Database changed
mysql> CREATE TABLE bank_transactions (
->     txn_id INT PRIMARY KEY,
->     customer_name VARCHAR(50),
->     branch_name VARCHAR(50),
->     transaction_type VARCHAR(20),
->     amount DECIMAL(10,2),
->     transaction_date DATE
-> );
Query OK, 0 rows affected (0.08 sec)

mysql> SHOW TABLES;
+-----+
| Tables_in_ddl_02 |
+-----+
| bank_transactions |
+-----+
1 row in set (0.01 sec)

mysql> DESC bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id         | int           | NO   | PRI | NULL    |       |
| customer_name  | varchar(50)   | YES  |     | NULL    |       |
| branch_name    | varchar(50)   | YES  |     | NULL    |       |
| transaction_type | varchar(20)   | YES  |     | NULL    |       |
| amount         | decimal(10,2) | YES  |     | NULL    |       |
| transaction_date | date          | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> ALTER TABLE bank_transactions
-> MODIFY customer_name VARCHAR(100);
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> desc bank_transations;
ERROR 1146 (42S02): Table 'ddl_02.bank_transations' doesn't exist
mysql> desc bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id         | int           | NO   | PRI | NULL    |       |
| customer_name  | varchar(100)  | YES  |     | NULL    |       |
| branch_name    | varchar(50)   | YES  |     | NULL    |       |
| transaction_type | varchar(20)   | YES  |     | NULL    |       |
| amount         | decimal(10,2) | YES  |     | NULL    |       |
| transaction_date | date          | YES  |     | NULL    |       |
| account_type   | varchar(20)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

mysql> |
```

DDL, DML, DCL, TCL commands:

```
MySQL 8.0 Command Line Cli x + v
mysql> DESC bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id | int | NO | PRI | NULL |  |
| customer_name | varchar(50) | YES |  | NULL |  |
| branch_name | varchar(50) | YES |  | NULL |  |
| transaction_type | varchar(20) | YES |  | NULL |  |
| amount | decimal(10,2) | YES |  | NULL |  |
| transaction_date | date | YES |  | NULL |  |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ');' at line 1
mysql> ALTER TABLE bank_transactions
-> ADD account_type VARCHAR(20);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> DESC bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id | int | NO | PRI | NULL |  |
| customer_name | varchar(50) | YES |  | NULL |  |
| branch_name | varchar(50) | YES |  | NULL |  |
| transaction_type | varchar(20) | YES |  | NULL |  |
| amount | decimal(10,2) | YES |  | NULL |  |
| transaction_date | date | YES |  | NULL |  |
| account_type | varchar(20) | YES |  | NULL |  |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```