

TRIGGER

R.RadhaKrishna

2520090063

```
MySQL 8.0 Command Line Cli  X  +  v

mysql> CREATE DATABASE BankDB;
Query OK, 1 row affected (0.03 sec)

mysql> USE BankDB;\
Database changed
mysql> CREATE TABLE Customer (
->     Customer_ID INT PRIMARY KEY,
->     Customer_Name VARCHAR(100) NOT NULL,
->     Phone VARCHAR(15),
->     Email VARCHAR(100),
->     City VARCHAR(50)
-> );
Query OK, 0 rows affected (0.10 sec)

mysql> CREATE TABLE Account (
->     Account_No INT PRIMARY KEY,
->     Customer_ID INT,
->     Account_Type VARCHAR(20),
->     Balance DECIMAL(12,2) DEFAULT 0,
->     Branch VARCHAR(50),
->
->     FOREIGN KEY (Customer_ID)
->     REFERENCES Customer(Customer_ID)
-> );
Query OK, 0 rows affected (0.12 sec)

mysql> CREATE TABLE Bank_Transaction (
->     Transaction_ID INT PRIMARY KEY AUTO_INCREMENT,
->     Account_No INT,
->     Transaction_Type VARCHAR(20),
->     Amount DECIMAL(12,2),
->     Transaction_Date DATETIME DEFAULT CURRENT_TIMESTAMP,
->
->     FOREIGN KEY (Account_No)
->     REFERENCES Account(Account_No)
```

TRIGGER

R.RadhaKrishna

2520090063

```
MySQL 8.0 Command Line Cli x + v
-> (10004, 104, 'Savings', 45000, 'Chennai'),
->
-> (10005, 105, 'Current', 90000, 'Hyderabad');
Query OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> INSERT INTO Bank_Transaction
-> (Account_No, Transaction_Type, Amount)
-> VALUES
-> (10001, 'DEPOSIT', 10000),
->
-> (10002, 'DEPOSIT', 15000),
->
-> (10003, 'WITHDRAW', 20000),
->
-> (10004, 'DEPOSIT', 5000),
->
-> (10005, 'WITHDRAW', 10000);
Query OK, 5 rows affected (0.02 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql>
mysql> SELECT * FROM Customer;
+-----+-----+-----+-----+-----+
| Customer_ID | Customer_Name | Phone | Email | City |
+-----+-----+-----+-----+-----+
| 101 | Ravi Kumar | 9876543210 | ravi@gmail.com | Hyderabad |
| 102 | Priya Sharma | 9876543211 | priya@gmail.com | Vijayawada |
| 103 | Arjun Reddy | 9876543212 | arjun@gmail.com | Bangalore |
| 104 | Sneha Rao | 9876543213 | sneha@gmail.com | Chennai |
| 105 | Kiran Kumar | 9876543214 | kiran@gmail.com | Hyderabad |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql>

MySQL 8.0 Command Line Cli x + v

mysql>
mysql> SELECT * FROM Account;
+-----+-----+-----+-----+-----+
| Account_No | Customer_ID | Account_Type | Balance | Branch |
+-----+-----+-----+-----+-----+
| 10001 | 101 | Savings | 50000.00 | Hyderabad |
| 10002 | 102 | Savings | 75000.00 | Vijayawada |
| 10003 | 103 | Current | 120000.00 | Bangalore |
| 10004 | 104 | Savings | 45000.00 | Chennai |
| 10005 | 105 | Current | 90000.00 | Hyderabad |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM Bank_Transaction;
+-----+-----+-----+-----+-----+
| Transaction_ID | Account_No | Transaction_Type | Amount | Transaction_Date |
+-----+-----+-----+-----+-----+
| 1 | 10001 | DEPOSIT | 10000.00 | 2026-08-12 15:18:06 |
| 2 | 10002 | DEPOSIT | 15000.00 | 2026-08-12 15:18:06 |
| 3 | 10003 | WITHDRAW | 20000.00 | 2026-08-12 15:18:06 |
| 4 | 10004 | DEPOSIT | 5000.00 | 2026-08-12 15:18:06 |
| 5 | 10005 | WITHDRAW | 10000.00 | 2026-08-12 15:18:06 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql>
mysql> SELECT * FROM Loan;
Empty set (0.00 sec)
```

TRIGGER

R.RadhaKrishna

2520090063

```
MySQL 8.0 Command Line Cli  ×  +  ▾

mysql> CREATE TABLE Loan (
->     Loan_ID INT PRIMARY KEY,
->     Customer_ID INT,
->     Loan_Type VARCHAR(30),
->     Loan_Amount DECIMAL(12,2),
->     Interest_Rate DECIMAL(5,2),
->
->     FOREIGN KEY (Customer_ID)
->     REFERENCES Customer(Customer_ID)
-> );
Query OK, 0 rows affected (0.12 sec)

mysql> INSERT INTO Customer
-> (Customer_ID, Customer_Name, Phone, Email, City)
-> VALUES
-> (101, 'Ravi Kumar', '9876543210', 'ravi@gmail.com', 'Hyderabad'),
->
-> (102, 'Priya Sharma', '9876543211', 'priya@gmail.com', 'Vijayawada'),
->
-> (103, 'Arjun Reddy', '9876543212', 'arjun@gmail.com', 'Bangalore'),
->
-> (104, 'Sneha Rao', '9876543213', 'sneha@gmail.com', 'Chennai'),
->
-> (105, 'Kiran Kumar', '9876543214', 'kiran@gmail.com', 'Hyderabad');
Query OK, 5 rows affected (0.03 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> INSERT INTO Account
-> (Account_No, Customer_ID, Account_Type, Balance, Branch)
-> VALUES
-> (10001, 101, 'Savings', 50000, 'Hyderabad'),
->
-> (10002, 102, 'Savings', 75000, 'Vijayawada'),
->
```