

Cucumber Report

23-Oct-2022, 4:38:25 pm

Start : Oct 23, 4:35:59.526 pm

End : Oct 23, 4:38:24.851 pm

Duration : 2 m 25.325 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2


FAILED - 7

SKIPPED - 0

PASSED - 36


FAILED - 7

SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout the Subscription Package</u>	2 m 25.325 s	9	2	7	0	54	36	7	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@checkoutFlow	9	2	7	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Checkout the Subscription Package</u>	9	2	7	0	2 m 25.325 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	4	1	1	22.099 s
2	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	4	1	1	18.952 s
3	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	6	0	0	16.686 s
4	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	2	1	3	12.051 s
5	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	2	1	3	10.663 s
6	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	4	1	1	15.062 s
7	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	6	0	0	18.474 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	4	1	1	16.646 s
9	<u>Checkout the Subscription Package</u>	<u>verify user can checkout the subscribed package</u>	6	4	1	1	14.582 s


Checkout the Subscription Package

FAILED	DURATION - 2 m 25.325 s	Scenarios		Steps	
/ 4:35:59.526 pm // 4:38:24.851 pm /		Total - 9		Total - 54	
		Pass - 2		Pass - 36	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 11	



verify user can checkout the subscribed package

<div>FAILED</div> <div>DURATION - 22.099 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:35:59.533 pm // 4:36:21.632 pm /</div>				
<div>Checkout the Subscription Package</div>				
<div>@checkoutFlow</div>				


#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	8.447 s
2	When user selects country "Kuwait"	PASSED	6.308 s
3	And choose and verify trial plan type "Lite"	PASSED	2.125 s
4	And user enters account credentials	PASSED	0.312 s
5	And user includes the add ons "true" "true"	FAILED	0.892 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.pages.CheckOut.addOnPageFieldsVerification(CheckOut.java:119) at stepDefinition.SubscriptionSteps.user_includes_the_add_ons(SubscriptionSteps.java:38) at ?.user includes the add ons "true" "true"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:13) * Not displayable characters are replaced by '?'. </pre>		
6	Then verify checkout details are correct	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.907 s

#	Step / Hook Details	Status	Duration
	verify_user_can_checkout_the_subscribed_package 		



verify user can checkout the subscribed package

<div>FAILED</div> <div>DURATION - 18.952 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:36:21.659 pm // 4:36:40.611 pm /</div>			
<div>Checkout the Subscription Package</div>			
<div>@checkoutFlow</div>			

#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	9.353 s
2	When user selects country "Kuwait"	PASSED	3.250 s
3	And choose and verify trial plan type "Classic"	PASSED	2.092 s
4	And user enters account credentials	PASSED	0.275 s
5	And user includes the add ons "true" "false" <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.pages.CheckOut.addOnPageFieldsVerification(CheckOut.java:119) at stepDefinition.SubscriptionSteps.user_includes_the_add_ons(SubscriptionSteps.java:38) at ?user includes the add ons "true" "false"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:13) * Not displayable characters are replaced by '?'. </pre>	FAILED	1.382 s
6	Then verify checkout details are correct	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.715 s
	verify_user_can_checkout_the_subscribed_package		



#	Step / Hook Details	Status	Duration
			


verify user can checkout the subscribed package

<div>PASSED</div> <div>DURATION - 16.686 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:36:40.622 pm // 4:36:57.308 pm /</div>			
<div>Checkout the Subscription Package</div>			
<div>@checkoutFlow</div>			



#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	4.484 s
2	When user selects country "Kuwait"	PASSED	3.197 s
3	And choose and verify trial plan type "Premium"	PASSED	2.101 s
4	And user enters account credentials	PASSED	0.339 s
5	And user includes the add ons "false" "true"	PASSED	4.751 s
6	Then verify checkout details are correct	PASSED	0.196 s


verify user can checkout the subscribed package

<div>FAILED</div> <div>DURATION - 12.051 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 4:36:57.323 pm // 4:37:09.374 pm /</div>				
<div>Checkout the Subscription Package</div>				
<div>@checkoutFlow</div>				



#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	6.914 s
2	When user selects country "KSA"	PASSED	1.172 s
3	And choose and verify trial plan type "Lite"	FAILED	2.043 s
	<pre>java.lang.AssertionError: expected [15.00SAR/Month] but found [from15.00SAR/Month] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at com.pages.StvSubscription.trialPlanSelection(StvSubscription.java:93) at stepDefinition.SubscriptionSteps.choose_and_verify_trial_plan_type(SubscriptionSteps.java:29) at ?.choose and verify trial plan type "Lite"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:11) * Not displayable characters are replaced by '?'. </pre>		
4	And user enters account credentials	SKIPPED	0.000 s
5	And user includes the add ons "false" "false"	SKIPPED	0.000 s
6	Then verify checkout details are correct	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.293 s
	verify_user_can_checkout_the_subscribed_package		
			


verify user can checkout the subscribed package

FAILED		DURATION - 10.663 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 4:37:09.381 pm // 4:37:20.044 pm /						
Checkout the Subscription Package						
@checkoutFlow						



#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	3.918 s
2	When user selects country "KSA"	PASSED	2.523 s
3	And choose and verify trial plan type "Classic"	FAILED	2.040 s
	<pre>java.lang.AssertionError: expected [25.00SAR/Month] but found [from25.00SAR/Month] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at com.pages.StvSubscription.trialPlanSelection(StvSubscription.java:99) at stepDefinition.SubscriptionSteps.choose_and_verify_trial_plan_type(SubscriptionSteps.java:29) at ?.choose and verify trial plan type "Classic"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:11) * Not displayable characters are replaced by '?'. </pre>		
4	And user enters account credentials	SKIPPED	0.001 s
5	And user includes the add ons "true" "true"	SKIPPED	0.001 s
6	Then verify checkout details are correct	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.514 s
	verify_user_can_checkout_the_subscribed_package		
			

verify user can checkout the subscribed package

FAILED	DURATION - 15.062 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:37:20.056 pm // 4:37:35.118 pm /				
Checkout the Subscription Package				
@checkoutFlow				

#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	7.829 s
2	When user selects country "KSA"	PASSED	2.937 s
3	And choose and verify trial plan type "Premium"	PASSED	2.092 s
4	And user enters account credentials	PASSED	0.315 s
5	And user includes the add ons "false" "false"	FAILED	0.023 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.pages.CheckOut.addOnPageFieldsVerification(CheckOut.java:112) at stepDefinition.SubscriptionSteps.user_includes_the_add_ons(SubscriptionSteps.java:38) at ?.user includes the add ons "false" "false"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:13) * Not displayable characters are replaced by '?'. </pre>		
6	Then verify checkout details are correct	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.286 s
	verify_user_can_checkout_the_subscribed_package		
			

verify user can checkout the subscribed package


PASSED	DURATION - 18.474 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:37:35.131 pm // 4:37:53.605 pm /				
Checkout the Subscription Package				
@checkoutFlow				

#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	4.983 s
2	When user selects country "Bahrain"	PASSED	5.159 s
3	And choose and verify trial plan type "Lite"	PASSED	2.092 s
4	And user enters account credentials	PASSED	0.252 s
5	And user includes the add ons "true" "false"	PASSED	4.203 s
6	Then verify checkout details are correct	PASSED	0.140 s



verify user can checkout the subscribed package

<div>FAILED</div> <div>DURATION - 16.646 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:37:53.612 pm // 4:38:10.258 pm /</div>				
<div>Checkout the Subscription Package</div>				
<div>@checkoutFlow</div>				

#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	7.262 s
2	When user selects country "Bahrain"	PASSED	3.658 s
3	And choose and verify trial plan type "Classic"	PASSED	2.085 s
4	And user enters account credentials	PASSED	0.268 s
5	And user includes the add ons "false" "true"	FAILED	0.858 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.pages.CheckOut.addOnPageFieldsVerification(CheckOut.java:119) at stepDefinition.SubscriptionSteps.user_includes_the_add_ons(SubscriptionSteps.java:38) at ?.user includes the add ons "false" "true"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:13) * Not displayable characters are replaced by '?'. </pre>		
6	Then verify checkout details are correct	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.689 s

#	Step / Hook Details	Status	Duration
	<p>verify_user_can_checkout_the_subscribed_package</p> 		

verify user can checkout the subscribed package

<div><div>FAILED</div><div>DURATION - 14.582 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 4</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
/ 4:38:10.269 pm // 4:38:24.851 pm /				
Checkout the Subscription Package				
@checkoutFlow				

#	Step / Hook Details	Status	Duration
1	Given user has logged in to application	PASSED	6.077 s
2	When user selects country "Bahrain"	PASSED	2.758 s
3	And choose and verify trial plan type "Premium"	PASSED	2.110 s
4	And user enters account credentials	PASSED	0.289 s
5	And user includes the add ons "true" "false"	FAILED	0.816 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.pages.CheckOut.addOnPageFieldsVerification(CheckOut.java:119) at stepDefinition.SubscriptionSteps.user_includes_the_add_ons(SubscriptionSteps.java:38) at ?user includes the add ons "true" "false"(file:///Users/rahul/Documents/ideaProjects/StvProject_Cucumber/src/test/resources/features/Subscription.feature:13) * Not displayable characters are replaced by '?'. </pre>		
6	Then verify checkout details are correct	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.723 s
	verify_user_can_checkout_the_subscribed_package		

#	Step / Hook Details	Status	Duration
			