

CategoryCode

A Schema.org Type

This term is in the "new" area - implementation feedback and adoption from applications and websites can help improve our definitions.

Thing › **Intangible** › **DefinedTerm** › **CategoryCode**

[more...]

A Category Code.

Property	Expected Type	Description
Properties from CategoryCode		
codeValue	Text	A short textual code that uniquely identifies the value.
inCodeSet	CategoryCodeSet or URL	A CategoryCodeSet that contains this category code.
Properties from DefinedTerm		
inDefinedTermSet	DefinedTermSet or	A DefinedTermSet that contains this term.

Property	Expected Type	Description
	URL	
termCode	Text	A code that identifies this DefinedTerm within a DefinedTermSet .
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .

Property	Expected Type	Description
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **CategoryCode** may appear as a value for the following properties

Property	On Types	Description
category	ActionAccessSpecification or Invoice or Offer or PhysicalActivity or Product or Recommendation or Service or SpecialAnnouncement	A category for the item. Greater signs or slashes can be used to informally indicate a category hierarchy.

Property	On Types	Description
hasCategoryCode	CategoryCodeSet	A Category code contained in this code set.
legislationType	Legislation	The type of the legislation. Examples of values are "law", "act", "directive", "decree", "regulation", "statutory instrument", "loi organique", "règlement grand-ducal", etc., depending on the country.
occupationalCategory	EducationalOccupationalProgram or JobPosting or Occupation or Physician or WorkBasedProgram	A category describing the job, preferably using a term from a taxonomy such as BLS O*NET-SOC, ISCO-08 or similar, with the property repeated for each applicable value. Ideally the taxonomy should be identified, and both the textual label and formal code for the category should be provided. Note: for historical reasons, any textual label and formal code provided as a literal may be assumed to be from O*NET-SOC.

More specific Types

- [MedicalCode](#)

Source

<https://github.com/schemaorg/schemaorg/issues/894>

Examples

[📄 Example 1](#)

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
{
  "@context": "https://schema.org/",
  "@type": "CategoryCodeSet",
  "@id": "_C1",
  "name": "The Mammal Classification List",
  "hasCategoryCode": {
    "@type": "CategoryCode",
    "name": "Carnivore",
    "description": "A mammal that feeds on other animals",
    "inCodeSet": "_C1"
  }
}
```

📄 Example 2

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
[
  {
    "@context": "https://schema.org/"
  },

```

```
{
  "@type": "CategoryCodeSet",
  "@id": "http://id.loc.gov/vocabulary/iso639-2",
  "name": "ISO 639-2: Codes for the Representation of Names of Languages",
  "hasCategoryCode": "http://id.loc.gov/vocabulary/iso639-2/cze"
},
{
  "@type": "CategoryCode",
  "@id": "http://id.loc.gov/vocabulary/iso639-2/cze",
  "codeValue": "cze",
  "name": {
    "en": "Czech",
    "fr": "tchèque",
    "de": "Tschechisch"
  },
  "inCodeSet": "http://id.loc.gov/vocabulary/iso639-2"
}
]
```