

DDxElement

A Schema.org Type

Thing › **MedicalEntity** › **MedicalIntangible** › **DDxElement**

[\[more...\]](#)

An alternative, closely-related condition typically considered later in the differential diagnosis process along with the signs that are used to distinguish it.

Property	Expected Type	Description
Properties from DDxElement		
diagnosis	MedicalCondition	One or more alternative conditions considered in the differential diagnosis process as output of a diagnosis process.
distinguishingSign	MedicalSignOrSymptom	One of a set of signs and symptoms that can be used to distinguish this diagnosis from others in the differential diagnosis.
Properties from MedicalEntity		
code	MedicalCode	A medical code for the entity, taken from a controlled vocabulary or ontology such as ICD-9, DiseasesDB, MeSH, SNOMED-CT, RxNorm, etc.

Property	Expected Type	Description
funding	Grant	A Grant that directly or indirectly provide funding or sponsorship for this item. See also ownershipFundingInfo . Inverse property: fundedItem
guideline	MedicalGuideline	A medical guideline related to this entity.
legalStatus	DrugLegalStatus or MedicalEnumeration or Text	The drug or supplement's legal status, including any controlled substance schedules that apply.
medicineSystem	MedicineSystem	The system of medicine that includes this MedicalEntity, for example 'evidence-based', 'homeopathic', 'chiropractic', etc.
recognizingAuthority	Organization	If applicable, the organization that officially recognizes this entity as part of its endorsed system of medicine.
relevantSpecialty	MedicalSpecialty	If applicable, a medical specialty in which this entity is relevant.
study	MedicalStudy	A medical study or trial related to this entity.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .

Property	Expected Type	Description
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.

Property	Expected Type	Description
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **DDxElement** may appear as a value for the following properties

Property	On Types	Description
differentialDiagnosis	MedicalCondition	One of a set of differential diagnoses for the condition. Specifically, a closely-related or competing diagnosis typically considered later in the cognitive process whereby this medical condition is distinguished from others most likely responsible for a similar collection of signs and symptoms to reach the most parsimonious diagnosis or diagnoses in a patient.

Examples

📄 Example 1

No Markup Microdata RDFa **JSON-LD** Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "MedicalCondition",
```

```
"alternateName": "angina pectoris",
"associatedAnatomy": {
  "@type": "AnatomicalStructure",
  "name": "heart"
},
"cause": [
  {
    "@type": "MedicalCause",
    "name": "atherosclerosis"
  },
  {
    "@type": "MedicalCause",
    "name": "spasms of the epicardial artery"
  }
],
"code": {
  "@type": "MedicalCode",
  "code": "413",
  "codingSystem": "ICD-9"
},
"differentialDiagnosis": {
  "@type": "DDxElement",
  "diagnosis": {
    "@type": "MedicalCondition",
    "name": "heart attack"
  }
},
"distinguishingSign": [
  {
```

```
    "@type": "MedicalSymptom",
    "name": "chest pain lasting at least 10 minutes at rest"
  },
  {
    "@type": "MedicalSymptom",
    "name": "repeated episodes of chest pain at rest lasting 5 or more minutes"
  },
  {
    "@type": "MedicalSymptom",
    "name": "an accelerating pattern of chest discomfort (episodes that are more frequent, severe, long
  }
]
},
"name": "Stable angina",
"possibleTreatment": [
  {
    "@type": "Drug",
    "name": "aspirin"
  },
  {
    "@type": "DrugClass",
    "name": "beta blockers"
  },
  {
    "@type": "DrugClass",
    "name": "ACE inhibitors"
  },
  {
```

```
    "@type": "Drug",
    "name": "nitroglycerine"
  }
],
"riskFactor": [
  {
    "@type": "MedicalRiskFactor",
    "name": "Age"
  },
  {
    "@type": "MedicalRiskFactor",
    "name": "Gender"
  },
  {
    "@type": "MedicalRiskFactor",
    "name": "Systolic blood pressure"
  },
  {
    "@type": "MedicalRiskFactor",
    "name": "Smoking"
  },
  {
    "@type": "MedicalRiskFactor",
    "name": "Total cholesterol and/or cholesterol:HDL ratio"
  },
  {
    "@type": "MedicalRiskFactor",
    "name": "Coronary artery disease"
  }
]
```

```
    }  
  ],  
  "secondaryPrevention": [  
    {  
      "@type": "LifestyleModification",  
      "name": "stopping smoking"  
    },  
    {  
      "@type": "LifestyleModification",  
      "name": "weight management"  
    },  
    {  
      "@type": "LifestyleModification",  
      "name": "increased physical activity"  
    }  
  ],  
  "signOrSymptom": [  
    {  
      "@type": "MedicalSymptom",  
      "name": "chest discomfort"  
    },  
    {  
      "@type": "MedicalSymptom",  
      "name": "feeling of tightness, heaviness, or pain in the chest"  
    }  
  ]  
}  
</script>
```

