

EducationalOccupationalProgram

A Schema.org Type

This term is in the "new" area - implementation feedback and adoption from applications and websites can help improve our definitions.

Thing > **Intangible** > **EducationalOccupationalProgram**

[\[more...\]](#)

A program offered by an institution which determines the learning progress to achieve an outcome, usually a credential like a degree or certificate. This would define a discrete set of opportunities (e.g., job, courses) that together constitute a program with a clear start, end, set of requirements, and transition to a new occupational opportunity (e.g., a job), or sometimes a higher educational opportunity (e.g., an advanced degree).

Property	Expected Type	Description
Properties from EducationalOccupationalProgram		
applicationDeadline	Date or Text	The date on which the program stops collecting applications for the next enrollment cycle. Flexible application deadlines (for example, a program with rolling admissions) can be described in a textual string, rather than as a DateTime.

Property	Expected Type	Description
applicationStartDate	Date	The date at which the program begins collecting applications for the next enrollment cycle.
dayOfWeek	DayOfWeek	The day of the week for which these opening hours are valid.
educationalCredentialAwarded	EducationalOccupationalCredential or Text or URL	A description of the qualification, award, certificate, diploma or other educational credential awarded as a consequence of successful completion of this course or program.
educationalProgramMode	Text or URL	Similar to courseMode, the medium or means of delivery of the program as a whole. The value may either be a text label (e.g. "online", "onsite" or "blended"; "synchronous" or "asynchronous"; "full-time" or "part-time") or a URL reference to a term from a controlled vocabulary (e.g. https://ceds.ed.gov/element/001311#Asynchronous).
endDate	Date or DateTime	The end date and time of the item (in ISO 8601 date format).
financialAidEligible	DefinedTerm or Text	A financial aid type or program which students may use to pay for tuition or fees associated with the program.
hasCourse	Course	A course or class that is one of the learning opportunities that constitute an educational / occupational program. No information is implied

Property	Expected Type	Description
		about whether the course is mandatory or optional; no guarantee is implied about whether the course will be available to everyone on the program.
maximumEnrollment	Integer	The maximum number of students who may be enrolled in the program.
numberOfCredits	Integer or StructuredValue	The number of credits or units awarded by a Course or required to complete an EducationalOccupationalProgram.
occupationalCategory	CategoryCode or Text	A category describing the job, preferably using a term from a taxonomy such as BLS O*NET-SOC, ISCO-08 or similar, with the property repeated for each applicable value. Ideally the taxonomy should be identified, and both the textual label and formal code for the category should be provided. Note: for historical reasons, any textual label and formal code provided as a literal may be assumed to be from O*NET-SOC.
occupationalCredentialAwarded	EducationalOccupationalCredential or Text or URL	A description of the qualification, award, certificate, diploma or other occupational credential awarded as a consequence of successful completion of this course or program.
offers	Demand or Offer	An offer to provide this item—for example, an offer to sell a product, rent the DVD of a movie, perform a service, or give away tickets to an event. Use businessFunction to indicate the kind of

Property	Expected Type	Description
		transaction offered, i.e. sell, lease, etc. This property can also be used to describe a Demand . While this property is listed as expected on a number of common types, it can be used in others. In that case, using a second type, such as Product or a subtype of Product, can clarify the nature of the offer. Inverse property: itemOffered
programPrerequisites	AlignmentObject or Course or EducationalOccupationalCredential or Text	Prerequisites for enrolling in the program.
programType	DefinedTerm or Text	The type of educational or occupational program. For example, classroom, internship, alternance, etc.
provider	Organization or Person	The service provider, service operator, or service performer; the goods producer. Another party (a seller) may offer those services or goods on behalf of the provider. A provider may also serve as the seller. Supersedes carrier .
salaryUponCompletion	MonetaryAmountDistribution	The expected salary upon completing the training.
startDate	Date or DateTime	The start date and time of the item (in ISO 8601 date format).
termDuration	Duration	The amount of time in a term as defined by the institution. A term is a length of time where students

Property	Expected Type	Description
		take one or more classes. Semesters and quarters are common units for term.
termsPerYear	Number	The number of times terms of study are offered per year. Semesters and quarters are common units for term. For example, if the student can only take 2 semesters for the program in one year, then termsPerYear should be 2.
timeOfDay	Text	The time of day the program normally runs. For example, "evenings".
timeToComplete	Duration	The expected length of time to complete the program if attending full-time.
trainingSalary	MonetaryAmountDistribution	The estimated salary earned while in the program.
typicalCreditsPerTerm	Integer or StructuredValue	The number of credits or units a full-time student would be expected to take in 1 term however 'term' is defined by the institution.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without

Property	Expected Type	Description
		their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity

Property	Expected Type	Description
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

More specific Types

- [WorkBasedProgram](#)

Source

<https://github.com/schemaorg/schemaorg/issues/2289>

Examples

 **Example 1**

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "EducationalOccupationalProgram",
  "name": "Undergraduate CS degree from ACME College",
  "url": "http://www.acme.edu/CS",
  "provider": {
    "@type": "CollegeOrUniversity",
    "name": "ACME Community College",
    "address": {
      "@type": "PostalAddress",
      "streetAddress": "123 Main Street",
      "addressLocality": "Boston",
      "addressRegion": "MA",
      "postalCode": "02134"
    }
  },
  "timeToComplete": "P4Y",
  "educationalCredentialAwarded": {
    "@type": "EducationalOccupationalCredential",
    "credentialCategory": "Bachelor of Science in Computer Science"
  },
  "programPrerequisites": {
    "@type": "EducationalOccupationalCredential",
```



```
    "credentialCategory": "High school diploma"
  },
  "offers": [
    {
      "@type": "Offer",
      "category": "Resident Tuition",
      "priceSpecification": {
        "@type": "PriceSpecification",
        "price": 16278,
        "priceCurrency": "USD"
      }
    },
    {
      "@type": "Offer",
      "category": "International Tuition",
      "priceSpecification": {
        "@type": "PriceSpecification",
        "price": 37344,
        "priceCurrency": "USD"
      }
    },
    {
      "@type": "Offer",
      "category": "Other Tuition",
      "priceSpecification": {
        "@type": "PriceSpecification",
        "price": 35599,
        "priceCurrency": "USD"
      }
    }
  ]
}
```

```

    }
  },
  {
    "@type": "Offer",
    "category": "Room and Board",
    "priceSpecification": {
      "@type": "PriceSpecification",
      "price": 13588,
      "priceCurrency": "USD"
    }
  }
]
}

```

</script>

📄 Example 2

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "EducationalOccupationalProgram",
  "name": "ACME University Basketweaving Program",
  "applicationStartDate": "2019-09-01",

```

```
"applicationDeadline": "2019-12-31",  
"educationalProgramMode": "full-time",  
"numberOfCredits": 32,  
"maximumEnrollment": 100,  
"termDuration": "P4M",  
"termsPerYear": 2,  
"typicalCreditsPerTerm": 4  
}  
</script>
```