

EntryPoint

A Schema.org Type

Thing > **Intangible** > **EntryPoint**

[\[more...\]](#)

An entry point, within some Web-based protocol.

Property	Expected Type	Description
Properties from EntryPoint		
actionApplication	SoftwareApplication	An application that can complete the request. Supersedes application .
actionPlatform	DigitalPlatformEnumeration or Text or URL	The high level platform(s) where the Action can be performed for the given URL. To specify a specific application or operating system instance, use actionApplication.
contentType	Text	The supported content type(s) for an EntryPoint response.
encodingType	Text	The supported encoding type(s) for an EntryPoint request.

Property	Expected Type	Description
httpMethod	Text	An HTTP method that specifies the appropriate HTTP method for a request to an HTTP EntryPoint. Values are capitalized strings as used in HTTP.
urlTemplate	Text	An url template (RFC6570) that will be used to construct the target of the execution of the action.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.

Property	Expected Type	Description
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **EntryPoint** may appear as a value for the following properties

Property	On Types	Description
----------	----------	-------------

target	Action	Indicates a target EntryPoint, or url, for an Action.
---------------	---------------	---

Acknowledgements

Hydra project

The schema.org Actions mechanism benefited from extensive discussions across the Web standards community around W3C, in particular from the **Hydra project**'s community group.

Examples

📄 Example 1

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
```

```
{
  "@context": "https://schema.org",
  "@type": "Restaurant",
  "name": "Tartine Bakery",
  "potentialAction": {
    "@type": "ViewAction",
    "target": [
```

```
"http://www.urbanspoon.com/r/6/92204",
{
  "@type": "EntryPoint",
  "urlTemplate": "http://api.urbanspoon.com/r/6/92204",
  "contentType": "application/json+ld"
},
"android-app://com.urbanspoon/http/www.urbanspoon.com/r/6/92204",
{
  "@type": "EntryPoint",
  "urlTemplate": "urbanspoon://r/6/92204",
  "actionApplication": {
    "@type": "SoftwareApplication",
    "@id": "284708449",
    "name": "Urbanspoon iPhone & iPad App",
    "operatingSystem": "iOS"
  }
},
{
  "@type": "EntryPoint",
  "urlTemplate": "urbanspoon://r/6/92204",
  "actionApplication": {
    "@type": "SoftwareApplication",
    "@id": "5b23b738-bb64-4829-9296-5bcb59bb0d2d",
    "name": "Windows Phone App",
    "operatingSystem": "Windows Phone 8"
  }
}
]
```

```
}  
}  
</script>
```